


ASSEMBLY INSTRUCTIONS

3 PIECE TEAK BAR HEIGHT BISTRO SET IT-620150T



CUSTOMER SERVICE INFORMATION

Please do not return to the store. If any pieces are missing call our toll free number at 1-888-287-4275 from 9:00 am to 5.00 pm CST (Monday to Friday) for replacement parts. For faster service, have the style number handy when calling.

GENERAL INFORMATION & TIPS

1. Please read the assembly instructions prior to assembling the chair.
2. To avoid damage, assemble the chair on a non-abrasive surface such as carpet.
3. Make sure all bolts tightly fastened before the chair is used.
4. This chair is not for commercial use.

Please make sure you have all parts before beginning assembly. Please wait until all steps are completed before tightening bolts.








1. A Phillips screwdriver is necessary for assembly.
It's not included in hardware list.




2. Rubber Mallet
- For tapping in the wooden caps



PARTS AND HARDWARE LIST


A1. Right side frame	A2. Left side frame	B. Backrest	C. Seat
			
QTY: 1 Pc	QTY: 1 Pc	QTY: 1 Pc	QTY: 1 Pc
D. Cross bars	E. 1 1/4" Bolt	F. Wooden cap	
			
QTY: 2 Pcs	QTY: 10 Pcs +1	QTY: 10 pcs +1	

STEP 1




- Attach Backrest (B), Seat (C) & cross bars (D) into the right side frame (A1) to the matching holes.

STEP 2




- Attach Left side frame (A2) onto the pre-assembled and secure using 1 1/4" bolts (E).

STEP 3



- Turn the chair onto the other side and repeat step 2 to fasten the right side frame (A1).

STEP 4



- Upright the chair.
- Make sure all part are correctly connected and tighten all bolts completely using screwdriver.
- Tapping in the wooden caps (F) to cover bolts head using rubber mallet.

THE CHAIR IS NOW READY TO USE.

GENERAL INFORMATION & TIPS










1. Please read the assembly instructions prior to assembling the table.
2. To avoid damage, assemble the table on a non-abrasive surface such as carpet.
3. Make sure all bolts and screws are tightly fastened before the table is used.
4. This table is not for commercial use.

Please make sure you have all parts before beginning assembly. Please wait until all steps are completed before tightening bolts and screws.


1. A Phillips screwdriver is necessary for assembly.
It's not included in hardware list.



PARTS AND HARDWARE LIST


A. Table top	B1. Top Crossbar	B2. Top Crossbar	C. Leg frame
			
QTY: 1 pc	QTY: 1 pc	QTY: 1 pc	QTY: 4 pcs
D1. Bottom Crossbar	D2. Bottom Crossbar	E. 1 1/4" Bolt	F. 1" Bolt
			
QTY: 1 pc	QTY: 1 pc	QTY: 9 pcs +1	QTY: 4 pcs +1
G. 1" Screw			
			
QTY: 4 pcs + 1			

STEP 1




- Attach bottom crossbar (D1&D2), secure using 1" screws (G) fully tighten with screwdriver.
- Attach top crossbar (B1&B2).

STEP 2




- Attach the leg frame (C) to bottom crossbar (D1&D2) secure using 1 1/4" bolts and attach top crossbar (B1&B2) secure using 1" bolts. tighten with screwdriver.

STEP 3



- Attach the top table (A) and the assembly from step 2 to the matching hole. secure using 1 1/4" bolts.
- Make sure all parts are correctly connected and tighten all screws and bolts using screwdriver.

STEP 4



THE BAR TABLE IS NOW READY FOR USE.