16834-A



If you discover missing or damaged parts, or if you have questions about the building process, please reach out to us directly for the fastest service.

24/7 Support help.backyardproducts.com



- Answers to frequently asked questions
- Technical assistance and how-to videos
- Submit a help request
- Request replacement parts

Business Hours

(734) 242-6900



Did you enjoy building your shed?

JOIN OUR TEAM

AND MAKE UP TO \$1,500/WEEK*

Call a Recruiter Today! 734-365-7000



Flexible schedule




No selling, just building



Bonus incentives available





Backyard Products, LLC 1000 Ternes Drive Monroe, MI 48162

ASSEMBLY MANUAL

16834-A

05/30/2024

GABLE 12' x 20' (365,8 x 609,6 cm)

ACTUAL FLOOR SIZE: 144" x 240" (365,8 cm x 609,6 cm)

KEEP THIS MANUAL FOR FUTURE REFERENCE



BEFORE YOU BEGIN

BUILDING RESTRICTIONS AND APPROVALS

Be sure to check local building department and homeowners association for specific restrictions and/ or requirements before building.

• ENGINEERED DRAWINGS

Contact our Customer Service Team if engineered drawings are needed to pull local permits.

SURFACE PREPARATION

To ensure proper assembly you must build your shed on a level surface.

Recommended methods and materials to level your shed are listed on page 14.

• CHECK ALL PARTS

Inventory all parts listed on pages 4-7.

ADDITIONAL MATERIALS

You will need additional materials to complete your shed. See pages 3 for required and optional materials and quantities.




CONTACT OUR CUSTOMER SERVICE TEAM IF ANY PARTS ARE MISSING OR DAMAGED



- Order form and warranty at back of manual -

Call: 1-734-242-6900 email: customerservice@backyardproducts.com


TOOLS



Safety! Always use approved safety glasses during assembly.

HELPFUL REMINDER SYMBOLS


Look for these symbols for helpful reminders throughout this manual.



ORIENT LUMBER AND TRIM FOR BEST APPEARANCE

Framing lumber is graded for structural strength and not appearance. Exterior trim is graded for one good side.

Always install the material leaving the best edge and best surface visible. Please remember that these blemishes in no way negatively affect the strength or integrity of our product. (See Fig. A, B, C.)



ADDITIONAL MATERIALS

FOUNDATION OR FLOOR MATERIALS

If your purchase comes with a floor system, the materials to construct your floor will be in a separate kit(s).

• See the FLOOR LEVELING section on page 14 for recommended methods and suggested materials to properly level your floor, as this will vary depending on your specific site.

COMPLETING YOUR SHED You will need these additional materials:				
3-TAB SHINGLES (Bundles)				
OPTIONAL MATERIALS				
DRIP EDGE (Feet)				

REFER TO THE BACK OF THIS MANUAL AND THE MANUFACTURER'S INSTRUCTIONS FOR INSTALLATION OF SHINGLES, DRIP EDGE AND FELT.

PARTS IDENTIFICATION AND SIZES

Part identification letters are stamped on some parts.



Treated lumber is stamped:



WOOD SIZE CONVERSION CHART

Nominal Board Size	Actual Size
2 x 41-1/2" x 3-1/2" (3,	8 x 8,9 cm)
1 x 43/4" x 3-1/2" (1,	9 x 8,9 cm)
2 x 31-1/2" x 2-1/2" (3,	8 x 6,3 cm)
1 x 3	8 x 6.3 cm)

	V I	NVI	PARTS LIST ENTORY YOUR PARTS before you begin. We suggest sorting parts by the category they are listed in.
		x1	GAA 1 x 3 x 5" (2,5 x 7,6 x 12,7 cm) Gauge Block for 3/4" (1,9 cm) measurement (1,9 cm)
	=	x5	(1,9 cm) 2 x 4 x 6-1/2" (5,1 x 10,2 x 16,5 cm)
		x 4	UV 2 x 4 x 23-1/4" (5,1 x 10,2 x 59,1 cm)
		x6	STL 2 x 4 x 44-1/2" (5,1 x 10,2 x 113 cm)
		x4	SP 2 x 4 x 48" (5,1 x 10,2 x 121,9 cm)
S7 -		x1	7/16" x 3-1/4" x 66-3/4" (1,1 x 8,3 x 169,5 cm) <i>OSB</i>
WALL		x2	AM 2 x 4 x 67" (5,1 x 10,2 x 170,2 cm)
2		x2	YFA 2 x 4 x 68-1/2" (5,1 x 10,2 x 174 cm)
		x 4	TM 2 x 4 x 72" (5,1 x 10,2 x 182,9 cm)
		x36	2 x 4 x 78-1/2" (5,1 x 10,2 x 199,4 cm)
		x6	TJ 2 x 4 x 92-1/2" (5,1 x 10,2 x 23,5 cm)
		x10	TP 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)
SS		x12	CLA 2 x 4 x 4-7/8" (5,1 x 10,2 x 12,4 cm) x4 3/8 x 3-1/4 x 5-7/8" (1,0 x 8,3 x 14,9 cm)
ĬĒ,		x20	6" x 24" (15,2 x 61 cm) OSB OR WOOD GRAIN (1
RAFTERS		x2	WTA 1 x 4 x 84" (2,6 x 10,2 x 213,4 cm)
8		x22	DNB 2 x 4 x 88-11/16" (5,1 x 10,2 x 225,3 cm)
		x4	3/8 x 7-7/8 x 86-3/4" (1 x 20 x 220,3 cm)
		x8	KFB 2 x 4 x 88-11/16" (5,1 x 10,2 x 225,3 cm)
		x2	3/8 x 4-3/4 x 89-1/4" (1 x 12,1 x 226,7 cm)
		x2	3/8 x 4-3/4 x 89-1/4" (1 x 12,1 x 226,7 cm)
IIM		x4	3/8 x 5-7/8 x 73" (1 x 14,9 x 185,4 cm)
TR		x2	3/8 x 5-7/8 x 96" (1 x 14,9 x 243,8 cm)
		x4	3/8 x 4-3/4 x 80-7/8" (1 x 12,1 x 205,4 cm)
		x2	3/8 x 4-3/4 x 96" (1 x 12,1 x 243,8 cm)
		x4	3/8 x 1-3/4 x 81-7/8" (1,0 x 4,4 x 208 cm)
		x4	3/8 x 1-3/4 x 82-1/2" (1,0 x 4,4 x 209,6 cm)
~		x4	AH 19/32" x 3" x 26-5/8" (1,5 x 7,6 x 67,6 cm)
DOOR		x2	DKA 19/32" x 2-1/2" x 44-1/8" (1,5 x 6,3 x 112,1 cm)
DC		x1	ZJ 19/32" x 3" x 72" (1,5 x 7,6 x 183 cm)
		x2	OO 69" Door Stiffener (175,3 cm)


ROOF PANELS

Roof panels are 7/16" (1,1 cm) thick.

NOTE: Panel parts are not stamped.

7/16 x 47-7/8 x 48" (1,1 x 121,6 x 121,9 cm)	x2	7/16 x 40-5/8 x 48" (1,1 x 103,2 x 121,9 cm)	x4	7/16 x 8-1/2 x 88-5/8" (1,1 x 21,9 x 225,1 cm)
7/16 x 48 x 96" (1,1 x 121,9 x 243,8 cm)	x4	7/16 x 40-5/8 x 96" (1,1 x 103,2 x 243,8 cm)		

WALL PANEL & DOORS PARTS LIST



x10	TREATED	2 x 4 x 45" (5,1 x 10,2 x 114,3 cm)	
x6	TREATED	2 x 4 x 48" (5,1 x 10,2 x 121,9 cm)	
x20	TREATED		2 x 4 x 93" (5,1 x 10,2 x 236,2 cm)
x6	TREATED		2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)
x407	2" (5,1 cm) п		
x192	3" (7.6 cm)		

FLOOR FRAMING (IF DIY FLOOR KIT(S) PURCHASED)

FLOOR PANELS (IF DIY FLOOR KIT(S) PURCHASED)

Floor panels are 5/8" (1,6 cm) thick Note: Panel parts are not stamped.

□ x3			□ x6	
ш	5/8 x 47 7/8 x 48	Q"	ш	/8 x 48" x 96"
	$(1,6 \times 121,9 \times 121,9$			1,6 x 121,9 x 243,8 cm)

3" (7,6 cm)

x105 - 1-1/2" (3,8 cm) x319 🗈 x199 x24 NOTE: 1-5/8" (4,1 cm) If you are using a nail gun, nails may be used where screws are 20000000000 3/4" (1,9 cm) shown for quicker assembly. Length of nail must match screw length. NAIL BOXES (Shown Actual Size) x9 Boxes 2" (5,1 cm) x6 Boxes 3" (7,6 cm) VENT, WINDOW and DOOR HARDWARE **x6** Handle (locking) with Screws 1" (2,5 cm) 1-1/4" (3,2 cm) **x8** (antitititititititi) #8 x 1" (2,5 cm) Pan Head Screws **Spring Bolt x2 Transom Window x2** *8 Danamanana 3/4" (1,9 cm) **x8**


FASTENER/HARDWARE BAG

x1 🚡

64" Metal Threshold
3/4" (1,9 cm) x11
Bagged separately / special coating

1-1/4 (3,2 cm)
(4 screws in each package)


COMPONENT SECTION INDEX



Description	Section	Page
Floor	Α	10-16
Walls	В	24
Rafters	С	18-19 & 45
Gable Units	D	46 & 48
Front Overhang Ladders	E	47 & 49
Roof Panels	F	50
Soffit & Fascia Trim	G	54
Doors	Н	58
Corner Trim	1	67
Collar Ties	J	68
Shingles	K	72
Windows	Separate k	(it

CONCRETE FOUNDATION

If you choose to install your kit on a concrete slab refer to the diagram below.



Building Size	Actual Floor Size	Α	В	С	D
12'x 20' (365,8 x 609,6 cm)	12' x 20' (365,8 x 609,6 cm)	144" (365,8 cm)	233" (591,8 cm)	240" (609,6 cm)	279-7/8" (710,9 cm)

Building Requires:

x4	2 x 4 x 12' (5,1 x 10,2 x 304,8 cm)	x2	(2 2 x 4 x 8' (5,1 x 10,2 x 233,6 cm)
x1	Caulk 🗀		Cut to: 89" (226 cm)

Allow new concrete slabs to cure for at least seven (7) days.

- A treated 2 x 4 (5,1 x 10,2 cm) sill plate is required when installing your shed on concrete.


 Purchase full length treated lumber, or butt shorter pieces end-to-end and seal seams with caulk.
- Use a high quality exterior grade caulk beneath all sill plates.
- Fasten 2 x 4 (5,1 x 10,2 cm) sill plates to slab using approved concrete anchors (fasteners not included).
- Check local code for concrete foundation requirements.

BEGIN


Arrange parts as shown on flat surface. Measure and mark each dimension from end of boards. Secure with (2) 3" nails at each mark and (4) nails at seams.








Repeat to build your 2nd 96" x 120" floor section.



Arrange parts as shown on flat surface. Measure and mark each dimension from end of boards. Secure with (2) 3" nails at each mark and (4) nails at seams.






FLOOR FRAME

PARTS REQUIRED:



Fasten floor sections together, as shown. Secure with 3" nails.



FINISH
Your floor frame is now assembled. Proceed to level and square frame.



LEVEL AND SQUARE FLOOR FRAME



Before attaching floor decking, it is important to level and square the floor frame.


A level and square floor frame is required to correctly construct your shed.



BEGIN

- 1 See page 14 for the preferred floor leveling method.
- 2 Use a level and check that the frame is level before installing floor panels.
- 3 Check for frame squareness by measuring diagonally across corners. If the measurements are the same, the frame is square. The diagonal measurement will be approximately 279-7/8" (710,9 cm).
- 4 After the frame is level and square, secure one side of frame to 4x4 runners using one fastener at ends of each runner. At the opposite end of the frame, secure the frame to 4x4 runners with one fastener at the ends of each runner, ensuring that the frame remains square.

 Fasten the frame to the 4x4 runners with (2) 3" screws at each connection (Fig. A).






Your floor frame is now square and level.

OPTIONAL WOOD FRAME FLOOR LEVELING OPTIONS

There are multiple ways to level your floor frame. Our recommended leveling method is shown below.

Leveling materials are not included in this kit.

PREFERRED METHOD - 4x4 TREATED RUNNERS



• Level under 4x4 runners only.

Gravel

2" Block

• Locate leveling material 12" from ends of runners and no more than 48" apart.

Gravel

- Asphalt shingles should be used between 4x4 runners and blocks or treated lumber.
 Never use shingles in direct contact with ground.
- For best results and aiding in water drainage use gravel under each concrete block.

LEVELING MATERIALS

LEVELING METHODS

$\widehat{\mathbb{I}}$	Leveling higher than 16" not recommended.
	Asphalt Shingles
	2x4 Treated Lumber
	Solid Masonry Blocks in 1", 2", 4" or 8" thickness
	Gravel

CONCRETE

• If you are building your shed on a concrete foundation see page 9.

4" Block

2x4 Treated Lumber

8" Block

FLOOR PANELS PARTS REQUIRED: 5/8 x 48 x 96" (1,6 x 121,9 x 243,8 cm) 3/4" GAUGE BLOCK 2" (5,1 cm) 2" (5,1 cm)

Install floor panels with the rough side facing up (painted grid lines).

VBEGIN


- Install (1) **48" x 96"** panel on the 96" x 144" floor frame section, edge flush to the seam between the floor frames and 3/4" along the floor joist.
 - Use the GAA gauge block for the 3/4" measurement.

Secure panel with (1) 2" nail in the first two corners at the inner joist, as shown.

- Move to the opposite side. Using the long edge of each panel as a lever, move the panel side-to-side until the loose corner is flush to the floor frame. Secure panel with (2) more nails in the opposite corners.
- Install the next **48" x 96"** panel on the middle 96" x 144" floor frame section, edge flush to the seam between the floor frames and 3/4" along the floor joist.
 - Use the GAA gauge block for the 3/4" measurement.

Secure panel with (1) 2" nail in the first two corners at the inner joist, as shown.

Move to the opposite side. Move the frame until it is flush to 48" side of the panel. Secure panel with (2) more nails in the opposite corners.




FLOOR PANELS PARTS REQUIRED: 5/8 x 48 x 96" (1,6 x 121,9 x 243,8 cm) x3 5/8 x 47-7/8 x 48" (1,6 x 121,9 x 243,8 cm) x3 5/8 x 47-7/8 x 48" (1,6 x 121,9 cm) 5/8 x 47-7/8 x 48" (1,6 x 121,9 cm)

- 5 Install the remaining panels in the following order:
 - 1. 48 x 96" (A)
 - 2. 48 x 96" (B)
 - 3. 47-7/8 x 48" (A)
 - 4. 48 x 96" (C)
 - 5. 47-7/8 x 48" (B)
 - 6. 48 x 96" (D)
 - 7. 47-7/8 x 48" (C)

Secure panels with (1) 2" nail in each corner. All panels should be flush, as shown.

- 6 Ensure the floor is square by measuring diagonally across the frame corners.
 - If the measurements are the same your floor frame is square.
 - The measurement will be approximately 279-7/8" (710,9 cm).
- 7 Continue securing all panels with 2" nails spaced 6" apart on edges and 12" apart inside panel.




FINISH

Your floor panels are now installed.

IMPORTANT!





Ensure that the floor frame is level after installing floor panels. *Re-level if necessary.*





- The floor should used as a stable work surface for wall construction.
- Organize your assembly procedure during the build process to avoid over-handling of the walls.








Build a rafter jig using the floor and (2) CLA parts.



Secure (1) **CLA** flush to the floor deck with (2) 3" screws **(Fig. A)**. Measure over 144-3/4" (367,7 cm) and install a second **CLA** flush to the floor deck. Secure with (2) 3" screws.








BEGIN

- Place (2) rafters **DNB** into the jig, as shown.
- Press **DNB** firmly against the outside of **CLA**'s, as shown **(Fig. A)** and push rafters tight to the middle. Rafters should touch (flush) at peak **(Fig. A)**.

Place gusset onto **DNB** with a 1/4" gap from edge **(Fig. A)** while holding rafters in place. Secure gusset with (1) 1-5/8" screw into each rafter.


HINT: These screws will help hold the measurements when you nail on gussets. Secure the gusset to the rafters with (10) 2" nails in the pattern shown (Fig. A).



3 Flip over rafter assembly and fasten a 2nd gusset with 2" nails (Fig. A, Flg. B). No need to use the jig for the 2nd gusset.

Repeat steps 1-3 to build (8) ADDITIONAL rafters with (2) gussets (Fig. B).

4 Repeat steps 1 and 2 to build (2) rafters with only (1) gusset (Flg. C)



Your rafters are now assembled.

WALL INDEX

Create your own style of shed. Choose your door location.


Use this guide to find the corresponding wall construction and installation pages.

Æ

IMPORTANT! Build your door header before building any walls (see next page).

After assembling the walls for your shed, go to page 40 for wall installation.


Door on Gable Wall



Wall 01: Page 24 Wall 02: Page 26

Wall 04: Page 30 (Build 2 eave walls)

Eave Door w/ Right Offset




Wall 02: Page 26

Wall 03: Page 28

Wall 04: Page 30

Wall 05: Page 32

Eave Door w/ Left Offset




Wall 02: Page 26 Wall 03: Page 28

Wall 04: Page 30

Wall 06: Page 35

Eave Door Centered



Wall 02: Page 26 (Build 2 gable walls)

Wall 04: Page 30

Wall 07: Page 38

DOOR HEADER



Assemble the door frame unit before building any walls!

Any wall with a door will require this assembly.




PA	ARTS REQUIRED:	x18
x2	AM 2 x 4 x 67" (5,1 x 10,2 x 170,2 cm)	□ 3" (7,6 cm)
x1	7/16 x 3-1/4 x 66-3/4" (1,1 x 8,3 x 170,2 cm) <i>OSB</i>	

Pre-assemble the door header.




Place (1) **AM** and *OSB* end-to-end on flat surface, flush in middle. Center *OSB* on top of **AM**.




DOOR FRAME UNIT PARTS REQUIRED: x5 UY 2 x 4 x 6-1/2" (5,1 x 10,2 x 16,5 cm) x2 YFA 2 x 4 x 68-1/2" (5,1 x 10,2 x 174 cm) x2 AI 2 x 4 x 78-1/2" (5,1 x 10,2 x 199,4 cm) Assembled Header x1

Arrange parts on edge on floor, as shown. Measure and mark from end of boards. Orient **Assembled Header** on flat side (**Fig. A**). Secure with (2) 3" nails at each connection.



Fasten (3) middle parts **UY** to **Pre Assembled Header** with (2) 3" screws **(Fig. B)**. Secure parts **UY** to top plates with (2) 3" nails at each connection and (4) 3" nails at seam.




Your door frame unit is now assembled.

WALL PANEL INSTALLATION HINTS & EXAMPLES

PARTS REQUIRED:

BEGIN









Ensure your wall is square by installing one panel and squaring frame.

Install all wall panels with the primed side facing up.

Place (1) 48" x 84" panel on the wall frame, as shown.

Locate the panel 1-1/2" above the top plate.


Use a 2x4 as a gauge block for the 1-1/2" top overhang measurement.


Use the GAA gauge block to mark the 3/4" side measurement on the wall stud.


Secure panel with (2) 2" nails in the corners (Fig. A).


Move to the opposite end. Using the long edge of the panel as a lever, move the panel side-to-side until you have a 3/4" measurement on the wall stud. Secure corner with (2) 2" nails (Fig. B).

Secure panel with 2" nails spaced 6" apart on edges and 12" apart inside panel.










Arrange parts on edge on floor, as shown. Measure and mark from end of boards. Place the **Door Frame Unit** at measurements shown.

Secure parts with (2) 3" nails at each connection and (4) 3" nails at seams.



12' WALL 01 **PARTS REQUIRED: x2** 3" (7,6 cm) x166 2" (5,1 cm) **x2** x1 [00 Temporary Brace 3/8 x 23-7/8 x 84" (1 x 60,6 x 213,4 cm) **x1 x1** 69" (75,3 cm) Door Stiffener


2

Install the left panel 1-1/2" from the top plate. Use a 2x4 spacer for consistent measurement. Secure panel with 2" nails spaced 6" apart on edges.

3

Install the right panel flush to installed panel, as shown.
Ensure 64" (162,8 cm) door measurement.
Use part **OO** as a temporary brace. Secure with (2) 3" screws.

Secure panels with 2" nails spaced 6" apart on edges.




4


Install (2) 23-7/8" x 84" panels flush to installed panels and 1-1/2" from the top plate.

Secure panels with 2" nails spaced 6" apart on edges.



Your 12' wall 01 is now assembled.
Carefully flip the wall over.






If your door is centered on the eave side, then you will build 2 identical 12' Wall 02's.

BEGIN


Arrange parts on edge on floor, as shown. Measure and mark from end of boards. Secure with (2) 3" nails at each connection and (4) 3" nails at seams.






12' WALL 02

PARTS REQUIRED:








Install (1) **48" x 84"** panel 1-1/2" from the top plate.

Use a 2x4 spacer for consistent measurement.

Secure panel with 2" nails spaced 6" apart on edges and 12" inside panel.




3

Install (2) **48"** x **84"** panels flush to installed panels.

Locate panels 1-1/2" from the top plate.

Secure with 2" nails spaced 6" apart on edges and 12" apart inside panel.





Your 12' wall 02 is now assembled.

Carefully flip the wall over.

The image is a second containing the image is a second containing at the image is a second containi



Arrange parts on edge on floor as shown. Measure and mark from end of boards. Secure with (2) 3" nails at each connection and (4) 3" nails at seams.







Table 10 Table 10

2

Install (1) **48" x 84"** panel 1-1/2" from the top plate.

Use a 2x4 spacer for consistent measurement.

Secure panel with 2" nails spaced 6" apart on edges and 12" inside panel.




3

Install (1) 48" x 84" and (2) 23-7/8" x 84" panels flush to installed panels.

Locate panels 1-1/2" from the top plate.

Secure with 2" nails spaced 6" apart on edges and 12" apart inside panel.





Your 12' wall 03 is now assembled.

Carefully flip the wall over.


20' WALL 04 PARTS REQUIRED: x1 SP 2 x 4 x 48" (5,1 x 10,2 x 121,9 cm) x2 TM 2 x 4 x 72" (5,1 x 10,2 x 182,8 cm) x11 AI 2 x 4 x 78-1/2" (5,1 x 10,2 x 199,4 cm) x3 TP 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)

If your door is on the 12' gable end, you will build 2 identical 20' 04 walls.

BEGIN

Arrange parts on edge on floor. Measure and mark from end of boards. Secure with (2) 3" nails at each connection and (4) 3" nails at seams.







12' WALL 04 PARTS REQUIRED: x5 48 x 84" (121,9 x 213,4 cm) x250 2" (5,1 cm) 2" (5,1 cm)

Install panels with the primed side facing up.

Install (1) **48" x 84** panel 1-1/2" from the top plate. Use a 2x4 spacer for consistent measurement. Secure panel with 2" nails spaced 6" apart on edges.



Install (4) **48" x 84"** panels, as shown, flush to installed panels and 1-1/2" from the top plate. Secure panels with 2" nails spaced 6" apart on edges and 12" apart inside panel.






Your 20' wall 04 is now assembled.

Carefully flip the wall over.

20' WALL 05 x40 **PARTS REQUIRED:** x1 SP 2 x 4 x 48" (5,1 x 10,2 x 121,9 cm) x2 TM 2 x 4 x 72" (5,1 x 10,2 x 182,8 cm) x8 AI 2 x 4 x 78-1/2" (5,1 x 10,2 x 199,4 cm) x3 TP 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)

BEGIN


Arrange parts on edge on floor, as shown. Measure and mark from end of boards. Secure parts with (2) 3" nails at each connection and (4) 3" nails at seam.




PARTS REQUIRED: x22 Assembled Door Frame Unit


Arrange parts on edge on floor, as shown. Measure and mark from end of boards. Place the **Door Frame Unit** at measurements shown. Secure parts with (2) 3" nails at each connection.








- Install the left door panel 1-1/2" from the top plate. Use a 2x4 spacer for consistent measurement. Secure panel with 2" nails spaced 6" apart on edges.
- Install the right door panel flush to the installed panel. Secure panel with 2" nails spaced 6" apart on edges.



Install (3) **48" x 84"** panels, as shown, flush to installed panels and 1-1/2" from the top plate. Secure panels with 2" nails spaced 6" apart on edges and 12" apart inside panel.






Your 20' wall 05 is now assembled. Carefully flip the wall over.

20' WALL 06 PARTS REQUIRED: x1 SP 2 x 4 x 48" (5,1 x 10,2 x 121,9 cm) x2 TM 2 x 4 x 72" (5,1 x 10,2 x 182,8 cm) x8 AI 2 x 4 x 78-1/2" (5,1 x 10,2 x 199,4 cm) x3 TP 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)




Arrange parts on edge on floor, as shown. Measure and mark from end of boards. Secure parts with (2) 3" nails at each connection and (4) 3" nails at seam.




PARTS REQUIRED: x22 Assembled Door Frame Unit


Arrange parts on edge on floor, as shown. Measure and mark from end of boards. Place the **Door Frame Unit** at measurements shown. Secure parts with (2) 3" nails at each connection.








- Install the left door panel 1-1/2" from the top plate. Use a 2x4 spacer for consistent measurement. Secure panel with 2" nails spaced 6" apart on edges.
- Install the right door panel flush to the installed panel. Secure panel with 2" nails spaced 6" apart on edges.



Install (3) **48" x 84"** panels, as shown, flush to installed panels and 1-1/2" from the top plate. Secure panels with 2" nails spaced 6" apart on edges and 12" apart inside panel.







Your 20' wall 06 is now assembled. Carefully flip the wall over.


20' WALL 07 PARTS REQUIRED: x58 x2 TM 2 x 4 x 72" (5,1 x 10,2 x 182,9 cm) x8 Al 2 x 4 x 78-1/2" (5,1 x 10,2 x 199,4 cm) x3 TP 2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)

VBEGIN


Arrange parts on edge on floor, as shown. Measure and mark from end of boards. Place the **Door Frame Unit** at measurements shown. Secure parts with (2) 3" nails at each connection and (4) 3" nails at seam.








Install the left panel 1-1/2" from the top plate. Use a 2x4 spacer for consistent measurement. Secure panel with 2" nails spaced 6" apart on edges.




- Install the right panel flush to installed panel, as shown. *Ensure 64" (162,8 cm) door measurement.*Use part **OO** as a temporary brace. Secure with with (2) 3" screws.

 Secure panel with 2" nails spaced 6" apart on edges and 12" apart on edges.
- Install (2) 48" x 84" panels and (2) 23-7/8" x 84" panels flush to installed panels. Secure panels with 2" nails spaced 6" apart on edges and 12" apart inside panel.







12' WALL 02 INSTALLATION PARTS REQUIRED: 3" (7,6 cm) 2" (5,1 cm) 2" (5,1 cm) Fig. B 1-1/2" (3,8 cm) **V**BEGIN Center 12' wall on floor. 2" (5,1 cm) Screw 1-1/2" overlap is to the top. Secure wall with (1) 2" screw into 20' wall bottom plate (Fig. A) and top plate (Fig. B).

⚠ ENSURE PANEL CORNERS ARE FLUSH.

Secure wall to bottom plate first.

Nail lower edge of panels to floor with 2" nails spaced 6" apart.

Angle nails into floor frame (Fig. C).

Secure panel to 20' wall stud with 1-1/2" nails spaced 6" apart.

3

Secure wall top plate with (1) 3" screw angled at the corner at an angle (Fig. D).




Fig. A

2" (5,1 cm) Screw Flush

3" (7,6 cm) Screw

Fig. D

3" (7,6 cm) Nails

Your 12' wall 02 is now installed.

(2nd) 20' WALL 04 INSTALLATION PARTS REQUIRED: x2 3" (7,6 cm) 2" (5,1 cm) **x3** 2" (5,1 cm) 3" (7,6 cm) Temporary Brace TJ 1-1/2" (3,8 cm) 2 x 4 x 92-1/2" (5,1 x 10,2 x 234,9 cm) **√**BEGIN 1-1/2" (3,8 cm) (3,8 cm) Fig. B 3" (7,6 cm) Install 20' wall centered on floor. Screws 1-1/2" overlap is to the top. 2" (5,1 cm) Screw Secure wall with (1) 2" screw through 3" (7,6 cm) Nails 12' wall panel into 20' wall bottom and top plates (Fig. B, Fig. A). Secure wall to bottom plate first. **∕!**\ENSURE PANEL CORNERS (15,2 cm) ARE FLUSH. 2" (5,1 cm) TJ Nails Flush Secure lower edge of wall panels to Nail 2" nails first. floor frame with 2" nails spaced 6" apart.

4

Secure 12' wall panel to 20' wall stud with 1-1/2" nails spaced 6" apart.

Angle nails into floor frame (Fig. C).

Secure wall bottom plates to floor


with 3" nails (Fig. C).

5

Secure gable wall top plate with (1) 3" screw at the corner at an angle (Fig. D).



Your 20' wall 04 is now installed.



12' WALL 01 or 03 INSTALLATION **PARTS REQUIRED** x2 7/07 3" (7,6 cm) 2" (5,1 cm) x26 BEGIN Fig. B 2" (5,1 cm) Place 12' wall on floor centered between 20' walls. Screw Secure wall with 2" screws into top and bottom plates (Fig. A, Fig. B). Flush Secure wall to bottom plate first. !\ ENSURE PANEL CORNERS ARE FLUSH. STANDARD: DOOR LOCATED ON 12" GABLE WALL Flush Fig. A 2" (5,1 cm) 3" (7,6 cm) Screw Secure lower edge of panels to floor with (15,2 cm) Fig. D 2" nails spaced 6" apart. Angle nails into floor frame (Fig. C).

Secure panels to 20' wall studs with 1-1/2" nails spaced 6" apart.

3


INISH

Secure wall top plates with 3" screws at each corner at an angle (Fig. D).



Your walls are now installed.

CUT OUT AND REMOVE BOTTOM PLATE AT DOOR OPENING.




WALL DOUBLERS INSTALLATION **PARTS REQUIRED:** x80 3" (7,6 cm) x2 STL x2 SP 2 x 4 x 44-1/2" (5,1 x 10,2 x 113 cm) 2 x 4 x 48" (5,1 x 10,2 x 121,9 cm) 2 x 4 x 92-1/2" (5,1 x 10,2 x 234,9 cm)

BEGIN

2 x 4 x 96" (5,1 x 10,2 x 243,8 cm)

x2 [

Orient parts on top of wall frames. Measure and mark from end of boards. Secure from top with (2) 3" nails spaced every 24" (Fig. A).




RAFTER INSTALLATION

PARTS REQUIRED:

Two-Gusset Assembled

Cone-Gusset Assembled



BEGIN



Align rafters over the wall studs.




Check that you have the measurements shown.

Secure rafters with (2) 3" screws angled at each end (Fig. A, Fig. B).

Secure rafters on opposite side.



Maintain the measurements between rafters.





Your rafters are now installed.


GABLE UNITS PARTS REQUIRED: x40 1-1/2" (3,8 cm) x2 x2

Install gable panels with the primed side facing up.

VBEGIN

- Place middle panel on (2) **UV**. Arrange parts to measurements shown. Secure panel with 1-1/2" nails spaced 6" apart along edge. Check measurements as you build the gable unit.
- Place left and right panels on **UV**, flush to middle panel. Secure panel with 1-1/2" nails spaced 6" apart along edge.

Mark the center of the middle gable panel.



Repeat steps to assemble the 2nd gable unit.



Your (2) gable units are now assembled.

GABLE UNITS


PARTS REQUIRED:

x12 CLA

2 x 4 x 4-7/8" (5,1 x 10,2 x 12,4 cm)

x8 KFB

2 x 4 x 88-11/16" (5,1 x 10,2 x 225,3 cm)





√BEGIN

- Arrange parts as shown (Fig. A). You will build (4) assemblies (Fig. B).
- Arrange, measure and mark locations of (3) CLA as shown place KFB on top. Secure with 3" screws as shown (Fig. A). Ensure parts are flush along edges.







Fig. B



Flip over the gable ladder sub-assembly and secure KFB to the (3) CLA with 3" screws (Fig. C).



- Repeat steps 2-3 to build (3) additional gable ladder sub-assemblies.
- To complete gable ladder, secure two sub-assemblies together with (2) 3" screws, as shown (Fig. D).




Repeat steps 1-5 to build the 2nd gable ladder frame.

PARTS REQUIRED: x8 2" (5,1 cm) x2 Gable Units

BEGIN

- Measure 1-1/2" down from wall doubler and mark at each side as shown. Set gable unit on top plate. Fasten with (1) 2" nail on each side.
- **!** CENTER GABLE UNIT ON WALL BEFORE NAILING.
- Continue nailing lower edge of panels to wall doubler with 2" nails spaced 6" apart.
- Working inside, secure gable unit with (2) 3" screws angled into supports UV at an angle (Fig. A).



Repeat steps to install the 2nd gable unit.

FINISH


Your gable units are now installed.

PARTS REQUIRED: x28 Preassembled Gable Overhang

🛉 🛉 We recommend having an assistant during the installation of the gable overhang frame. 🛉 🖡

VBEGIN

1 Lift the gable overhang into position, flush along gable panel edges. Clamp overhang in place.



2 Secure overhang to rafter with 3" screws spaced evenly.


Repeat steps to install the 2nd gable overhang ladder.



Your (2) gable overhang ladders are now installed.

ROOF PANELS PARTS REQUIRED: 7/16 x 48 x 96" (1,1 x 121,9 x 243,8 cm) 3/4" GAUGE BLOCK 2" (5,1 cm)

Install all roof panels with the rough side (painted grid lines) facing up.





Move to the opposite end.

Using the long edge of the panel as a lever, move the panel side-to-side until the bottom corner is flush to rafter end (Fig. B).

Move the gable until the end rafter's edge is 3/8" from the edge of the panel (Fig. C).

Secure panel with (2) 2" nails in the corners.






Install (1) **40-5/8" x 96"** panel flush to installed panel, and flush to rafter ends **(Fig. B)**. Secure panel to the rafter with (2) 2" nails in the corners.


At the opposite end of panel, move the gable until the end-rafter's edge is 3/8" from the edge of panel (Fig. C). Secure panel with (2) 2" nails in the corners.



Maintain spacing between the centers of the rafters and to the outside of the gable frame (Fig. D). Secure panels with (1) 2" nail in each rafter.



ROOF PANELS PARTS REQUIRED: 3/4" GAUGE BLOCK x19 7/16 x 40-5/8 x 48" (1,1 x 103,2 x 121,9 cm) 2" (5,1 cm) 7/16 x 40-5/8 x 96" 7/16 x 48 x 96" **x1** (1,1 x 103,2 x 243,8 cm) (1,1 x 121,9 x 243,8 cm) Install (1) 40-58" x 96" roof panel flush to installed panel. Secure panel with (2) 2" nails in the bottom corners. Move each rafter until the panel's edges measure 3/4" on the rafters (Fig. A). Secure panel with (1) 2" nail in each top corner. Move Gable 3/4" (1,9 cm)48" × 96" Gauge Block 3/8' Flush Flush Gable 40.5/8" × 96" **End Rafter** Flush Flush Fig. C Move Gable Flush 40.5/8" * 48" Install (1) 47-7/8" x 48" roof panel flush to the installed panels. Secure the panel to the rafter with (2) 2" nails in the corners. Flush Secure panel with (1) 2" nail in the bottom right corner. Install (1) 48" x 96" roof panel flush to the installed panels. Secure the panel to the rafter with (2) 2" nails in the corners. 3/8" (1,0 cm) Secure panel with (1) 2" nail in the bottom left corner. 10 Fig. C Maintain spacing between the centers of the rafters (Fig. E). Secure panels with (1) 2" nail in each rafter, as shown. Move the gable until the end-rafter's edge is 3/8" from the edge of the end-panel (Fig. C). Gable **End Rafter** Secure end-panels to end-rafters with (1) 2" nail in the upper corner. Fig. E (61 cm) 3/8" 3/8" (1,0 cm) (1,0 cm)Move Move Gable Gable 2" (5,1 cm) Nails




GABLE SOFFIT PANELS PARTS REQUIRED: x4 3/8 x 7-7/8 x 86-3/4" (1 x 20 x 220,3 cm) **T2 2" (5,1 cm) 2" (5,1 cm)

Install all soffit panels with the primed side facing out.



Position **86-3/4"** soffit panels flush to gable panel and flush to gable ends. Secure with 2" finishing nails spaced evenly.



Repeat steps to install soffit boards on opposite side.




Your soffit panels are now installed.

EAVE SOFFIT PANELS PARTS REQUIRED: x52 🗀 2" (5,1 cm) **x4** 3/8 x 5-7/8 x 73" (1 x 14,9 x 185,4 cm) **x2** 3/8 x 5-7/8 x 96" (1 x 14,9 x 243,8 cm) Install all soffit panels with the primed side facing out. BEGIN Install (1) 96" soffit panel centered between 4th and 8th rafters (Fig A). Secure with 2" finishing nails, (2) in each rafter

(Fig B). Angle nails at seams (Fig. C).

Install (2) 73" soffit panels flush to installed panel (Fig A). Secure with 2" finishing nails, (2) in each rafter (Fig B). Angle nails at seams (Fig. C).

Repeat to install eave soffit panels on opposite side.






Your eave soffit panels are now installed.

Install all trim with the primed side facing out.

BEGIN

Install fascia flush to peak and roof panels as shown (Fig. A, Fig B). Secure with 2" finishing nails spaced evenly as shown.



Repeat to install fascia on opposite side.

FINISH

Your gable fascia boards are now installed.

EAVE SIDE FASCIA PARTS REQUIRED: x2 3/8 x 4-3/4 x 96" (1 x 12,1 x 243,8 cm) x4 3/8 x 4-3/4 x 80-7/8" (1 x 12,1 x 205,4 cm)


Install all trim with the primed side facing out.

VBEGIN



Install (1) 4-3/4" x 96" (2) 4-3/4" x 80-7/8" fascia boards flush with roof panels and flush to center seam (Fig. A, Fig. B).


Secure with 2" finishing nails, (2) in each rafter and (4) nails at seam (Fig B).



Repeat steps to install fascia on opposite eave.




Your eave side fascia boards are now installed.




- **√**BEGIN
- 1 Arrange parts as shown on flat surface. 1 3/8" offset is to top.


 Look for red (right) and green (left) on hinge board.
- Install temporary support **OO** with 3" screws in middle and at ends, as shown.
- 3 Install temporary support **GAA** with (2) 1-5/8" screws.



Install temporary support **OO** as a ledger board flush under wall panels for doors to rest on. Secure with (2) 3" screws (**Fig. A**).




- Mark the center of door opening on panel (Fig. B).
- Secure hinge boards to wall supports and floor with (10) 3" screws. Ensure screws go into framing and floor (Fig. C, D).





You have finished installing your doors.


Remove temporary support and ensure that the doors open properly.



See page 59 for 2 additional door trim options.

VBEGIN

- Secure door trim from inside using 3/4" screws (Fig. A).
- Secure two horizontal door rails **AH** with (4) 3/4" screws from behind to center of doors.
- Reinforce the door trim with 3/4" screws through door panel into trim (Fig. A). Locate screws as shown (Fig. B).




(Fig, C).

Fig. C

DOOR TRIM OPTIONS

PARTS REQUIRED:





AΗ


DKA


· AH


Follow standard door trim installation steps on page 58.

Choose from 2 additional trim designs for your doors.










CENTER—CENTER—

CENTER → CENTER →

DOOR TRANSOM WINDOWS

PARTS REQUIRED:






BEGIN

Apply high quality exterior-grade caulk behind frame near edge before installing to seal window.

You must caulk completely around window frame and all exposed door panel edges and trim to validate your warranty.

Use a paintable exterior rated caulk.




FRONT SIDE VIEW

From back side of door, measure 15-13/16" from inside edge of door.

Mark center of window opening on door.

Position window in opening flush to bottom of window opening. Center window on mark.

Secure with (4) screws to secure each window.




Your transom windows are installed.

DOOR STIFFENERS PARTS REQUIRED: x14 2" (5,1 cm) 69" Door Stiffener (175,3 cm)

BEGIN

- Center **OO** vertically on the left door in the door opening flush with the edge of door (**Fig. A**).
- 2 Secure with (7) 2" screws through outside trim into OO (Fig. B)



DOOR HARDWARE

PARTS REQUIRED:


x6 📀 -----




BEGIN

- 1 Measure and mark location of hole on outside of right door as shown (Fig. A). Pre-drill hole with 1/4" drill.
- Re-drill hole with 1/2" drill (Fig. B).

Keep drilled hole square to trim to avoid breaking edge of door stiffener OO.



Install decorative hinges on horizontal trim and flush against hinge, as shown. Your choice of door trim layout may use (6) hinges.




FINISH

Your door is now prepared for handle installation.


DOOR HARDWARE

PARTS REQUIRED:





Secure handle with 1-1/4" screws, as shown.




DOUBLE DOOR HARDWARE





- Flush and center top spring bolt at the top of **OO** (**Fig. A**). Secure with (4) 1-1/4" screws. Mark spring bolt pin location on over door frame. Drill a 1-1/2" deep hole using a 3/8" drill bit.
- Flush and center bottom spring bolt to bottom of **OO** (Fig. B). Secure with (4) 1-1/4" screws. Mark spring bolt pin location on floor.

 Drill a 1-1/2" deep hole using a 3/8" drill bit.




CORNER TRIM x64 2" (5,1 cm) 3/8 x 1-3/4 x 82-1/2" (1 x 4,4 x 209,6 cm)

PARTS REQUIRED:

3/8 x 1-3/4 x 81-7/8" (1 x 4,4 x 208 cm)


- Install gable end 82-1/2" corner trim flush to gable panel (Fig. A) and flush with eave wall panel (Fig. B). Secure with 2" finishing nails spaced evenly.
- Install eave side 81-7/8" corner trim flush to eave soffit and flush along seam of installed corner trim (Fig. C). Secure with 2" finishing nails spaced evenly.

Repeat steps to install trim to all four corners.



Your corner trim is now installed.

NOTE: 12' x 16' Shed Image Shown





For best appearance, install collar ties on side of rafter away from door.



Your collar ties are now installed.

GABLE VENTS

PARTS REQUIRED:



#8 x 1" (2,5 cm)
Pan Head Screws






Locate vent in the gable wall, as shown.

Seal vent from behind with exterior grade caulk before installing.

Secure vent with 1" screws.

Repeat to install 2nd vent in the opposite gable.




FINISH

Your vents are now installed.

WINDOW INSTALLATION

If you purchased a shed with a window, please see instructions located in the window kit for installing your window.



PAINT & CAULK - NOT INCLUDED -




- Use acrylic latex caulk that is paintable. Caulk at all horizontal and vertical seams, between the trim and walls, and all
 around the door trim.
- Use a high quality exterior acrylic latex paint. When painting your building, there are a few key areas that can be easily overlooked that must be painted:
 - · Bottom edge of all siding and trim
 - · Inside of doors and all 4 edges

Note:

Prime all un-primed exterior wood before painting. (Follow directions provided by manufacturer.)


ROOF FELT- NOT INCLUDED -

• Install felt flush to all roof edges overlapping 3". Use minimal amount of roofing nails to hold in place.



DRIP EDGE- NOT INCLUDED -






SHINGLES - NOT INCLUDED -

• Follow directions provided by manufacturer and these instructions.



Familiarize yourself with a 3-Tab Shingle.




/!\ NEVER DRIVE FASTENERS INTO OR ABOVE SEALING STRIPS.

VBEGIN


Install first starter row upside down and color up with a 1" overhang at back and bottom of roof panel. Use (4) nails per shingle. Starter row must be straight and level all the way across with lower edge of roof deck.

NOTE: If you have installed drip edge install shingles flush to drip edge.





SHINGLES continued...

2 Beginning at front of shed, install first row of shingles with notch at 1" past roof edge or flush with drip edge.




Install second row of shingles flush at top of first row's rain slots. Ensure 1" overhang or flush to drip edge at front, stagger each row.






SHINGLES continued...

Continue installing rows of shingles to the peak. At the peak make sure there is a maximum of 5" or less to the rain slot, as shown below. If shingles overlap at ridge cut to peak with a utility knife.



- If more than 5" to rain slot you must install another row of shingles.


- Repeat steps 1 5 to shingle the opposite side of your roof. Trim shingles at ridge.
- Once both sides are shingled you need to trim ends. Strike a chalk line 1" from edge.
- Using your shingle hooked blade carefully cut shingles along chalk line.






You have finished shingling your roof. Proceed to capping the ridge.

SHINGLES - RIDGE CAP




2 Install first ridge cap flush to shingles at front, as shown.



Note: • You will need about 54-56 cut pieces.


54 to 56 Pieces

3 Install second ridge cap 5" back, as shown.




SHINGLES - RIDGE CAP continued...


4 Continue installing ridge cap to back of roof.




5 Make sure there is 4" between the shingle-color and edge of shingles.



6 When you have 4" minimum of shingle color cut one piece to cap your roof.



7 Install flush to shingles.



FINISH

You have finished your ridge cap.

CATEGORY	PART DESCRIPTION	PART SIZE	PART ITEM#	BUILDING QTY.	PART
	Overhang Blocking & Gable Framing Front & Back Plate "A" / Doubler "A"	2 X 4 X 4-7/8" OVERHANG BLOCK 2 X 4 X 92 1/2"	O 04140000000 O 92080000000	12 6	CLA TJ
	Front & Back Plate "B" / Doubler "B"	2 X 4 X 92 1/2 2 X 4 X 44 1/2" PLATE	O 44080000000	6	STL
	Rake Framing	2 X 4 X 88-11/16" 26.5* O/E R	O 88112605000	8	KFB
	Rafters	2 X 4 X 88-11/16" 26.5* O/E BIRD	O 8811260500N	22	DNB
2 X 4	Wall Studs	2 X 4 X 78 1/2"	O 78080000000	36	Al
	Door Studs / Sidewall Doubler Over Door Crippler	2 X 4 X 68-1/2" 2 X 4 X 6 1/2" OVER DOOR	O 68080000000 O 06080000000	<u>2</u> 5	YFA UY
	Side Wall Btm Plate "A" / Doubler "A"	LUM SPF 2X4X96 #2&BTR	12306	10	TP
	Side Wall Btm Plat "A" / Doubler "B"	2X4X48" DOUBLER/ PLATE/ CRATE	O 48000000000	4	SP
	Side Wall Top Plate	*LUM SPF 2X4X72 #2&BTR	O 72000000000	4	TM
	Door Header	2 X 4 X 67"	O 67000000000	<u>2</u> 4	AN UV
	Gable Connector	2 X 4 X 23-1/4" @ 26.5* GABLE	O 23042605000	4	UV
1 X 3 PINE	Gauge Block	1 X 3 X 5" PINE FILLER	U 05000000000	1	GA
1 X 4 PINE	Collar Tie	1 X 4 X 84" PINE TRIM	T 84000000000	4	WT
TATINE	Conai Tic	TX TX OF TIME THIN	1 0400000000	7	1 1111
7/16 OSB	Roof Panel "A"	OSB 7/16" x 4' x 8'	11110	4	
	Roof Panel "B"	7/16" OSB 8-1/2" X 88-5/8" ROOF PANEL	C 88100808000	4	-
	Roof Panel "C"	7/16" X 40-5/8" X 96" ROOF PANEL	C 96004010000	4	-
	Roof Panel "D" Roof Panel "E"	7/16" OSB 47 7/8" X 48" ROOF 7/16" OSB 40-5/8" x 48" ROOF	C 48004714000 C 48004010000	2 2	
	Door Header Filler	7/16" OSB 40-3/6" X 46" NOO!	C 66120304000	1	
				•	
GUSSETS	Gusset	EZ 8" 6" X 24" GUSSET 28*-	J 24000600280	20	
	Mall panel at Deer DICUT	2/0"NC DT DANIEL @DOOD /22445	K 94004900540		
	Wall panel at Door -RIGHT Wall panel at Door -LEFT	3/8"NG RT PANEL@DOOR (33445, 3/8"NG LT PANEL@DOOR (33445,	K 84004800510 K 84004800520	1 1	
	Front Sidewall Panel	NG 23 7/8" X 84" WALL PANEL	K 84002314000	2	_
	Backwall & Sidewall Panel	SIDING NGSE 3/8X4'X7'	11507	13	-
	Center Gable Panel w/ Hole	3/8" NG 28" X 39 11/16" X 48"	K 4800391104V	2	-
	Gable Panels - RIGHT	*3/8" NG x 27-3/4" x 48" RT GABLE	K 48002712100	2	
NO GROOVE SIDING	Gable Panels - LEFT Gable Soffit	*3/8" NG x 27-3/4" x 48" LT GABLE 3/8" NG X 7-7/8" X 86-3/4"	K 48002712200 K 86120714000	<u>2</u> 4	-
	Eave Soffit	3/8" NGx5-7/8" X 73"	K 73000514000	4	
	Eave Fascia	3/8" NGx4-3/4" X 80-7/8"	K 80140412000	4	_
	Eave Soffit	3/8" NG 5-7/8" X 96" SOFFIT	K 96000514000	2	_
	Eave Fascia	3/8" NG 4-3/4" X 96" FASCIA	K 96000412000	2	-
	Gable Trim-RIGHT	3/8" NG 4-3/4" X 89-1/4" 26.5	K 89040412100	2	-
	Gable Trim-LEFT	3/8" NG 4-3/4" X 89-1/4" 26.5	K 89040412200	<u>2</u> 4	
	Rafter Spacers Corner Trim Eave Side	3/8" NG X 3-1/4" X 5-7/8" 3/8"NGx1-3/4"x 81-7/8" TRIM	K 05140304000 K 81140112000	4	+ =
	Corner Trim Gable Side	3/8"NGx1-3/4"x 82-1/2" TRIM	K 82080112000	4	_
		T			
19/32 X 3 SMART TRIM	Horizontal Door Rails	19/32 TST 2 1/2" X 26 5/8"	UT26100208000	4	A
	Vertical Door Trim Door Trim Hinge/Over Door	19/32 TST 2 1/2" X 44-1/8"	UT44020208000	2	DK Z
	Door Hill Hillige/Over Door	19/32 TST 2 1/2" X 72" TRIM	UT72000208000	ı	
PURCHASED COMPONENTS	Door Stiffener	LSL 1-1/4 X 2-1/4 X 69 PET	12715	2	0
	Vents- Exterior White	VENT 8X10, APL# CV12X18W-PE, A	15021	2	
	Threshold	THRESHOLD 7/8" X 1-1/2" X 63-7/8	15420	1	-
	Black "T" &"D" Handle Faux Hinges (Bag of 2)	HANDLE - T 4" SHAFT & "D" HINGE (FAUX) w/ SCREWS (2 HING	15375 15263	1 1	-
	Faux Hinges (Bag of 4)	HINGE (FAUX) W/ SCREWS (2 HING	15246	1	+
	Transoms For Doors	WINDOW 9 X 27 TRANSOM (SINGLE	15235	2	-
	Hardware Kit	H/K (33026) 10x12 GABLE	15783	1	-
	Spring Bolt	SPRING BOLT, 1.63 TRAVEL, W/SCREWS	15129	2	-
PACKAGING	Instructions	1	16834-A	1	Τ.
171010101110	-		1000+71	•	
Right Door Assembly	33095-R	2/0" NOv24 2/0" 74 4/0"	I/ 7400240000D		4
	Door Panel Right Hinge Assembly	3/8" NGx31-3/8" x 71-1/2" HINGE RIGHT (RED) 19/32x3 THIN TRIM	K 7108310600R 30121-TT		1
	Vertical Door Stiles	19/32 TST 2 1/2" X 71 5/8"	UT71100208000		2 G
	Horizontal Door Rails	19/32 TST 2 1/2" X 71 5/6"	UT26100208000		2 A
	33095-L]		
	Door Panel	3/8" NGx31-3/8" x 71-1/2"	K 7108310600R		1
Left Door Assembly	Left Hinge Assembly	HINGE LEFT (GREEN) 19/32x3 THIN TRIM	30131-TT		1
	Vertical Door Stiles	19/32 TST 2 1/2" X 71 5/8" 19/32 TST 2 1/2" X 26 5/8"	UT71100208000 UT26100208000		2 G
	Horizontal Door Rails				2 A

LIMITED CONDITIONAL WARRANTY*

Backyard Storage Solutions, LLC warrants the following:

- Every product is warranted from defects in workmanship and manufacturing for 1 year.
- 2. All accessories, hardware and metal components are warranted for 2 years.
- 3. All Oriented Strand Board (OSB) is warranted for 2 years
- 4. Siding and Trim is warranted for 10 years.
- 5. Solar Shed windows are warranted for 1 year.
- 6. Cedar lumber is warranted for 15 years.
- 7. Preserved Pine is warranted for 10 years.
- 8. Redwood is warranted for 10 years.

Backyard Storage Solutions, LLC will repair, replace or pay for the affected part. In no event shall Backyard Storage Solutions, LLC pay the cost of labor or installation or any other costs related thereto. All warranties are from date of purchase. If a cash refund is paid on an affected part, it will be prorated from the date of purchase.

CONDITIONS

The warranty is effective only when:

- The unit has been erected in accordance with the assembly instructions.
- 2. The unit has been properly shingled and painted or stained and reasonably and regularly maintained thereafter.
- 3. The failure occurs when the unit is owned by the original purchaser.
- 4. Backyard Storage Solutions, LLC has received the warranty registration card within thirty (30) days of purchase and notification of the failure in writing within the warranty period specified above.
- 5. Backyard Storage Solutions, LLC has had reasonable opportunity during the sixty (60) days following receipt of notification to inspect and verify the failure prior to commencement of any repair work.

REQUIREMENTS

Storage Buildings

To validate your warranty, it is necessary to properly maintain your Backyard Storage Solutions, LLC unit; shingle the roof and paint or solid-colored stain the siding using quality, 100% acrylic latex exterior product with a minimum of two (2) coats within thirty (30) days of assembly; caulk above all doors and all horizontal and vertical trim boards; paint and seal all exposed edges, sides and faces of siding/trim and OSB siding to include all exterior walls and all sides and all edges of doors.

Gazebos & Pergolas

To validate your warranty, it is necessary to properly maintain your Backyard Storage Solutions, LLC unit. This includes treating all of the exposed cedar and pine surfaces on your gazebo or pergola structure with an exterior grade wood preservative, an exterior oil-based semi-transparent stain, an acrylic latex exterior paint or an acrylic latex solid color exterior stain within 30 days of assembly and as needed thereafter to maintain your warranty.

Keep vegetation trimmed away from building and make sure siding panels and trim do not come in contact with masonry or cement. The minimum ground clearance for siding must be one half inch (½ inch) from concrete slab or two and one half inches (2 ½") from the ground when building is erected or constructed on a treated wood floor kit. Water from sprinklers must be kept off unit. In no event will Backyard Storage Solutions, LLC be responsible for any indirect, incidental, consequential or special damages nor for failure(s) that are caused by events, acts or omissions beyond our control including, but not limited to, misuse or improper assembly, improper maintenance (which eventually leads to rot or decay) and acts of God. Backyard Storage Solutions, LLC will not be held responsible for any labor costs incurred to construct your unit.

This warranty gives you certain specific rights that vary from state to state.

CLAIM PROCEDURE

To make a claim under this warranty, you can either call 1-888-827-9056 or email: customerservice@backyardproducts.com.

Please have ready the information below when you call or include the information in your email:

- The model and size of the product.
- 2. A list of the part(s) for which the claim is made.
- 3. Proof of purchase of the Backyard Storage Solutions, LLC item, as shown on the original invoice or receipt.
- 4. Run code: found on exterior product label or assembly instructions enclosed in the product package.

All other inquiries can be mailed to:

Backyard Storage Solutions, LLC Attn: Customer Service 1000 Ternes Monroe, MI 48162