

# INSTALLATION INSTRUCTION




**CONCEALED SHOWER**




# INSTALLATION INSTRUCTIONS

## Installation Manual



**IAPMO RESEARCH AND TESTING, INC.**  
300 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org


### CERTIFICATE OF LISTING

This certificate is issued only to products that have been tested and found to comply with the applicable requirements of the International Plumbing Code (IPC) and the International Residential Code (IRC) as published by the International Association of Building Officials (IABO). It is not intended to certify that the product meets any other code requirements, nor does it constitute a warranty or endorsement of the product. The listing is based on the information provided by the manufacturer and is subject to change without notice.

**Effective Date:** August 2013 **Valid After:** August 2014

**Product:** Flushing Fixture Fixings **File No.:** FT37

**Issued To:** Hulsan Plastic Fixings Co., Ltd.  
 No. 22, Hulsan Road, Hulsan  
 Hulsan City, Guangdong  
 China

**Identification:** Flushing fixture fixings complying with this standard shall be marked with the manufacturer's registered name, trademark, or other mark or, in the case of private labeling, the name, trademark, or other mark of the marketer for the listing on the manufacturer's packaging. The marking shall be accompanied by one of a permanent mark or by marking a permanent label on the product. Markings on plastic pipe fixings shall be visible after installation.

Single-head, single-ported, and automatic compensating mixing bath and shower valves shall have identification markings visible markings to show the settings are indicated by words "ON", "OFF", "HOT", "COLD", etc., by numbers, or graphically.




Markings shall be marked with the manufacturer's name, trademark, or other mark or with the model number or, in the case of private labeling, the name, trademark, or mark of the marketer for use the listing and identification as well as the model number.





This listing is based on the information provided by the manufacturer and is subject to change without notice. The listing is not intended to certify that the product meets any other code requirements, nor does it constitute a warranty or endorsement of the product. The listing is based on the information provided by the manufacturer and is subject to change without notice.

**IAPMO RESEARCH AND TESTING, INC.**  
300 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org

### CERTIFICATE OF LISTING

This certificate is issued only to products that have been tested and found to comply with the applicable requirements of the International Plumbing Code (IPC) and the International Residential Code (IRC) as published by the International Association of Building Officials (IABO). It is not intended to certify that the product meets any other code requirements, nor does it constitute a warranty or endorsement of the product. The listing is based on the information provided by the manufacturer and is subject to change without notice.

**Effective Date:** October 2012 **Valid After:** October 2017

**Product:** Flexible Line Connections **File No.:** 6505




**Issued To:** Hulsan Plastic Fixings Co. & Parts Co., Ltd.  
 Hulsan City, Guangdong  
 China

**Identification:** Manufacturer's name or trademark and IPD® registration mark. Special use or labels "Dry use with water or against vibration only".

**Description:** Flexible line connections manufactured in various sizes, lengths and metal or fittings for hot or cold water applications that result in an air free tube, which has or may not have an outer braided cover. Connections are to be installed for use in accessible locations only and in accordance with the manufacturer's instructions, and the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by IAPMO R&T registered laboratory. This certification has been granted based upon the Laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following standard(s):  
 Uniform Plumbing Code (UPC)

This listing is based on the information provided by the manufacturer and is subject to change without notice. The listing is not intended to certify that the product meets any other code requirements, nor does it constitute a warranty or endorsement of the product. The listing is based on the information provided by the manufacturer and is subject to change without notice.

**IAPMO RESEARCH AND TESTING, INC.**  
300 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org





### CERTIFICATE OF LISTING

This certificate is issued only to products that have been tested and found to comply with the applicable requirements of the International Plumbing Code (IPC) and the International Residential Code (IRC) as published by the International Association of Building Officials (IABO). It is not intended to certify that the product meets any other code requirements, nor does it constitute a warranty or endorsement of the product. The listing is based on the information provided by the manufacturer and is subject to change without notice.

**Effective Date:** December 2012 **Valid After:** December 2017

**Product:** Flushing Fixture Fixings **File No.:** 6510

**Issued To:** Hulsan Co., Ltd.  
 172 Hulsan Road  
 Hulsan City, 510705

**Identification:** Each fitting component shall have permanent legible markings to identify the manufacturer. This marking shall be the trade name, trademark, or other mark known to identify the manufacturer. The product shall also bear all other markings required by the standards. The marking shall be located close to use to readily name after installation is complete. The product or packaging shall also bear the IAPMO certification mark.

**Description:** Flushing fixture fitting components to be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T registered laboratory. This certification has been granted based upon the Laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following standard(s):  
 Uniform Plumbing Code (UPC)  
 National Fixing Code of China






This listing is based on the information provided by the manufacturer and is subject to change without notice. The listing is not intended to certify that the product meets any other code requirements, nor does it constitute a warranty or endorsement of the product. The listing is based on the information provided by the manufacturer and is subject to change without notice.

# BEFORE INSTALLATION

This product has been inspected and debugged by the factory to the best condition. Please do not disassemble and assemble it yourself.




Before installing the faucet, please be sure to remove sundries and sludge from the water pipe to prevent sundries from blocking the faucet.




## Freestanding Bathtub Faucet Manual

1. Please check everything component by the list below after you open the package, make sure nothing missing, any questions please contact us feel free, we will reply within 24 hours. and solve the issue together with you.



NO.	Part	PCS
1	Main Body	1
2	Straight Tube	1
3	Decorative Cover	1
4	Inlet Tube	2
5	Bolts Holder	1
6	Expansion Bolts	3
7	Shower Head	1
8	Shower Tube	1
9	Manual	1




2. Using the faucet for a matching height bathtub.




# INSTALLATION STEPS


1. Connect the straight tube, decorative cover and bolts holder to inlet tube then screw the inlet tube to main body.




2. Connect the main body with straight tube by twisting it.




3. Prepare water inlet like the drawing below.




4. Connect the inlet tube like the drawing.




5. Twist the bolts holder to the faucet.



6. Drill holes on floor based on the drawing.




7. Tighten the expansion bolts.



8. Twist the shower tube to both faucet and shower head.



9. Finished assembly.



# CLEANING CARE

In order to keep the appearance of faucet clean, bright and good performance, please take care of the faucet as follows;

1. Rinse with water only and dry with soft cotton cloth;
2. Use mild liquid and colorless glass cleaner to remove surface dirt and scale film, or use polish without abrasive effect;
3. Do not use abrasive detergent, polish, emery cloth, paper towel or scraper, etc.;
4. Do not use acid cleaner, or cleaner and soap with insoluble gran etc.;
5. In the process of use, mud may accumulate in the bubbler and make the water flow show. The bubbler can be unscrewed, rinsed with water, and then installed back in place.



