

Service Manual

SERVICE PARTS & DIAGRAMS

QUICKJACK

6000ELX - 110V

PRODUCT SKU
5175650

DRAWING Nº
5175358

CATEGORY
QuickJack

REV
Version A

DATE
11.01.2022



QUICKJACK™

This guide is a troubleshooting reference used for maintaining and servicing your Bend Pak product. It provides comprehensive information on identifying serviceable parts and components and assists in troubleshooting problems and performing assembly /disassembly procedures.

BendPak, Inc. Corporate Office

1645 Lemonwood Drive
Santa Paula, CA 93060 USA
Toll Free US/Canada: 1-800-253-2363
Fax: 1-805-933-9160
info@bendpak.com

Customer Service Desk / Warranty

Customer Service Representatives
Office Tel: 1-805-933-9970
Toll Free US/Canada: 1-800-253-2363
Fax: 1-805-933-9160
customerservice@bendpak.com

Parts Orders


Customer Service Representatives
Office Tel: 1-805-933-9970
Toll Free US/Canada: 1-800-253-2363
Fax: 1-805-933-9160
parts@bendpak.com

Domestic Sales & Service

USA Sales Representatives
Office Tel: 1-805-933-9970
Toll Free US/Canada: 1-800-253-2363
Fax: 1-805-933-9160
sales@bendpak.com

International Sales & Service

Office Tel: 1-805-933-9970
Exports Dept: 1-805-933-9970 EXT. 192
Ext. Toll Free US/Canada: 1-800-253-2363
Fax: 1-805-933-9160
bpkexports@bendpak.com





NOTE: UNLESS OTHERWISE SPECIFIED.

1. REFER TO MODEL FOR ADDITIONAL INFORMATION
2. SEE COLORS & GRAPHICS FOR LABEL PLACEMENT
3. SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING
4. ASSEMBLE ITEMS AS SHOWN

WHERE USED
6000ELX

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
C	ADDED 5905756, REPLACED 5905438 WITH 5905057, UPDATED TITLE TO REFLECT MARKETING, UPDATED BOM REVISIONS	12/23/2020	CA	01237
D	UPDATED BOM REVISION	01/20/2021	TM	01265
OBSO	REPLACED WITH 5216110	11/30/2021	TM	01362
E	UNOBSOLETE FOR PRODUCTION, REPLACED LABELS WITH COLORS & GRAPHICS NOTE, UPDATED BOM REVISION	03/14/2022	CA	01402



ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5910202	6000ELX PACKAGING BOTTOM BOX	1	C
2	5215950	6000ELX FRAME ASSEMBLY, R.H.	1	E
3	5601108	QUICKJACK HANDLE WELDMENT	1	D
4	5930189	6000ELX/7000TL FRONT BOTTOM STYROFOAM PACKAGING	1	C
5	5930188	6000ELX/7000TL REAR BOTTOM STYROFOAM PACKAGING	1	B
6	5930191	6000ELX/7000TL TOP STYROFOAM PACKAGING	2	B
7	5910201	PACKAGING TOP BOX: 6000ELX BOX 2-RIGHT, ENGLISH-FRENCH	1	C
8	5940060	PLYWOOD INSERT, 2238 x 345 x 6mm	2	B
9	5930575	.50" PLASTIC STRAPPING	10	-

DO NOT SCALE DRAWING

DRAWN TM 05/28/2020
CHECKED

THIRD ANGLE PROJECTION



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.


BendPak
1645 LEMONWOOD DR.
SANTA PAULA, CA 93060

TITLE: 6000ELX VER E
PACKAGING, BOX 2
ENGLISH-FRENCH


SIZE DWG. NO. REV
A 5215952 E

SCALE: 1:16

SHEET 1 OF 1



REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
C	TOP LOCK WAS 533.1 NOW 527.1, LOWEST LOCK WAS 327.1 NOW 375.4, REMOVED MIDDLE LOCK, UPDATED TITLE TO REFLECT MARKETING, UPDATED BOM REVISIONS	12/16/2020	CA	01237
D	UPDATED BOM REVISION	01/25/2021	TM	01265
OBSO	REPLACED WITH 5216108	11/30/2021	TM	01362
E	UNOBSOLETE FOR PRODUCTION, UPDATED BOM REVISIONS	03/14/2022	CA	01402



ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5601501	6000ELX FRAME WELDMENT, R.H.	1	E
2	5502041	OFFSET CYLINDER ASSEMBLY Ø1.75 x 18.329in	1	C
3	5215918	QUICKJACK SAFETY BAR ASSEMBLY	1	B
4	5746670	DOUBLE THREADED ROD M12 x 1.75 x 254	1	G
5	5746142	DOUBLE THREADED ROD M12 x 1.75 x 274	1	D
6	5716192	QUICKJACK POLYURETHANE WHEEL	2	E
7	5535012	NUT M12 x 1.75 NL	4	-
8	5550055	FTG NPL -02 STM x -02 NPT	1	-
9	5545026	WASHER M6 x Ø12 SL	2	-
10	5535357	NUT M6 x 1.0 NL	2	-
11	5530027	HHB M6 x 1.0 x 35	2	-


WHERE USED
6000ELX

NOTE: UNLESS OTHERWISE SPECIFIED.


1. REFER TO MODEL FOR ADDITIONAL INFORMATION
2. SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING
3. ASSEMBLE ITEMS AS SHOWN

NEXT ASSEMBLY
5215952
5260617


DO NOT SCALE DRAWING	NAME	DATE		
	DRAWN	TM		
	CHECKED		1645 LEMONWOOD DR. SANTA PAULA, CA 93060	
DIMENSIONS ARE IN MM	THIRD ANGLE PROJECTION		TITLE:	
			6000ELX FRAME ASSEMBLY, R.H.	
	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.		SIZE DWG. NO.	REV
			A 5215950	E
			SCALE: 1:12	
			SHEET 1 OF 2	




FULL RISE



TOP LOCK




LOWEST LOCK



FULLY LOWERED

BP BendPak. 1645 LEMONWOOD DR. SANTA PAULA, CA 93060		
TITLE: 6000ELX FRAME ASSEMBLY, R.H.		
SIZE	DWG. NO.	REV
A	5215950	E
SCALE: 1:15		SHEET 2 OF 2

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
A	PRODUCTION RELEASE, DERIVED FROM 5215244	04/06/2020	TM	01159
B	UPDATED BOM REVISION	10/26/2020	TM	01222



WHERE USED
5000TL SERIES
6000ELX
7000TL SERIES


NOTE: UNLESS OTHERWISE SPECIFIED.

- REFER TO MODEL FOR ADDITIONAL INFORMATION
- ASSEMBLE ITEMS AS SHOWN

ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5601476	QUICKJACK SAFETY ARM WELDMENT	1	B
2	5736887	QUICKJACK SAFETY LATCH	1	B
3	5505028	SPRING PIN M6 x 20	2	-

NEXT ASSEMBLY		DO NOT SCALE DRAWING		NAME		DATE			
5215919		DIMENSIONS ARE IN MM 		DRAWN		TM		04/06/2020	
5215920				CHECKED		OR		11/06/2020	
5215921									
5215922									
5215923									
5215924									
5215925		THIRD ANGLE PROJECTION PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.							
5215926									
5215937									
5215950									
				TITLE:		QUICKJACK SAFETY BAR ASSEMBLY			
				SIZE		DWG. NO.		REV	
				A		5215918		B	
						SCALE: 1:3		SHEET 1 OF 1	

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
C	UPDATED TITLE TO REFLECT MARKETING, UPDATED BOM REVISION	11/17/2020	CA	01237
D	UPDATED BOM REVISION	01/20/2021	TM	01265
OBSO	REPLACED WITH 5601765	11/30/2021	TM	01362
E	UNOBSOLETE FOR PRODUCTION, UPDATED BOM REVISIONS	03/14/2022	CA	01402



ISOMETRIC VIEW
FOR REFERENCE ONLY
DO NOT SCALE

WHERE USED
6000ELX


NOTE: UNLESS OTHERWISE SPECIFIED.

1. REFER TO MODEL FOR ADDITIONAL INFORMATION
2. BREAK AND DEBURR ALL SHARP EDGES 0.3mm
3. REMOVE ALL WELD SPLATTER
4. 5766359 MUST BE FREE TO ROTATE RELATIVE TO 5620672 AND 5620673
5. DIMENSIONS SHOWN ARE AFTER PAINTING
6. PAINT BLACK (RAL-9017) 20% GLOSS

ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5620673	6000ELX BOTTOM FRAME SUBWELDMENT, R.H.	1	D
2	5620672	6000ELX TOP FRAME SUBWELDMENT	1	D
3	5766359	6000ELX/7000TL SCISSOR ARM TUBE	4	E
4	5746173	6000ELX/7000TL ARM HINGE AXLE	4	E
5	5735623	6000ELX/7000TL LOWER REAR GUSSET	1	D

DO NOT SCALE DRAWING		NAME	DATE	 BendPak. 1645 LEMONWOOD DR. SANTA PAULA, CA 93060			
DIMENSIONS ARE IN MM TOLERANCES: 0. = ±1.5 0.0 = ±0.5 SURFACE FINISH 1.6 ISO Ra µm FOR MACHINED SURFACES UNLESS OTHERWISE SPECIFIED		DRAWN	TM		05/28/2020		
		CHECKED					
		THIRD ANGLE PROJECTION					
		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.					
					TITLE: 6000ELX FRAME WELDMENT, R.H.		
					SIZE DWG. NO.		
7		A		5601501	E		
SCALE: 1:12				SHEET 1 OF 2			

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
C	ADDED 180° FLARE-BEVEL WELD, UPDATED TITLE TO REFLECT MARKETING, UPDATED BOM REVISIONS	12/01/2020	CA	01237
C-001	WAS 128.0 NOW 128 (pg2)	05/25/2021	OR	01304
OBSO	REPLACED WITH 5620761	11/30/2021	TM	01362
D	UNOBSOLETE FOR PRODUCTION, UPDATED BOM REVISION	03/14/2022	CA	01402



ISOMETRIC VIEW
FOR REFERENCE ONLY
DO NOT SCALE

WHERE USED
6000ELX

NOTE: UNLESS OTHERWISE SPECIFIED.

- REFER TO MODEL FOR ADDITIONAL INFORMATION
- BREAK AND DEBURR ALL SHARP EDGES 0.3mm
- REMOVE ALL WELD SPLATTER

NEXT ASSEMBLY
5601500
5601501

ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5766370	6000ELX TOP TUBE	2	C
2	5746172	6000ELX/7000TL ARM HINGE TUBE	2	E
3	5746302	QUICKJACK CYLINDER SPACER	1	D
4	5736831	QUICKJACK WHEEL MOUNTING PLATE	4	F
5	5737154	6000ELX/7000TL RUBBER BLOCK TRAY EXTENSION	1	C
6	5735622	6000ELX/7000TL RUBBER BLOCK TRAY EXTENSION CLOSEOUT	1	F
7	5736989	6000ELX/7000TL RUBBER BLOCK TRAY	1	E
8	5736542	QUICKJACK CYLINDER SPACER GUSSET	1	E
9	5781354	6000ELX CYLINDER PLATE	1	B
10	5781353	6000ELX TOP FRAME GUSSET	2	C

DO NOT SCALE DRAWING

DIMENSIONS ARE IN MM
TOLERANCES:
0. = ±1.5
0.0 = ±0.5

SURFACE FINISH 1.6 ISO Ra µm
FOR MACHINED SURFACES
UNLESS OTHERWISE SPECIFIED

NAME	DATE
DRAWN TM	05/28/2020
CHECKED OR	03/16/2022

THIRD ANGLE PROJECTION



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS
THE SOLE PROPERTY OF BENDPAK INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF BENDPAK INC. IS
PROHIBITED.



1645 LEMONWOOD DR.
SANTA PAULA, CA 93060


TITLE: 6000ELX TOP FRAME
SUBWELDMENT

SIZE	DWG. NO.	REV
A	5620672	D

SCALE: 1:10

SHEET 1 OF 3

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
B	WAS 429.0 NOW 481.6, WAS 114.0 NOW 37.5, WAS 548.0 NOW 471.5, WAS 443.2 NOW 467.2, UPDATED BOM REVISION	10/28/2020	TM	01222
C	UPDATED TITLE TO REFLECT MARKETING, UPDATED BOM REVISION	11/16/2020	CA	01237
D	UPDATED BOM REVISION	01/25/2021	TM	01265
D-001	WAS 128.0 NOW 128 (pg2)	05/26/2021	OR	01304



ISOMETRIC VIEW
FOR REFERENCE ONLY
DO NOT SCALE

WHERE USED
6000ELX

NOTE: UNLESS OTHERWISE SPECIFIED.

- REFER TO MODEL FOR ADDITIONAL INFORMATION
- BREAK AND DEBURR ALL SHARP EDGES 0.3mm
- REMOVE ALL WELD SPLATTER

NEXT ASSEMBLY
5601501

ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5766371	6000ELX BOTTOM TUBE	2	C
2	5746172	6000ELX/7000TL ARM HINGE TUBE	2	E
3	5746302	QUICKJACK CYLINDER SPACER	1	D
4	5737167	6000ELX BOTTOM REAR GUSSET	1	C
5	5736542	QUICKJACK CYLINDER SPACER GUSSET	1	E
6	5781114	6000ELX/7000TLX CYLINDER PLATE	2	D
7	5620652	6000ELX/7000TL SAFETY LADDER SUBWELDMENT, R.H.	1	B

DO NOT SCALE DRAWING

DIMENSIONS ARE IN MM
TOLERANCES:

0. = ±1.5
0.0 = ±0.5

SURFACE FINISH 1.6 ISO Ra µm
FOR MACHINED SURFACES
UNLESS OTHERWISE SPECIFIED

NAME	DATE
DRAWN TM	05/28/2020
CHECKED OR	05/27/2021

THIRD ANGLE PROJECTION



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS
THE SOLE PROPERTY OF BENDPAK INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF BENDPAK INC. IS
PROHIBITED.

BendPak.

1645 LEMONWOOD DR.
SANTA PAULA, CA 93060

TITLE:
6000ELX BOTTOM FRAME
SUBWELDMENT, R.H.

SIZE DWG. NO. REV

A 5620673 D

SCALE: 1:8

SHEET 1 OF 2

Quickjack 6000ELX Product Labels

A



6000ELX_Operation_Inst-ENG-FRE-Right-Frame.pdf

Trim: 9"W x 6.5"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 4/C Process

Finish: Matte Overlamine (No Gloss)


Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.

Use on 6000ELX Right Frame ONLY

PN 5905707

B



6000ELX_Operation_Inst-ENG-FRE-Left-Frame.pdf

Trim: 9"W x 6.5"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 4/C Process

Finish: Matte Overlamine (No Gloss)

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.

Use on 6000ELX Left Frame ONLY

PN 5905823

C



QuickJack Cylinder Decal

Material: Clear Adhesive PET

Trim: 14"W x 2"H

Thickness: 4 Mil

Finish: Matte overlamine

Ink: U.V. protected, Opaque White

CLEAR ADHESIVE PET - DOES NOT PRINT YELLOW

Print Process: Silk Screen, 85 line-screen (Yellow color in file represents what should be clear PET material and SHOULD NOT print as Yellow ink. White area in file represents Opaque White ink.)

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.

IMPORTANT: Please use materials as instructed

Quickjack 6000ELX Product Labels



QuickJack Safety Bar Warning-ENG/FRE.pdf

PN 5905428

Trim: 14"W x 0.625"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 4/C Process

Finish: Matte Overlamine (No Gloss)

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.



QuickJack Pinch Points-ENG/FRE.pdf

PN 5905429

Trim: 15"W x 0.625"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 4/C Process

Finish: Matte Overlamine (No Gloss)

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.



Caution Route Hose Under-ENG/FRE.pdf

PN 5905036

Trim: 10"W x 0.625"H


Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 4/C Process

Finish: Matte Overlamine (No Gloss)

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.



QuickJack Danger Air-ENG/FRE

PN 5905434

Trim: 5.5"W x 1.5"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Finish: Matte overlamine

Ink: U.V. protected CMYK 4/C Process

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.



PN 5905057

Max Capacity Label 6000 lbs-ENG/FRE

Trim: 4.5"W x 1"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 4/C Process

Finish: Matte overlamine (No gloss)


Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.

IMPORTANT: Please use materials as instructed

Quickjack 6000ELX Product Labels

I



Caution Do Not Drive Over-ENG/FRE.pdf

Trim: 3"W x 3.5"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Finish: Matte Overlamine

Ink: U.V. protected CMYK 4/C Process

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.

PN 5905432

J

QUICKJACK™ QuickJack is a wholly-owned subsidiary of BendPak, Inc.		1645 Lemonwood Dr. Santa Paula, CA USA	
MODEL NUMBER / NUMÉRO DE MODÈLE			
DESCRIPTION			
LIFT CAPACITY (PAIR) / CAPACITÉ DE LEVAGE (PAIRE)			
DATE CODE / CODE DATE		UPC / CUP	
SERIAL NUMBER NUMÉRO DE SÉRIE			
⚠ DANGER! Disconnect Power Before Servicing Couper l'alimentation avant toute intervention.			
CE ENEC			
WARRANTY VOID IF DATA PLATE IS REMOVED GARANTIE NULLE SI LA PLAQUE DE DATE A ÉTÉ ENLEVÉE		MADE IN CHINA / FABRIQUÉ EN CHINE PN 5905433	

QuickJack Serial Tag-ENG/FRE

Trim: 3"W x 3"H

Material: 2 Mil. Matte Silver Polyester (Flex-PSE)

Print using thermal transfer printer with resin ribbon

Place on Left Frame Only

PN 5905433

K

CALIFORNIA PROPOSITION 65	
⚠ WARNING ⚠	
WARNING! This product can expose you to chemicals including styrene and vinyl chloride which are on the list of over 900 chemicals identified by the State of California to cause cancer, birth defects or reproductive harm. ALWAYS use this product in accordance with the manufacturer's instructions. For more information, go to www.p65warnings.ca.gov.	
PN 5905775	

Prop_65_Label.pdf:

Size: 1.5"W x 1.5"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 2/C Process

Finish: Matte Overlamine (No gloss)

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical and ultra violet protection.

Place on Both Frames


PN 5905775


IMPORTANT: Please use materials as instructed

Quickjack 6000ELX Product Labels

IMPORTANT

**MAKE SURE LABELS ARE READABLE
FROM THE SAFETY LOCK BAR SIDE**






NOTE: UNLESS OTHERWISE SPECIFIED.

1. REFER TO MODEL FOR ADDITIONAL INFORMATION
2. SEE COLORS & GRAPHICS FOR LABEL PLACEMENT
3. SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING
4. ASSEMBLE ITEMS AS SHOWN

WHERE USED
6000ELX

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
C	REPLACED 5900008 WITH 5900263, 5905707 WITH 5905823, AND 5905438 WITH 5905057, ADDED 5905756, UPDATED TITLE TO REFLECT MARKETING, UPDATED BOM REVISION	12/23/2020	CA	01237
D	UPDATED BOM REVISION	01/20/2021	TM	01265
OBSO	REPLACED WITH 5216109	11/30/2021	TM	01362
E	UNOBSOLETE FOR PRODUCTION, REPLACED LABELS WITH COLORS & GRAPHICS NOTE, UPDATED BOM REVISION	03/14/2022	CA	01402



ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5910202	6000ELX PACKAGING BOTTOM BOX	1	C
2	5215937	6000ELX FRAME ASSEMBLY, L.H.	1	E
3	5601108	QUICKJACK HANDLE WELDMENT	1	D
4	5930189	6000ELX/7000TL FRONT BOTTOM STYROFOAM PACKAGING	1	C
5	5930188	6000ELX/7000TL REAR BOTTOM STYROFOAM PACKAGING	1	B
6	5930191	6000ELX/7000TL TOP STYROFOAM PACKAGING	2	B
7	5910199	PACKAGING TOP BOX; 6000ELX BOX 1-LEFT, ENGLISH-FRENCH	1	C
8	5940060	PLYWOOD INSERT, 2238 x 345 x 6mm	2	B
9	5930575	.50" PLASTIC STRAPPING	10	-
-	5900263	QUICKJACK TL/TLX/ELX MANUAL, ENGLISH-FRENCH	1	-

DO NOT SCALE DRAWING

DIMENSIONS ARE IN MM



NAME DATE

DRAWN TM 05/28/2020

CHECKED

THIRD ANGLE PROJECTION



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.


BendPak
1645 LEMONWOOD DR.
SANTA PAULA, CA 93060

TITLE: 6000ELX VER E
PACKAGING, BOX 1
ENGLISH-FRENCH

SIZE DWG. NO. REV
A 5215951 E

SCALE: 1:16

SHEET 1 OF 1




WHERE USED
6000ELX

NOTE: UNLESS OTHERWISE SPECIFIED.

1. REFER TO MODEL FOR ADDITIONAL INFORMATION
2. SEE SHIPPING INSTRUCTIONS FOR FINAL PACKAGING
3. ASSEMBLE ITEMS AS SHOWN

NEXT ASSEMBLY
5215951
5260617

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
C	TOP LOCK WAS 533.1 NOW 527.1, LOWEST LOCK WAS 327.1 NOW 375.4, REMOVED MIDDLE LOCK, UPDATED TITLE TO REFLECT MARKETING, UPDATED BOM REVISION	12/16/2020	CA	01237
D	UPDATED BOM REVISION	01/25/2021	TM	01265
OBSO	REPLACED WITH 5216107	11/30/2021	TM	01362
E	UNOBSOLETE FOR PRODUCTION, UPDATED BOM REVISIONS	03/14/2022	CA	01402



ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5601500	6000ELX FRAME WELDMENT, L.H.	1	E
2	5502041	OFFSET CYLINDER ASSEMBLY Ø1.75 x 18.329in	1	C
3	5215918	QUICKJACK SAFETY BAR ASSEMBLY	1	B
4	5746670	DOUBLE THREADED ROD M12 x 1.75 x 254	1	G
5	5746142	DOUBLE THREADED ROD M12 x 1.75 x 274	1	D
6	5716192	QUICKJACK POLYURETHANE WHEEL	2	E
7	5535012	NUT M12 x 1.75 NL	4	-
8	5550055	FTG NPL -02 STM x -02 NPT	1	-
9	5545026	WASHER M6 x Ø12 SL	2	-
10	5535357	NUT M6 x 1.0 NL	2	-
11	5530027	HHB M6 x 1.0 x 35	2	-

DO NOT SCALE DRAWING

DIMENSIONS ARE IN MM



NAME DATE
TM 05/28/2020

DRAWN
CHECKED

THIRD ANGLE PROJECTION



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.

BendPak
1645 LEMONWOOD DR.
SANTA PAULA, CA 93060


TITLE: 6000ELX FRAME ASSEMBLY, L.H.

SIZE DWG. NO. REV


A 5215937 E

SCALE: 1:12


SHEET 1 OF 2




FULL RISE



TOP LOCK




LOWEST LOCK



FULLY LOWERED

BP BendPak. 1645 LEMONWOOD DR. SANTA PAULA, CA 93060		
TITLE: 6000ELX FRAME ASSEMBLY, L.H.		
SIZE	DWG. NO.	REV
A	5215937	E
SCALE: 1:15		SHEET 2 OF 2

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
A	PRODUCTION RELEASE, DERIVED FROM 5215244	04/06/2020	TM	01159
B	UPDATED BOM REVISION	10/26/2020	TM	01222



WHERE USED
5000TL SERIES
6000ELX
7000TL SERIES

NOTE: UNLESS OTHERWISE SPECIFIED.


- REFER TO MODEL FOR ADDITIONAL INFORMATION
- ASSEMBLE ITEMS AS SHOWN

ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5601476	QUICKJACK SAFETY ARM WELDMENT	1	B
2	5736887	QUICKJACK SAFETY LATCH	1	B
3	5505028	SPRING PIN M6 x 20	2	-

NEXT ASSEMBLY
5215919
5215920
5215921
5215922
5215923
5215924
5215925
5215926
5215937
5215950

DO NOT SCALE DRAWING		NAME		DATE		 1645 LEMONWOOD DR. SANTA PAULA, CA 93060					
DIMENSIONS ARE IN MM 		DRAWN		TM		04/06/2020					
		CHECKED		OR		11/06/2020					
		THIRD ANGLE PROJECTION 						TITLE: QUICKJACK SAFETY BAR ASSEMBLY			
		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BENDPAK INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BENDPAK INC. IS PROHIBITED.						SIZE DWG. NO.		REV	
								A 5215918		B	
								SCALE: 1:3		SHEET 1 OF 1	

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
C	UPDATED TITLE TO REFLECT MARKETING, UPDATED BOM REVISIONS	11/17/2020	CA	01237
D	UPDATED BOM REVISION	01/20/2021	TM	01265
OBSO	REPLACED WITH 5601764	11/30/2021	TM	01362
E	UNOBSOLETE FOR PRODUCTION, UPDATED BOM REVISIONS	03/14/2022	CA	01402



ISOMETRIC VIEW
FOR REFERENCE ONLY
DO NOT SCALE

WHERE USED
6000ELX

NOTE: UNLESS OTHERWISE SPECIFIED.

1. REFER TO MODEL FOR ADDITIONAL INFORMATION
2. BREAK AND DEBURR ALL SHARP EDGES 0.3mm
3. 5766359 MUST BE FREE TO ROTATE RELATIVE TO 5620661 AND 5620572
4. REMOVE ALL WELD SPLATTER
5. DIMENSIONS SHOWN ARE AFTER PAINTING
6. PAINT BLACK (RAL-9017) 20% GLOSS

ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5620661	6000ELX BOTTOM FRAME SUBWELDMENT, L.H.	1	D
2	5620672	6000ELX TOP FRAME SUBWELDMENT	1	D
3	5766359	6000ELX/7000TL SCISSOR ARM TUBE	4	E
4	5746173	6000ELX/7000TL ARM HINGE AXLE	4	E
5	5735623	6000ELX/7000TL LOWER REAR GUSSET	1	D

DO NOT SCALE DRAWING

DIMENSIONS ARE IN MM
TOLERANCES:
0. = ±1.5
0.0 = ±0.5

SURFACE FINISH 1.6 ISO Ra µm
FOR MACHINED SURFACES
UNLESS OTHERWISE SPECIFIED

NAME DATE
DRAWN TM 05/28/2020
CHECKED

THIRD ANGLE PROJECTION



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS
THE SOLE PROPERTY OF BENDPAK INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF BENDPAK INC. IS
PROHIBITED.

BendPak.

1645 LEMONWOOD DR.
SANTA PAULA, CA 93060

TITLE: 6000ELX FRAME
WELDMENT, L.H.


SIZE DWG. NO. REV
A 5601500 E

SCALE: 1:12

SHEET 1 OF 2

NEXT ASSEMBLY
5215937

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
B	WAS 429.0 NOW 481.6, WAS 114.0 NOW 37.5, WAS 548.0 NOW 471.5, WAS 773.0 NOW 696.5, WAS 443.2 NOW 467.2, UPDATED BOM REVISION	10/28/2020	TM	01222
C	UPDATED TITLE TO REFLECT MARKETING, UPDATED BOM REVISION	11/16/2020	CA	01237
D	UPDATED BOM REVISION	01/25/2021	TM	01265
D-001	WAS 128.0 NOW 128 (pg2)	05/26/2021	OR	01304



ISOMETRIC VIEW
FOR REFERENCE ONLY
DO NOT SCALE

WHERE USED
6000ELX

NOTE: UNLESS OTHERWISE SPECIFIED.

- REFER TO MODEL FOR ADDITIONAL INFORMATION
- BREAK AND DEBURR ALL SHARP EDGES 0.3mm
- REMOVE ALL WELD SPLATTER

NEXT ASSEMBLY
5601500

ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5766371	6000ELX BOTTOM TUBE	2	C
2	5746172	6000ELX/7000TL ARM HINGE TUBE	2	E
3	5746302	QUICKJACK CYLINDER SPACER	1	D
4	5737167	6000ELX BOTTOM REAR GUSSET	1	C
5	5736542	QUICKJACK CYLINDER SPACER GUSSET	1	E
6	5781114	6000ELX/7000TLX CYLINDER PLATE	2	D
7	5620651	6000ELX/7000TL SAFETY LADDER SUBWELDMENT, L.H.	1	B

DO NOT SCALE DRAWING

DIMENSIONS ARE IN MM
TOLERANCES:
0. = ± 1.5
0.0 = ± 0.5

SURFACE FINISH 1.6 ISO R_a μm
FOR MACHINED SURFACES
UNLESS OTHERWISE SPECIFIED

NAME	DATE
DRAWN TM	05/28/2020
CHECKED OR	05/27/2021

THIRD ANGLE PROJECTION



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS
THE SOLE PROPERTY OF BENDPAK INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF BENDPAK INC. IS
PROHIBITED.

BendPak.

1645 LEMONWOOD DR.
SANTA PAULA, CA 93060


TITLE:
6000ELX BOTTOM FRAME
SUBWELDMENT, L.H.

SIZE DWG. NO.	REV
A 5620661	D

SCALE: 1:8

SHEET 1 OF 2

REVISION				
REV	DESCRIPTION	DATE	EDITED BY	ECO#
C	ADDED 180° FLARE-BEVEL WELD, UPDATED TITLE TO REFLECT MARKETING, UPDATED BOM REVISIONS	12/01/2020	CA	01237
C-001	WAS 128.0 NOW 128 (pg2)	05/25/2021	OR	01304
OBSO	REPLACED WITH 5620761	11/30/2021	TM	01362
D	UNOBSOLETE FOR PRODUCTION, UPDATED BOM REVISION	03/14/2022	CA	01402



ISOMETRIC VIEW
FOR REFERENCE ONLY
DO NOT SCALE

WHERE USED
6000ELX

NOTE: UNLESS OTHERWISE SPECIFIED.

- REFER TO MODEL FOR ADDITIONAL INFORMATION
- BREAK AND DEBURR ALL SHARP EDGES 0.3mm
- REMOVE ALL WELD SPLATTER

NEXT ASSEMBLY
5601500
5601501

ITEM NO	PART NUMBER	DESCRIPTION	QTY	REV
1	5766370	6000ELX TOP TUBE	2	C
2	5746172	6000ELX/7000TL ARM HINGE TUBE	2	E
3	5746302	QUICKJACK CYLINDER SPACER	1	D
4	5736831	QUICKJACK WHEEL MOUNTING PLATE	4	F
5	5737154	6000ELX/7000TL RUBBER BLOCK TRAY EXTENSION	1	C
6	5735622	6000ELX/7000TL RUBBER BLOCK TRAY EXTENSION CLOSEOUT	1	F
7	5736989	6000ELX/7000TL RUBBER BLOCK TRAY	1	E
8	5736542	QUICKJACK CYLINDER SPACER GUSSET	1	E
9	5781354	6000ELX CYLINDER PLATE	1	B
10	5781353	6000ELX TOP FRAME GUSSET	2	C

DO NOT SCALE DRAWING

DIMENSIONS ARE IN MM
TOLERANCES:
0. = ±1.5
0.0 = ±0.5

SURFACE FINISH 1.6 ISO Ra µm
FOR MACHINED SURFACES
UNLESS OTHERWISE SPECIFIED

NAME DATE
DRAWN TM 05/28/2020
CHECKED OR 03/16/2022

THIRD ANGLE PROJECTION



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS
THE SOLE PROPERTY OF BENDPAK INC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT
THE WRITTEN PERMISSION OF BENDPAK INC. IS
PROHIBITED.

BendPak.
1645 LEMONWOOD DR.
SANTA PAULA, CA 93060

TITLE: 6000ELX TOP FRAME
SUBWELDMENT

SIZE DWG. NO. REV
A 5620672 D

SCALE: 1:10

SHEET 1 OF 3

PART SPECIFICATION FORM STANDARD

BENDPAK Number:	5900263
MRP Description:	QUICKJACK TL/TLX/ELX MANUAL, ENGLISH-FRENCH
Date:	09/29/2021
ECO :	---

1. Engineering Specification

Application:
INSTALLATION MANUAL

Detailed Description:

Print Settings

Unless otherwise specified, use these settings for printing BendPak manuals:

Size:	A4 (210 to 297 mm), 8.5 by 11 inches (216 to 279 mm), or between
Color:	Black and White
Binding:	Saddle Stitched
Paper:	100 to 120 gsm (27 to 32 pound), uncoated

QUICKJACK™

250 Dove Court
Santa Paula, CA 93060 USA
Toll Free: (888) 262-3880
Tel: (805) 421-5114
quickjack.com

QuickJack™ Portable Car Jack Setup and Operation Manual

Manual P/N 5900263 — Manual Revision B1 — Released September 2021

Models:

- 3500SLX
- 5000TL
- 7000TL
- 6000ELX
- 5000TLX
- 7000TLX



A video of how to set up your QuickJack is available online.

QuickJack is designed and engineered by BendPak Inc. in Southern California, USA. Made in China.



IMPORTANT SAFETY INSTRUCTIONS, SAVE THESE INSTRUCTIONS!
Read the entire contents of this manual **before** installing, operating, servicing, or maintaining this lift. Failure to follow the instructions and safety precautions in this manual can result in serious injury or death. Make sure all other operators also read this manual. Keep the manual near the product for future reference. **By proceeding with setup and operation, you agree you fully understand the contents of this manual and assume full responsibility for product use.**

2. Vendor Information (Or for Reference)

Approved Vendor	Vendor Part #	Contact #	Preferred Vendor
1)			
OR BENDPAK ENGINEERING APPROVED EQUIVALENT			

Quickjack 6000ELX Product Labels

A



6000ELX_Operation_Inst-ENG-FRE-Right-Frame.pdf

Trim: 9"W x 6.5"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 4/C Process

Finish: Matte Overlamine (No Gloss)


Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.

Use on 6000ELX Right Frame ONLY

PN 5905707

B



6000ELX_Operation_Inst-ENG-FRE-Left-Frame.pdf

Trim: 9"W x 6.5"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 4/C Process

Finish: Matte Overlamine (No Gloss)

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.

Use on 6000ELX Left Frame ONLY

PN 5905823

C



QuickJack Cylinder Decal

Material: Clear Adhesive PET

Trim: 14"W x 2"H

Thickness: 4 Mil

Finish: Matte overlamine

Ink: U.V. protected, Opaque White

CLEAR ADHESIVE PET - DOES NOT PRINT YELLOW

Print Process: Silk Screen, 85 line-screen (Yellow color in file represents what should be clear PET material and SHOULD NOT print as Yellow ink. White area in file represents Opaque White ink.)

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.

IMPORTANT: Please use materials as instructed

Quickjack 6000ELX Product Labels



QuickJack Safety Bar Warning-ENG/FRE.pdf

PN 5905428

Trim: 14"W x 0.625"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 4/C Process

Finish: Matte Overlamine (No Gloss)

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.



QuickJack Pinch Points-ENG/FRE.pdf

PN 5905429

Trim: 15"W x 0.625"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 4/C Process

Finish: Matte Overlamine (No Gloss)

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.



Caution Route Hose Under-ENG/FRE.pdf

PN 5905036

Trim: 10"W x 0.625"H


Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 4/C Process

Finish: Matte Overlamine (No Gloss)

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.



QuickJack Danger Air-ENG/FRE

PN 5905434

Trim: 5.5"W x 1.5"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Finish: Matte overlamine

Ink: U.V. protected CMYK 4/C Process

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.



PN 5905057

Max Capacity Label 6000 lbs-ENG/FRE

Trim: 4.5"W x 1"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 4/C Process

Finish: Matte overlamine (No gloss)


Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.

IMPORTANT: Please use materials as instructed

Quickjack 6000ELX Product Labels

I



Caution Do Not Drive Over-ENG/FRE.pdf

Trim: 3"W x 3.5"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Finish: Matte Overlamine

Ink: U.V. protected CMYK 4/C Process

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical, and ultra violet protection.

PN 5905432

J



QuickJack Serial Tag-ENG/FRE

Trim: 3"W x 3"H

Material: 2 Mil. Matte Silver Polyester (Flex-PSE)

Print using thermal transfer printer with resin ribbon

Place on Left Frame Only

PN 5905433

K



Prop_65_Label.pdf:

Size: 1.5"W x 1.5"H

Material: 4 Mil. Permanent White Adhesive Vinyl

Ink: U.V. protected CMYK 2/C Process

Finish: Matte Overlamine (No gloss)

Print Process: Offset Lithography - 200 line-screen or 300 p.p.i. for digital

Lamination: Clear laminate non-glare medium matte over-lamine (No gloss) for abrasion, chemical and ultra violet protection.

Place on Both Frames

PN 5905775

IMPORTANT: Please use materials as instructed

Quickjack 6000ELX Product Labels

IMPORTANT

**MAKE SURE LABELS ARE READABLE
FROM THE SAFETY LOCK BAR SIDE**

