
# Assembly Instructions

Caution: You must read this before you proceed

### **BAR CHAIR**




WARNING: These Bar Chairs are intended only for normal use with all four Bar Chair legs on the ground. These Bar Chairs have relatively thin legs and are not designed to be sat in with only two legs on the ground (as from tipping back, forward, or to the side), as such usage can cause stress and failure of one or more Chair legs. Any misuse of the Bar Chairs voids any warranties, expressed or implied.

## Parts List


Label	Picture	Description	QTY
A		Chair Seat	1

В	٥	Side Stretcher	2		
С		Front Stretcher	1		
D	و م	Back Stretcher	1		
E		Front Right Leg (FR)	1		
F		Front Left Leg (FL)	1		
G		Back Right Leg (BR)	1		
Н		Back Left Leg (BL)	1		
<u>Hardware</u>					

Label	Picture	Description	QTY			
1)		Bolt (M6 x 60mm)	9			
2		Spring Washer (M6)	9			
3		Washer (M6 x 19mm)	9			
4	!!!!!!!!<b !₩	Screw (M4 x 32mm)	9			
(5)		Allen Key	1			
6		Screwdriver (Not provided)	1			
Assembl	Assembly Preparation					
Beginning Assembly:						
Read instructions, cover to cover-  Have 2 adults on hand for assembly-  Do not assemble on flooring or carpet-  Assemble on a clean non-marring surface (packing foam)-  Save all packaging until finished-						
Assembly Steps						



This Bar Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Bar Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.




**1.1)** Place the Chair on the edge of a Table, as pictured.

Then insert the Front Left Leg(F) into the bottom of the Chair Seat(A).

**1.2)** Attach the Front Left Leg(F) to Chair Seat(A) using Bolts(①), Spring Washers(②), and Washers(③) with Allen Key(⑤).


Do not fully tighten the Bolts.

Repeat the same procees to assembly the Front Right Leg(E), Back Right Leg(G) and Back Left Leg(H).




Insert Front Stretcher(C) into mounting positions between the Front Right Leg(E) and Front Left Leg(F).

Note: If the Front Stretcher cannot be insert smoothly, then loosen the Bolts of the Front Right Leg(E) and Front Left Leg(F) and gently pull the Legs apart.




Insert Side Stretcher(B) into mounting positions between the Front Right Leg(E) and Back Right Leg(G).

Note: If the Side Stretchers cannot be insert smoothly, then loosen the Bolts of the Front Legs and Back Legs and gently pull the Legs apart. Repeat the same process to assembly another Side Stretcher(B)



Place the Back Stretcher(D) into mounting positions between the Back Right Leg(G) and Back Left Leg(H).


Note: If the Back Stretcher cannot be inserted smoothly, then loosen the Bolts of the Back Right Leg and Back Left Leg and gently pull the Legs apart.



Attach Front Stretcher(C) to Front Right Leg(E) and Front Left Leg(F) using Screws(4) with Screwdriver(6).

Tighten the Screws fully in a sequential manner.

Repeat the same process to assembly Side Stretcher(B) and Back Stretcher (D).



Place the Bar Chair on a LEVEL SURFACE to see if it wobbles.

If it wobbles, lift the Bar Chair to some 30cm to 50cm high from the ground.

Keep your feet and toes well away from the drop zone.

Drop the Bar Chair freely and vertically with the four legs, hitting the ground, at the same time.

This Drop Test will help to ensure that all the Bolts and gaps reach full alignment status.

Test again for evenness on a LEVEL SURFACE.


If no wobbles are found, proceed to tighten all the Bolts.

When tightening the Bolts, tighten sequentially.

DO NOT tighten any Bolt fully and then move on towards the next one.

This would cause the frame to warp.


If there are still wobbles, loosen the Bolts and execute this same drop test.



Your Bar Chair is ready for use.

This Bar Chair can only be used on a flat, level surface.

#### Care & Maintenance



#### Questions & Answers about Proposition 65

What is Proposition 65?

Proposition 65 requires businesses to provide warnings to Californians about significant exposures to chemicals that cause cancer, birth defects or other reproductive harm. These chemicals can be in the products that Californians purchase, in their homes or workplaces, or that are released into the environment. By requiring that this information be provided, Proposition 65 enables Californians to make informed decisions about their exposures to these chemicals.

Proposition 65 also prohibits California businesses from knowingly discharging significant amounts of listed chemicals into sources of drinking water.

Proposition 65 requires California to publish a list of chemicals known to cause cancer, birth defects or other reproductive harm. This list, which must be updated at least once a year, has grown to include approximately 900 chemicals since it was first published in 1987

What types of chemicals are on the Proposition 65 list?

The list contains a wide range of naturally occurring and synthetic chemicals that include additives or ingredients in pesticides, common household products, food, drugs, dyes, or solvents. Listed chemicals may also be used in manufacturing and construction, or they may be byproducts of chemical processes, such as motor vehicle exhaust.

· What does a warning mean?

If a warning is placed on a product label or posted or distributed at a workplace, a business, or in rental housing, the business issuing the warning is aware or believes that it is exposing individuals to one or more listed chemicals.

By law, a warning must be given for listed chemicals unless the exposure is low enough to pose no significant risk of cancer or is significantly below levels observed to cause birth defects or other reproductive harm.

Where can I get more information on Proposition 65?

If you have specific questions on the administration or implementation of Proposition 65, you can contact OEHHA's Proposition 65 program at P65.Questions@oehha.ca.gov, or by phone at (916) 445-6900.