
## ASSEMBLY INSTRUCTION 24INCH BATH VANTINY (COMBO)



Thank you for purchasing this quality product. Be sure to check all pac material carefully for small parts which may have come loose inside the carton during shipment. Separate, identify and count all parts and hardw.

Compare with the parts list to be sure all parts are present.

"DO NOT TIGHTEN SCREWS UNTIL COMPLETELY ASSEMBLED"



\*Use of power tool to assemble this product will invalidate any claim and damage this product making unsafe !!!


\*Please assemble on a clean soft sunrface to avoid damage.







Tools Required





**IMPORTANT:** 

PLEASE READ INSTRUCTION BEFORE STARTING THE ASSEMBLY

Thank you for buying our products.

Please read the installation manual carefully before installation,

we need you to follow the instructions on the accessories and hardware

step by step assembly complete, our instructions are very detailed.

Products are environmentally friendly products,

Please rest assured that you do not soak in water, do not place very heavy items,

do not malicious push and pull,

if you have any problems in the process of assembly and use, please contact us.

Thank you again for your purchase of our products,

I wish you a happy life.


## **Before Installation**


#### Important – Please read these instructions fully before starting assembly

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment. Identify and count all items according to the PARTS LIST and/or HARDWARE LIST shown below. Check you have all the components and tools listed on the following pages.

- We recommend that you assemble this product with the assistance of another person; this will make the assembly easier, and will help eliminate damage to the product or injury to persons during assembly.
- Please do not over tighten screws or bolts until the assembly is completed.
- Keep children and animal away from the work area, small parts could choke if swallowed.
- Please put all parts on a non-abrasive floor before assembly, and follow the assembly steps to assemble your newly purchased product correctly and efficiently.


#### **Cam Lock Assembly Instructions**






Identifying the Hardware -Indentify the hardware using the illustrations below.

#### Part List-N710P318990




#### Part List-N710P318990





# Hardware List-N710P318990


Α	В	C
<u> </u>		
ø13x1/4"x32mm	ø13x1/4"x40mm	ø1/4"x16x1mm
Hex-Head bolts - 4pcs	Hex-Head bolts - 4pcs	Flat Washer - 8pcs
D	E	F
ø1/4"x10x1.2mm	ø6x35mm	ø14.5x12mm
Lock Washer - 8pcs	Three in one bolts - 20pcs	Three in one lock - 20pcs
G	H	
ø8xø4x25mm	ø8xø4x32mm	ø29x24mm
Round head screw - 2pcs	Round head screw - 16pcs	Handle - 3pcs
J	K	L
		(S)
128 x 18 x 23mm	ø5/32"x38mm	ø5/32"x20mm
ما المسمال	Handle serou 2nes	Handle screw - 2pcs
Handle - 1pc	Handle screw - 3pcs	Tialialo colott Zpoo
Handle - 1pc	N	0
	•	
	N Description of the second of	
	N ⊕‱> ø7xø3.5x12mm	0
M	N Description of the second of	
Damping hinge - 2pcs	N  ###################################	C Laminate pad - 4pcs
Damping hinge - 2pcs	N  ###################################	C Laminate pad - 4pcs
Damping hinge - 2pcs P	N  ø7xø3.5x12mm  Flat head screw - 12pcs  Q	Laminate pad - 4pcs
Damping hinge - 2pcs P Ø8x30mm	N  ø7xø3.5x12mm  Flat head screw - 12pcs  Q  ø6x30mm	Laminate pad - 4pcs R 4mm





































**STEP: 8** 


























Install the sink on the cabinet with glue. Let stand for 24 hours (Installez l'évier sur le meuble avec de la colle. Laisser reposer 24 heures)








## HINGE ADJUSTMENTS



### 1 Sideways / Tilt adjustment


Turn the screw clockwise to move the door further away from the side of the cabinet anticlockwise to move the door closer to the side of the cabinet



### 2 4 Height adjustment

While supporting the weight of the door, turn the screws

clockwise to move the door up anticlockwise to move the door down



#### 3 Forward and back adjustment

If the gap between the back of the door and the cabinet is too small, and the door may not close fully. Turn the screw

clockwise to decrease the gap between the door and the cabinet

anticlockwise to increase the gap between the door and the cabinet

