

Middle-column Umbrella

If you have any questions about the middle-column umbrella, please feel free to contact us.

Customer Service Email: **Service@alaulm.com**






24-P030-B00

IMPORTANT

PLEASE READ BEFORE YOU COMMENCE ASSEMBLY

Follow the guidelines in this user guide to ensure correct
assembly and care for this product

SPECIFICATIONS




Instructions

Thank you for ordering middle-column umbrella, here are some tips which may help you:

1. If any part is damaged or missing (please refer to packing list on page 5), please feel free to contact us. We will send you the replacement immediately.
2. We hope you can enjoy our product, if you have any other problem, please feel free to contact us.

Service@alaulm.com
www.alaulm.com



Warning

1. To make this umbrella stable, you have to use heavy sandbags or stones secure the foundation to your table. You will need to add stones or sandbags to the base after installing the base to ensure counterweight. Counterweight over 150 pounds are recommended.
2. For safety, please fix the cross tubes before installing the umbrella main body.
3. The installation is relatively simple, but since it is a large duty umbrella, so it's better for two people to work together to carry and install.
4. You can refer to the instructions or the video on the details page for a faster installation.
5. The sturdy thicken aluminum pole and 10 heavy-duty ribs, it can resist the wind up to 20 mph; We recommend using this heavy duty outdoor umbrella when the wind is below 15 mph. If the wind speed is too fast or during extreme weather conditions, please close the umbrella to prevent excess.
6. Before opening, please confirm the following two points, then you can open the umbrella normally.
 - 1) Please prioritize installing the umbrella cap.
 - 2) Please open the umbrella ribs to ensure that they are not stuck together but scattered.

Catalog

Specifications

Instructions

Packing List

Parts List

Extra

How to Assemble Middle-column Umbrella

How to Load The Middle-column Umbrella On The Table

01

02

04

05


05

06


09

Packing List

Cross Base X1




Base Tube X1





Casing X1




Umbrella X1



Parts List


PARTS LIST				
A1	A2	B	C	D
				
Cross Base 1	Cross Base 2	Base Tube	Casing	Umbrella
1PC	1PC	1PC	1PC	1PC
G				
				
Fixing				
2PCS				



Screw Set				
E	F	H	J	
				
Screw	Metal Gasket	Wrench	Plastic Cover	
4PCS	4PCS	1PC	2PCS	

Extra				
E	F			
				
Screw	Metal Gasket			
1PC	1PC			

How To Assemble Middle-column Umbrella


Step 1:Combine cross tube 1(A1) and cross tube 2(A2).



A1		x1	A2		x1
----	---	----	----	---	----

Step 2:Attach the base tube(B) to the cross tube with screws(E).

NOTE:Tighten all screws now.




B		x1	E		x4
			F		x4

Installation steps

Step 3: Screw the plastic cover(J) into the top of the umbrella. Insert the umbrella(D) into the casing(C). Slip the sleeve into the canopy tube.

NOTE: The snap buckle is aligned with the hole of the canopy tube.




C  x1

D  x1

J  x2

Step 4: Insert the umbrella into the base tube. Tighten the fixings(G).




G  x2

Installation steps


Step 5: Open or close the umbrella by means of the swingarm.

NOTE: A heavy object is required to press down on the base.



Step 6: After opening the umbrella, insert the latch into the hole.

NOTE: A heavy object is required to press down on the base. When the umbrella is open, make sure the latch is inserted.




Installation steps

How to Load The Middle-column Umbrella On The X-leg Table


Step 1: Remove the umbrella hole plastic from the X-leg table.

NOTE: This product is suitable for umbrella bore diameters more than 2.0 inches.



Step 2: Align the base with the table umbrella hole, insert the umbrella into the base through the table umbrella hole, and tighten the fixings.


NOTE: It is normal for the bore to scratch the post paint.




Installation steps

Step 3: Open or close the umbrella by means of the swingarm. After opening the umbrella, insert the latch into the hole.

NOTE: A heavy object is required to press down on the base. When the umbrella is open, make sure the latch is inserted.





www.alaulm.com

Make your life much better.