



King's Rack

Bin Rack Assembly Instructions



Thank you for choosing King's Rack.
We work to help you organize things better.


Kindly notice:

- Make sure the slots of the posts are pointing down and the ledge of the braces are heading up.
- Experiment proves that interference fit (tight fit) improves the sturdiness of the rack. So the rivets don't have to fully seat into the slot. 1 or 2mm gap at the bottom of the slot is acceptable.
- Use a mallet to let the rivet seal to the slot.


- Step 1:
Set up a "Rectangle" by assembling 2 posts with 2 short beams.
- One beam at the top & another at the bottom.
 - Place the rivets into the posts.
 - Tap to seat the rivets.



- Step 2:
Finish the framework.
- Mount 2 "U" shape beams to the "Rectangle".
Front "U" shape beam heading up to mount to the 2nd & 3rd hole. Rear "U" heading down to mount to the 1st & 2nd hole.
 - Place 2 posts to the other ends of the "U" shape beams.
 - Connect the 2 posts by placing 1 short beam at the bottom & another at the top.
 - Connect the 2 "Rectangle"s with 2 long beams at the top.



- Step 3:
Set up the layers.
- Add the mini long beams to the post in parallel.
 - Let the "V" shape slot heading down at the front while heading up at the back.
 - Mount the rails to the mini beams accordingly.



- Step 4:
Finishing the system.
- Place the wooden board on the top.
 - Put the bins on the rails.

