


Dog Kennel Outdoor (4'L x 4'W x 4.25'H)

Instruction Manual

NV037-XXWJ

Installation Video







Customer Service Email: help@EverythingSupport.com

Toll-free: (855)208-0668 (MON-FRI 9:00 am-6:00 pm Eastern Time)

PARTS LIST

- Carefully remove all the parts from the carton and place them individually on a soft cloth to prevent scratches or other damage.
- Carefully and strictly follow these assembly&installation instructions to ensure a completed product as designed.
- Do not tighten all the screws until each part is properly assembled.




1  M6*38 pieces*16	2  M6 pieces*19	3  M6*25 pieces*3	4  M6*22 pieces*4	5  M6 pieces*4	6  M6 pieces*1	7  M4*20*55 pieces*1	8  M6*16 pieces*3	9  15*15 pieces*10
--	---	---	---	--	--	--	---	--

A  Front door pieces*1	B  Front door pieces*1	C  The rear fence pieces*1	
D  The rear fence pieces*1	E  The side fence pieces*4	F  pieces*3	G  pieces*3
H  pieces*2	I  Nylon cover pieces*1	J  Tie the rope pieces*10	
K  Feeding rack pieces*2	L  Feeding basin pieces*2	M  pieces*4	

STEP 1

Use (1)(2)screws to connect (A)(B), (C)(D), and (E)(E) as shown in the figure


	A	B	C	D
				
Required	1PC	1PC	1PC	1PC
Tools		1	2	
				
	4PCS	8PCS	8PCS	



STEP 2

Connect the assembled (A+B), (C+D), (E+E) with (1) (2) screws

	A+B	C+D	E+E
Required			
Tools	1PC	1PC	2PCS
	1	2	
			
	8PCS	8PCS	




STEP 3

Connect the (F) and (G) tubes, and then insert them vertically into the corresponding dog fence tubes

	F	G
Required		
Tools	3PCS	3PCS


Note: Need to insert the corresponding position



STEP 4

Insert the pipe plug (9) into the remaining pipe opening of the dog fence with a rubber hammer.


Required Tools	9
	10PCS



STEP 5

Connect the two (H) pipes and (F+G) from the top with (2)(3)(8) screws

Required Tools	H	2	3	8
	—			
	2PCS	3PCS	3PCS	3PCS




STEP 6


6.1 Cover the top of the entire dog pen with the nylon cloth (I) from above, and insert the ground spikes (M) into the ground

6.2 According to the diagram, use (J) to lock the (I) to the dog fence frame respectively

Required Tools	I	M	J
			
	1PC	4PCS	10PCS



6.1




6.2

Step 7

Use (4)(5) to lock two (K) on the feedable revolving door, then place the bowl (L) on it


You can measure the height of the dog according to the method shown in the figure and then select the corresponding installation height of the dog feeding tray

- 1. Measure your dog from the floor to the highest point of their shoulder blades.
- 2. Match your dog's measurement to the feeder height on the chart.



Dog Measurement	Feeder Height
21"&Taller	20"
15"-20"	14"
10"-14"	8"

Required Tools	k	L	4	5
	2PCS	2PCS	4PCS	4PCS



NOTE:
The three pairs of holes are respectively 8 inches, 14 inches and 20 inches from the height of the bottom board

Rotation function

AFTER-SALES SERVICE CARD

We sincerely thank you for trusting our service and our products, and may this product add enrichment to your home. We guarantee that the product has undergone strict quality inspection and meticulous packaging. If you encounter any issue regarding either shipping or the product, please feel free to contact us at any time. We'd be more than happy to serve you wholeheartedly.

Yours Sincerely

- Please avoid harsh, corrosive and abrasive cleaners.

Installation Video



Customer Service Email: help@EverythingSupport.com

Toll free: (855) 208-0668 (MON-FRI 9:00 am-6:00 pm Eastern Time)

If you have any questions or concerns please feel free to contact us. We're committed to providing our customers with the quality service.