

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 11/06/2025

Revised on 11/06/2025

### \* 1 Identification

- **Product Identifier**
- **Trade Name: Fire Pot Fuel**
- **Other means of identification**
- **Product Number:** Tang FirePot v1
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** No further relevant information available.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
Tangshan Burak Hotel Supplies Co. Ltd  
Xiaodaodi Village East, Chahe Town, Fengnan District  
Tangshan, Hebei, China. PC: 064002  
Telephone: +86 315 2346093  
Fax +86-315-2344778/2345849  
E-Mail (competent person): hankun@tangshanburak.com
- **Emergency telephone number:**  
+86 158 3050 6182 (24hrs)  
English spoken

### \* 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Acute toxicity - oral 4 H302 Harmful if swallowed.

- **Label elements:**
- **Hazard pictograms:**



- **Signal word:** Warning
- **Hazard-determining components of labeling:**  
Diethylene Glycol
- **Hazard statements:**  
H302 Harmful if swallowed.
- **Precautionary statements:**  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.  
P330 Rinse mouth.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.  
0 % of the mixture consists of component(s) of unknown toxicity.
- **Information pertaining to particular dangers for man and environment:**
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

(Contd. on page 2)

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 11/06/2025


Revised on 11/06/2025

**Trade Name: Fire Pot Fuel**

· **NFPA ratings (scale 0 - 4)**



· **HMS-ratings (scale 0 - 4)**



· **Hazard(s) not otherwise classified (HNOC):** None known

· **Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

### \* 3 Composition/Information on Ingredients

· **Chemical characterization: Substance**

· **Description:**

Mixture of substances listed with non-hazardous additions and/or components that are less than listing threshold. All non-hazardous, components listed under threshold, and listed component total 100%.

· **Dangerous Components:**

CAS: 111-46-6 RTECS: ID 5950000	Diethylene Glycol	⚠ Acute toxicity - oral 4, H302	96-98%
CAS: 57-55-6 RTECS: TY 2000000	Propylene Glycol		2-4%

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

### \* 4 First-Aid Measures

· **Description of first aid measures**

· **General information:** If symptoms persist, call a physician.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** If skin irritation occurs, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water.

If eye irritation occurs, consult a doctor.

· **After swallowing:**

Contact a physician or Poison Control Center immediately.

Rinse mouth with water.

Immediately call a doctor.

If swallowed and symptoms occur, consult a doctor.

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

(Contd. on page 3)

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 11/06/2025

Revised on 11/06/2025

Trade Name: Fire Pot Fuel

### 5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### \* 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Dispose of the collected material according to regulations.

· **PAC-1:**

111-46-6	Diethylene Glycol	6.9 ppm
57-55-6	Propylene Glycol	30 mg/m <sup>3</sup>

· **PAC-2:**

111-46-6	Diethylene Glycol	140 ppm
57-55-6	Propylene Glycol	1,300 mg/m <sup>3</sup>

· **PAC-3:**

111-46-6	Diethylene Glycol	860 ppm
57-55-6	Propylene Glycol	7,900 mg/m <sup>3</sup>

· **Reference to other sections:**

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### \* 7 Handling and Storage

- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in the original container.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

(Contd. on page 4)

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 11/06/2025

Revised on 11/06/2025

Trade Name: Fire Pot Fuel

### 8 Exposure Controls/Personal Protection

· **Control parameters:**

· **Components with occupational exposure limits:**

**111-46-6 Diethylene Glycol**

WEEL Long-term value: 10 mg/m<sup>3</sup>

**57-55-6 Propylene Glycol**

WEEL Long-term value: 10 mg/m<sup>3</sup>

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls:**

· **Appropriate engineering controls** No further data; see section 7.

· **Personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not required.

· **Protection of hands:** Not required.

· **Material of gloves:** Not applicable.

· **Penetration time of glove material:** Not applicable.

· **Eye protection:**



Goggles recommended during refilling.

· **Limitation and supervision of exposure into the environment:** None

### \* 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Gel

· **Color:**

Clear

· **Odor:**

Slight

· **Odor threshold:**

Not determined.

· **Melting point/Melting range:**

Not determined.

· **Boiling point/Boiling range:**

≥245.5 °C (≥473.9 °F)

· **Flammability:**

Not applicable.

· **Explosion limits:**

· **Lower:**

≥0.7 Vol %

· **Upper:**

≤22 Vol %

· **Flash point:**

≥146 °C (≥294.8 °F)

· **Auto igniting:**

≥225 °C (≥437 °F)

· **Decomposition temperature:**

Not determined.

· **pH-value:**

Not determined.

· **Viscosity:**

· **Kinematic:**

Not determined.

· **Dynamic:**

Not determined.

· **Solubility in / Miscibility with:**

· **Water:**

Fully miscible.

(Contd. on page 5)

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 11/06/2025

Revised on 11/06/2025

**Trade Name: Fire Pot Fuel**

- **Partition coefficient (n-octanol/water):** Not determined.
- **Vapor pressure @ 20 °C (68 °F):** >0 hPa
- **Vapor pressure:**
- **Density @ 20 °C (68 °F):** 1.1175 g/cm<sup>3</sup> (9.3255 lbs/gal)
- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Particle characteristics** Not applicable.
  
- **Other information:**
- **Appearance:**
- **Form:** Liquid
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Solvent content:**
- **Organic solvents:** 97.0 %
- **VOC content:** 97.00 %
- **Solids content:** 0.0 %
- **Change in condition**
- **Evaporation rate:** Not determined.

**10 Stability and Reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Product is stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**\*11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

<b>LD/LC50 values that are relevant for classification:</b>		
<b>111-46-6 Diethylene Glycol</b>		
Oral	LD50	12,565 mg/kg (Rat)
Dermal	LD50	11,890 mg/kg (rabbit)
<b>57-55-6 Propylene Glycol</b>		
Oral	LD50	20,000 mg/kg (Rat)
Dermal	LD50	20,800 mg/kg (rabbit)
Inhalative	LC50/96 hours	52,930 mg/l (Pimephales)
	Intravenous	6,630 mg/kg (mouse)
		6,423 mg/kg (Rat)
		6,500 mg/kg (rabbit)

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** No irritating effect.

(Contd. on page 6)

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 11/06/2025

Revised on 11/06/2025

**Trade Name: Fire Pot Fuel**

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

· **Interactive effects** No interactive effects between components are known.

· **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Alternative sources for toxicological information**

No non-standard sources for toxicological information where used.

### \* 12 Ecological Information

· **Toxicity:**

· **Aquatic toxicity:**

**57-55-6 Propylene Glycol**

EC50 >10,000 mg/l (Daphnia)

· **Persistence and degradability:** No further relevant information available.

· **Bioaccumulative potential:** No further relevant information available.

· **Mobility in soil:** No further relevant information available.

· **Results of PBT and vPvB assessment:**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects:**

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

### 13 Disposal Considerations

· **Waste treatment methods**

· **Recommendation:**

Observe all federal, state and local environmental regulations when disposing of this material.

· **Uncleaned packaging**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport Information

· **UN-Number:**

· **DOT, ADR/ADN, IMDG, IATA**

Non-Regulated Material

· **UN proper shipping name:**

· **DOT, ADR/ADN, IMDG, IATA**

Non-Regulated Material

(Contd. on page 7)

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 11/06/2025

Revised on 11/06/2025

**Trade Name: Fire Pot Fuel**

- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **Special precautions for user:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

**\* 15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**  
No further relevant information available.
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**  
None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**  
None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**  
All components have the value ACTIVE.

· **Hazardous Air Pollutants**  
None of the ingredients are listed.

· **California Proposition 65:**

· **Chemicals known to cause cancer:**  
None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**  
None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**  
None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**  
None of the ingredients are listed.

· **New Jersey Right-to-Know List:**  
57-55-6 Propylene Glycol

· **New Jersey Special Hazardous Substance List:**  
None of the ingredients are listed.

· **Pennsylvania Right-to-Know List:**  
All ingredients are listed.

· **Pennsylvania Special Hazardous Substance List:**  
None of the ingredients are listed.

· **Carcinogenic categories:**

· **EPA (Environmental Protection Agency):**  
None of the ingredients are listed.

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 11/06/2025

Revised on 11/06/2025

**Trade Name: Fire Pot Fuel**

· **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



· **Signal word:** Warning

· **Hazard-determining components of labeling:**

Diethylene Glycol

· **Hazard statements:**

H302 Harmful if swallowed.

· **Precautionary statements:**

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of previous version** 12/30/2020

· **Version number of previous version:** 3

· **Date of preparation** 11/06/2025

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 11/06/2025

Revised on 11/06/2025

**Trade Name: Fire Pot Fuel**

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute toxicity - oral 4: Acute toxicity – Category 4

· **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106