


# FENE30KDCM INSTALLATION INSTRUCTIONS


If any questions ,please feel free to call or text us at +16267081381, or Email us at cabinetservice25@outlook.com.

## **DIMENSIONS**



Unit: mm

## ASSEMBLY DIAGRAM




## PARTS LIST

PARTS LIST			
No	Description	Qty	
1		1	
2		1	
3		1	
4		1	
5		1	
6		1	
7	Ð	1	
8		1	
9		1	
10		1	
11		1	
12		2	
13		1	


PARTS LIST			
No	Description	Qty	
А	Three-in-one Connector	30	
В	Long handle	3	
С	Handle Screws M4x22	4	
D	Handle Screws M4x18	2	
E	Hinge	4	
F	Screws M3.5x15	24	
G	The slides	1	
Н	Screws M3x12	16	
I	Wood Plug	18	
J	Screws For Fix On The Wall	2	
К	Screwdriver	1	
L	Double-sided tape	1	

## THE SLIDE



- Use the connector to separate the slide rail into two parts.
- The front part of the slide rail is attached to both side panels of the drawer using screws in the pre-drilled positioning holes (Step 3)
- While the rear part of the slide rail is attached to both side panels of the cabinet using screws in the pre-drilled positioning holes (Step 14)

# YOU MAY NEED (NOT SUPPLIED)




## **INSTALLATIONS**

STEP 1

HARDWARE LIST


A ♥苹◯◯ 10 PCS






○ Insnert the Cam Screw into the shelves above

STEP 2 HARDWARE LIST A ⇔ 20 PCS




 While the rear part of the slide rail is attached to both side panels of the cabinet using screws in the pre-drilled positioning holes



HARDWARE LIST

A 🛱 2 PCS




 $^{\circ}\,\text{Refer}$  to the illustration, already assembled #7 on the shelf #5. Then tighten the cam lock




HARDWARE LIST

A 

4 PCS




 Refer to the illustration, already assembled #3, #6 on the side panel. #1. Then tighten the cam lock




 Refer to the illustration, already assembled #5, #7 on the side panel. #1. Then tighten the cam lock

HARDWARE LIST


A 🙈 2 PCS




 $\circ\,$  Refer to the illustration, already assembled #4 on the side panel. #1. Then tighten the cam lock



 $\circ\,$  Refer to the illustration, already assembled side panel #2 on the side sheft #5, #7, #4 . Then tighten the cam lock



 $^{\circ}$  Use Screws to install the handle and apply Screws to fix the hinge on the door #8 and #9




- A. Height adjustment
- B. Side to side adjustment
- C. Depth adjustment
- D. After adjustment A/B/C, tighten screws

 $<sup>^{\</sup>circ}$  To ensure proper cabinet alignment, refer to the above illustrations for instructions about adjusting the cabinet height, depth and lateral movement

HARDWARE LIST


A 熁 12 PCS




 The side panels of drawer #12 are connected to the back panel of drawer #13 using Camlock, then the bottom panel of drawer #11 is inserted into the groove.


HARDWARE LIST

B 1 PCS
D 2 PCS







 $\circ$  The front panel of drawer #10 is connected to the side panels of drawers #12 using Camlock , Use Screws to install the handle.




 $^{\circ}$  The front part of the slide rail is attached to both side panels of the drawer using screws in the pre-drilled positioning holes




 $^{\circ}\,$  Install the drawer so that it aligns with the slides already attached to the cabinet, then slowly push it in



° Refer to the illustration, Draw the spacing between the walls on the cabinet, punch holes in the wall and fix the cabinet to the wall with screws.



 Use double-sided adhesive tape along the top edges that contact the sink to reduce wobbling when placing the sink on the cabinet.



 Alternatively, silicone adhesive can be used to secure the sink in place after positioning it on the cabinet.

## FINISH

