Bathworks*

Tub. Tile. Wall Surround. & Sink Refinishing Kit

SINK KIT INSTRUCTIONS

IMPORTANT:

Please read through the instructions carefully before starting project

Supplies Included

- Part A Paint (8oz)
- Liquid Primer (1oz)
- EZ Etch (4oz)
- Scrubbing Pad
- Mini Paint Trav
- Part B Hardener (2oz) 1" High Density Foam Roller on Handle
 - 1" Foam Brush
 - Wet/Dry Sandpaper (120 Grit)
 - Stir Stick
 - Instructions (with Safety Warnings & Care Tips)

Recommended Supplies (Not Included)

- Blue Painters Tape
- Paper Towels
- Razor Blade or Scrapers
- TSP/Comet®/Ajax®
- Protective Surface Coverings
 Hair Dryer or Wet-Vacuum
 - Ventilator Fan, Respirator, & Eyewear
 - 100% Silicone Caulk
 - Garbage Bag

& any other items you may feel necessary depending on your situation.

If unsure, do not paint, and return kit unopened. For more recommended tools & supplies - visit: www.bath-works.net

Coverage

• 60 sq ft per kit

2 coats per applicat

tion.	Surface Area (sq ft)	# of Kits Needed
Small (15"x9")	11	1
Standard (20"x19")	32	1
Large (30"x24")	60	2

Sink Size

Safety & Clean Up

Liquid products found within this kit are **solvent-borne** and are **highly flammable**. Care should be taken to avoid the inhalation of spray mist or vapors, as well as contact between the wet paint and exposed skin or eyes. Always keep work areas well ventilated and wear personal protective equipment - respirators, eyewear, gloves. Keep away from flame, children, animals, and individuals sensitive to fumes. Always ensure nearby surfaces are covered and protected. Cleaning solvent for this paint is **Xylene** or a similar substitute. In the event of spills, ensure that Xylene is appropriate and safe to use on intended surfaces as there's a risk of serious and permanent damage to surfaces such as linoleum, plastics, wood and anything previously painted. See additional **safety notes** at the end of this document.

Directions

NOTE: This kit may be used for bathtubs, tile, wall surround, sinks, & more!

STEP 1: Clear the sink of all personal items.

<u>CLEAN SINK THOROUGHLY!</u> Scrub sink with Ajax® or Comet®, while focusing on areas with heavy soap buildup.

NOTE: ANY soap residue left behind may prevent bonding and cause product failure.

OPTIONAL: Using either a razor blade or sharp scraper, remove the caulk around the sink. You may or may not elect to do this dependent upon individual situations. Not necessary, but recommended.

NOTE: <u>NEVER</u> place tools on unprotected surfaces. Keep bag nearby to collect debris, foreign materials, and waste while working on this project.

CAUTION: In the following steps, proper ventilation and personal protection (gloves & eyewear) are highly recommended. Sink drains and faucets should be covered until the rinsing stage in the following step.

NOTE: It is natural for contents of EZ Etch to settle over time, shake extremely well before use.

STEP 2: Pour the entire container of **EZ Etch** into the center of the sink. Using the provided **scrubbing pad**, thoroughly spread to the entire surface. Allow the product to rest for **20 minutes**. Rinse well with the scrubbing pad and water (may be water from sink or a nearby bucket.) While the sink is still damp, sand the sink completely using **sandpaper** provided. Rinse well after sanding.

STEP 3: Place a glove or plastic bag over the sink faucet and handles to avoid water dripping into the sink. Using a blow dryer or wet-vacuum, blow water out of drain and handle areas. When the surfaces are free of moisture, use blue painters tape to mask off the sink drain and the counter around the sink.

NOTE: <u>ANY</u> moisture while rolling paint may result in product failure and cause bonding issues.

STEP 5: Use a paper towel to remove any foreign materials or debris that may be in the sink area. If any structural repairs are needed, they may be done at the completion of this step.

CAUTION: In the following steps - proper ventilation, gloves, and eye wear are strongly recommended. Use paint products with caution.

STEP 6: Empty the contents from the bottle labeled **Liquid Primer** into a paper towel. Using that paper towel, wipe entirely across any surface desired that will be refinished in the following steps. Dispose of moist paper towel in a plastic bag and close it (to minimize fumes.) Allow primer to dry on the surface for **5 minutes**.

Empty the contents from the Part B container into the Part A container. Mix thoroughly for **3 minutes** with provided **stir stick** until completely dispersed. Exercise caution as to not create air bubbles while mixing. Allow mixed paint to sit for **5 minutes**. Empty mixture into **paint tray** when completed.

STEP 7: Retrieve Part A - Paint & Part B - Hardener from your kit.

NOTE: The "pot-life" for this product mixture is approximately **3 hours** (at 70°F) - this is the time frame you have to complete this project before the mixed paint becomes unusable.

STEP 8: Using the provided **foam brush**, utilize a dabbing technique to apply paint around all handles and areas where a roller will not fit. Then, using the provided **foam roller**, apply paint to the bottom of the sink and work your way up the curves of the surface. Finally, roll the top edge of the sink.

NOTE: Remember to use a good amount of paint material while rolling. Never "dry-roll" as it will result in product failure. <u>This is very important.</u>

OPTIONAL: A second coat may be applied right away following the same pattern. Ensure that you do not lean on wet surfaces.

STEP 9: After allowing coating to set for **24 hours**, carefully remove the tape by pulling at a 45 degree angle. Please allow refinished surfaces to dry **48 hours** before use. If caulk was removed before refinishing, reapply around the sink using 100% Silicone caulk once surfaces are dry. Allow caulk to dry, and rinse refinished surfaces with warm water before use.

NOTE: Dispose of all unused materials and debris immediately after completing the project. Obey all state, city, & town codes for proper paint disposal.

Bathworks[®]

Tub, Tile, Wall Surround, & Sink Refinishing Kit

SINK CARE TIPS

Congratulations!

Your sink or bath fixture has just been resurfaced with the finest product in the tub and tile coating industry. Follow these care tips to maintain the beauty of your surface.

- Treat as if this is a brand new sink; remove excess water and wipe dry after each use.
- Always be certain faucets are tightly closed.
- <u>DO NOT</u> rest any soap bottles, spray cans, or wet clothes on the surface for extended periods of time.
- NEVER use hair dye in a refinished sink.
- If bathing pets in the sink, always place a towel down to prevent scratches.

Cleaning

Even though the sink does not look dirty, it should be cleaned at least once a week with a liquid <u>NON-ABRASIVE</u> cleaner (Scrubbing Bubbles®, 409®, or Fantastic® are recommended products.)

<u>NEVER</u> use bleach or abrasive cleaners (Ajax®, Comet®, or Soft Scrub®) on a refinished surface.

Remember

If you treat your new surface with respect, clean it regularly, and keep your taps dry - your sink will stay beautiful and radiant for years to come! Use Bathworks® Cleaner and Polishing Kit for the ultimate shine and protection!

www.bath-works.net

Thank You for Choosing



Please enjoy 10%* off your next total purchase made on our website:

bath-works.net

Using coupon code:



*Standard exclusions apply. 10% off total Bathworks® order. Offer valid only at https://www.bath-works.net. May not be used in conjunction with any other coupon. Employees not eligible for discount. This offer may be modified by Tub Refinishing Inc, DBA Munro Products, in its sole discretion without notice at any time.

LIMITED WARRANTY

Tub Refinishing, Inc. DBA Munro Products as follows; this warranty is in lieu of all other written or unwritten, expressed, or implied warranties, and Tub Refinishing, Inc. DBA Munro Products expressly disclaims any warranty of merchantability or fitness for a particular purpose. The buyer assumes all risks whatsoever as to the use of the material. Keep away from children, animals, or persons that are sensitive to paint or fumes. Fumes can be harmful to humans and animals, and can also be flammable.

SAFETY

A protective respirator should be worn if available. Use product with adequate ventilation. Always use rubber gloves. Tub Refinishing, Inc. DBA Munro Products is not responsible for accidents or misuse of these products or parts and materials of this kit. Safety is in the hands of the user. Keep all refinishing kit materials and tools away from children, animals, and individuals sensitive to paint or fumes. Some items in this kit are flammable and should be disposed of properly in accordance to local state, city, & town codes regulating used paint products. Use all paint products with caution. DO NOT dispose of paint or clean tools by using water and flushing down household drains - these are solvent-borne products and may potentially damage pipes & the environment. Use Xylene or comparable cleaner for cleaning tools & spills. Xylene is capable of permanently damaging surfaces such as linoleum, plastic, wood, and previously painted surfaces. Never use xylene on skin and use gloves & eyewear while using. If you are unsure about the use or safety of this product, please return the unopened and unused kits to the supplier. All returned goods are at the purchaser's cost. Opened or used materials will be refused for credit.

See all **Safety Data Sheets** (SDS) which are available via our website: **bath-works.net**

SUITABILITY FOR USE

The user is responsible for establishing that these products are suitable for the user's application and that all requirements for meeting approvals, standards, codes, disposal, use, and regulations of any kind are satisfied. Distributor denies any responsibility for establishing suitability of use; where, when, and how the materials from this kit are used. Read all information and instruction before use of this product. Use caution.

FOR EMERGENCY: CHEMTREC® 1-800-424-9300



America's #1 Choice in Bathroom Restoration For Over 50 Years!

"Like" us on facebook.com/munroproducts

Tub Refinishing, Inc. DBA Munro Products, and Bathworks®. Bathworks® is an exclusive trademark of this company.

www.bath-works.net