



Enjoy Cozy Life!

BRENDA SWING CHAIR

ASSEMBLY MANUAL



KOZYARD LLC PRODUCTS

www.kozyard.com

ASSEMBLY INSTUCTION

BEFORE ASSEMBLING, MAKE SURE THAT YOU LAY OUT AND IDENTIFY ALL PARTS LISTED BELOW IN THE PARTS LIST. INSTALL ON LEVEL GROUND.

INSTALL NOT LESS THAN 6 FEET FROM ANY OBSTRUCTION SUCH AS FENCE, GARAGE,HOUSE, OVERHANGING BRANCHES, LAUNDRY LINES, OR ELECTRICAL WIRES.

TIGHTEN ALL NUTS AND BOLTS SECURELY. ALL BOLTS SHOULD BE HAND TIGHENED BEFORE USE. NEVER USE POWER TOOLS OR EXCESSIVE FORCE DURING ASSEMBLY AND TIGHTENING OF BOLTS.

IT IS RECOMMENDED TO BE AT LEAST 2 PEOPLE FORE A SAFE ASSEMBLY OF THE PRODUCT.

TOOL REQUIRED:



ALLEN WRENCH



SMALL WRENCH

(PROVIDED)



2 PERSON
ASSEMBLY

IMPORTANT NOTICE:


1. Please refrain from kneeling or standing on the swing chair.
2. Ensure that the weight on the swing does not exceed the 700 lbs limit.
3. Prior to use, make certain that the swing is positioned on a stable, level surface.
4. When encountering rain or snow, remember to store the cushion away.

PARTS LIST




<p>A</p> <p>LEG TUBE 2x</p>	<p>B</p> <p>LEG TUBE 2x</p>	<p>C</p> <p>TOP CROSS BAR 1x</p>
<p>D</p> <p>TOP CROSS BAR 1x</p>	<p>E</p> <p>LEG CROSS BAR 2x</p>	<p>E1</p> <p>HANGING PIPE 4x</p>
<p>F</p> <p>BACK LEG CROSS 1x BAR</p>	<p>G</p> <p>BACK LEG CROSS 1x BAR</p>	<p>H</p> <p>BAR SPRING HOOK 2x</p>
<p>I</p> <p>ARMREST 1x</p>	<p>I1</p> <p>ARMREST 1x</p>	<p>K</p> <p>CANOPY 1x</p>
<p>L</p> <p>SEAT FRAME 1x</p>	<p>M</p> <p>BACK FRAME 1x</p>	<p>N</p> <p>M8X32 2x</p>
<p>O</p> <p>M6X30 1x</p>	<p>P</p> <p>M6X40 8x</p>	<p>Q</p> <p>M8X70 2x</p>
<p>R</p> <p>M8X55 2x</p>	<p>S</p> <p>M8X75 6x</p>	
<p>U</p> <p>M6X80 4x</p>	<p>V</p> <p>M6 13x M8 12x</p>	<p>X</p> <p>M6 13x M8 12x</p>
<p>Y</p> <p>2x</p>	<p>Z</p> <p>M6 11x M8 12x</p>	<p>AA</p> <p>2x</p>
		<p>BB</p> <p>1x</p>

Step-1 Use bolt R to connect part D and C to build the beam.




Step-2 Use bolt S to connect Part A and B, then connect with the beam.
Attention: Both part A should be the same side, and both Part B should be in the other side.




Use bolt P to connect Part E and Part A & B.


Step-3 Use bolt O to connect Part G and Part F to build a connection tube for the rear foot.




Step-4 Use bolt U to connect the rear foot tube with part B.




Step-5 Loosen the part M(back) screws first, then connect part L(seat) together by the screws.




Step-6



Step-7 Use part H to hook the seat to the frame



Step-8 Use Part Y to fix the canopy to the ends of the beam



Step-9 Tight all of the screws.



In the end, check that all screws are securely tightened before use.



Enjoy Cozy Life!

SUPPORT:

Toll free: 866-355-0018

www.kozyard.com

email: support@kozyard.com

SOCIAL MEDIA:



Follow us on Instagram

www.instagram.com/kozyard

Upload a picture of your Kozyard product in your home, with the hashtag #kozyard