

BIOADVANCED
SCIENCE-BASED SOLUTIONS

WEED & GRASS KILLER

READY-TO-USE

**FAST & POWERFUL
ROOT KILL
ACTION**

Rainproof in 10 minutes
Visible results in 3 hours



KEEP OUT OF REACH OF CHILDREN
CAUTION See back booklet for additional
precautionary statements

Active Ingredient:		
Glyphosate-Ammonium*	... 0.5%	
Other Ingredients	... 99.5%	
Total	100.00%	*Equivalent to 0.04 pound of active ingredient per U.S. gallon

NET CONTENTS 1GAL (3.78L)

50323914 20062872

Proven results. Not all weed killers are the same.
MAKE THE SWITCH.



PLANTS CONTROLLED

ALL TYPES OF WEEDS



ALL TYPES OF GRASSES



WHERE TO USE


AROUND TREES & SHRUBS



PATIOS



ALONG FENCES & FOUNDATIONS



DRIVEWAYS & WALKWAYS



FLOWER BEDS



WHAT TO KNOW

WATER-BASED FORMULA



KILLS THE ROOT



KILLS ON CONTACT



ALWAYS READ AND FOLLOW LABEL DIRECTIONS

FOR OUTDOOR RESIDENTIAL USE ONLY

EPA Reg. No. 42750-383-92564
 EPA Est. No indicated by 3rd and 4th digits of the batch number on this package.
 (65) = 92564-TX-1 (57) = 071106-GA-003 (42) = 88746-GA-01

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.



1. REMOVE SPRAYER
 Pull tubing all the way out.



2. INSERT PLUG INTO OPENING ON CAP UNTIL IT CLICKS

3. ADJUST NOZZLE TO DESIRED SPRAY SETTING



FOR QUESTIONS OR COMMENTS?

Call toll-free (877) 229-3724 or visit us online at www.bioadvanced.com

Indicaciones en español después de las de inglés
 *Or your money back.



6 87073 04198 9

501438023a 200626V2

PEEL HERE

HOW IT WORKS: This product enters plants through foliage and moves systemically to the roots, killing weeds by stopping the function of a substance found in plants. Any product not absorbed by plants will be deactivated after it hits the soil. Weeds begin to yellow and wilt within 3 hours with complete kill in 1 to 2 weeks.

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always read and follow label directions.

USE RESTRICTIONS

- DO NOT** spray plants or grasses you like - they will die. Not for spot weed control in lawns since this product kills lawn grasses.
- DO NOT** apply more than 112.5 gallons (4.5 lbs ai) per acre per year.
- DO NOT** apply more than 37.5 gallons (1.5 lbs ai) per acre per application.
- DO NOT** apply more than a total of 3 broadcast applications per year.
- The minimum retreatment interval is 5 days.

WHEN TO APPLY

- Use anytime weeds and grasses are actively growing.
- For best results, apply during warm, sunny weather above 60° F to accelerate systemic movement from foliage to roots. Product is effective when applications are made under cool and cloudy conditions as low as 50° F.
- Spray when air is calm to prevent drift to desirable plants.
- RAINPROOF:** Rain or watering 10 minutes after application will NOT wash away effectiveness

WHEN TO REPLANT

- All ornamental flowers, trees and shrubs may be planted **1 day after** application.
- Herbs, vegetables and fruits may be planted **3 days after** application.

FOR FLOWERBED AND GARDEN PREPARATION

- Use this product to kill weeds, grasses and brush before planting flowers, fruits, vegetables, trees or shrubs.
- If soil is dry, water before application and 2 to 3 days after application.

- Apply evenly over treatment area.
- Wait 4 to 6 days for product to kill plants then cleanup plant refuse and till soil.
- Wait 1 to 3 days after last application before planting garden, flowers, trees and shrubs.

TO KILL VINES

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and tree trunks from spray drift with a piece of cardboard or plastic.

KUDZU

For best results, apply in mid to late summer when vines are mature and actively growing.

WILD BLACKBERRY

Spray anytime plants are actively growing. Dead canes must be cut down and removed. Reapplication is often required to kill deep roots.

POISON IVY & POISON OAK

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

KILLS ALL TYPES OF WEEDS AND GRASSES

Bahiagrass	Canada Thistle	Diffuse Lovegrass
Bentgrass	Chickweed	Dog Fennel
Bermudagrass	Crabgrass	Evening Primrose
Bindweed	Common Plantain	False Dandelion
Black Medic	Common Groundsel	Fennel
Blue Toadflax	Creeping Bentgrass	Fescue
Bluegrass	Creeping Charlie	Fiddleneck
Brassbuttons	Creeping	Filaree
Broadleaf Plantain	Beggarweed	Florida Pusley
Bromegrass	Curly Dock	Garden Spurge
Bur Clover	Dandelion	Henbit

Johnsongrass	Oxalis	Sowthistle
Knotweed	Pennsylvania	Spotted Spurge
Lambsquarters	Smartweed	St. Augustinegrass
Little Bitter Cress	Pennywort	Tall Fescue
London Rocket	Perennial Ryegrass	Tansy Ragwort
Maiden Cane	Primrose	Torpedograss
Mallow	Prostrate Spurge	White Clover
Mayweed	Puncture Vine	Whitetop
Mouseear	Quackgrass	Wild Morning Glory
Chickweed	Ragweed	Wild Barley
Nimblewill	Sandspur	Yellow Nutsedge
Oldenlandia	Shepherdspurse	(Nutgrass)
Orchardgrass	Smooth Cat's Ear	Zoysia

NOTE: Well established difficult to control weeds, including Bermudagrass, Nimblewill, Dandelion, or Canada Thistle may require a repeat application.

HOW TO USE

Pull tubing out. Insert into cap (until it clicks). Turn knob to ON. Adjust spray nozzle. Spray weeds.

FIRST AID IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling poison control center or doctor, or going for treatment. For 24-Hour Emergency Assistance spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

Active ingredient: 0.5% Glufosinate-Ammonium

PRECAUTIONARY STATEMENTS



Hazards to Humans and Domestic Animals

CAUTION Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

DO NOT allow people or pets to enter treated area until sprays have dried.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT mix or allow contact with oxidizing agents, as a hazardous chemical reaction may occur.



ENVIRONMENTAL HAZARDS

To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.



STORAGE AND DISPOSAL

PESTICIDE STORAGE

NO NEED TO DISCONNECT TRIGGER SPRAYER.

Close nozzle on trigger sprayer. Snap sprayer back in place. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

PESTICIDE DISPOSAL AND CONTAINER

HANDLING Non-refillable container. **DO NOT** reuse or refill this container.

If Empty: Place in trash or offer for recycling, if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CÓMO FUNCIONA: Este producto ingresa a las plantas a través del follaje y se mueve sistemáticamente hacia las raíces y mata las malezas al detener la función de una sustancia que se encuentra en las plantas. Todo producto que las plantas no absorban se desactivará cuando llegue a la tierra. Las malezas comienzan a ponerse amarillas y marchitas en 3 horas y mueren completamente en 1 a 2 semanas.

INDICACIONES DE USO Constituye una violación a la ley federal usar este producto de manera diferente a lo establecido en esta etiqueta. Siempre lea y siga las instrucciones de la etiqueta.

RESTRICCIONES DE USO

1. **NO** rociar plantas o césped que sean de su agrado – van a morir. No usar para controlar malezas al azar ya que este producto mata las gramíneas para césped. 2. **NO** aplicar más de 112.5 galones (4.5 libras del ingrediente activo) por acre por año. 3. **NO** aplicar más de 37.5 galones (1.5 libras del ingrediente activo) por acre por aplicación. 4. **NO** aplicar más de un total de 3 aplicaciones por difusión por año. 5. El intervalo de tratamiento mínimo es de 5 días.

CUÁNDO APLICAR

• Usar en todo momento en que las malezas y la paja estén en crecimiento activo. • Para lograr mejores resultados, aplicar durante clima cálido y soleado por encima de los 60° F para acelerar el movimiento sistémico desde el follaje hacia las raíces. El producto es efectivo cuando las aplicaciones se hacen en condiciones de clima fresco y nublado de 50° F. • Cuando el aire está calmo para evitar que se esparza en plantas que queremos conservar. • **PROTECCIÓN CONTRA LA LLUVIA:** La lluvia o el riego 10 minutos después de la aplicación **NO** quitará su efectividad

CUÁNDO VOLVER A PLANTAR

• Podrá plantar todo tipo de flores ornamentales, árboles y arbustos **1 día después** de la aplicación. • Podrá plantar todo tipo de hierbas, vegetales y frutas **3 días después** de la aplicación.

PARA PREPARACIÓN DE CANTEROS Y HUERTAS

Use este producto para matar hierbas malas, malezas y paja antes de plantar flores, frutas, vegetales, árboles y arbustos. • Si el suelo está seco, riegue antes de aplicar el producto y 2 a 3 días luego de su aplicación. • Aplicar de manera pareja sobre el área a tratar. • Espere entre 4 y 6 días para que el producto mate las plantas luego limpie los restos de las plantas y are el suelo. • Espere de 1 a 3 días luego de la última aplicación antes de plantar flores, árboles y arbustos de jardín.

PARA MATAR ENREDADERAS

• Si las enredaderas están creciendo en postes, verjas o troncos de árboles con corteza madura, corte las enredaderas a una altura de 3 a 4 pies y rocíe bien sobre las enredaderas. • Si las enredaderas han trepado a los troncos de arbustos y árboles, corte las enredaderas en la base y trátelas como se indica para cepas o rocíe sobre nuevos crecimientos. Si rocía un nuevo crecimiento, proteja los arbustos y los troncos de los árboles del rocío con un trozo de cartón o plástico.

KUDZU

Para obtener mejores resultados, aplicar a mediados o fines del verano cuando las enredaderas están maduras y en crecimiento activo.

ZARZAMORA SILVESTRE

Rocíe en cualquier momento en que las plantas están en crecimiento activo.

Las cañas muertas deben cortarse y quitarse. Vuelva a aplicar con tanta frecuencia como sea necesaria para matar la raíz.

ROBLE VENENOSO Y HIEDRA VENENOSA

El contacto con estas plantas en cualquier momento del año puede causar una reacción alérgica. Rocíe en cualquier momento las plantas que tengan un crecimiento activo, pero al menos 4 semanas antes de la primera helada del otoño. Volver a aplicar si aparecen nuevos brotes. Sostener las plantas muertas con guantes de goma. Desechar las plantas y los guantes de goma en una bolsa de basura bien sellada.

MATA TODO TIPO DE MALEZAS Y PAJA

Hierva bahía	Diente de león falso	Raigrás perenne
Agrostis	Hinojo	Onagra
Pasto Bermuda	Cañuela	Euforbia
Corregüela	Ortigailla	Abrojo
Mielgá negra	Filaree	Gramma del norte
Sapo azul	Ipecacuana Florida	Ambrosia
Pasto azul	Lechosilla	Zacate cadillo
Botones de latón	Ortiga muerta	Bolsa de pastor
Plátano de hoja ancha	Gramma Johnson	Oreja de gato común
Bromus	Lengua de pájaro	Agrilla
Trébol de carretilla	Quinoa blanca	Oreja de gato manchada
Cardo de Canadá	Mastuerzo amargo	Pasto de San Agustín
Oreja de ratón	Mostacilla común	Festuca alta
Zacate cangrejo	Sorgo de halepo	Brujilla salvaje
Plátano común	Mallo	Torpedogras
Senecio común	Manzanilla hedionda	Trébol blanco
Agrostis stolonifera	Oreja de ratón	Cardaria draba
Creeping Charlie	pamplina	Gloria de la mañana
Pega-pega	Nimblewill	salvaje
Lengua de vaca	Oldenlandia	Cebada
Diente de león	Pata de gallo	Coyolito (juncia real)
Pastón llorón	Oxalis	Zoysia
Manzanilla cimarrona	Persicaria	
Primulas de la noche	pensylvanica	

NOTA: Puede ser necesario repetir una aplicación en caso de malezas arraigadas y difíciles de controlar como el pasto Bermuda, nimblewill, diente de león o cardo de Canadá.

CÓMO USAR

Sacar el tubo hacia afuera. Insertar en la tapa (hasta que haga clic). Girar la perilla a la posición ON. Ajustar la boquilla del rociador. Rocíe las malezas.



ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: NO ES NECESARIO DESCONECTAR EL ROCIADOR A GATILLO. Cierre la boquilla en el rociador a gatillo. Ajuste la boquilla en el rociador a gatillo. Almacene el producto en el envase original en un lugar seguro lejos de la luz directa del sol. Evite el congelamiento. Si se congela, dé tiempo para que se derrita y agite bien antes de usar. **ELIMINACIÓN DEL PESTICIDA Y MANIPULACIÓN DEL CONTENEDOR** Contenedor no rellenable. **NO** rellenar o volver a usar este contenedor. **Si está vacío:** Colocar en la basura para su reciclado si fuese posible. **Si está parcialmente lleno:** Llamar a la agencia local de desechos sólidos para recibir instrucciones sobre su eliminación. Nunca colocar el producto sin usar en un drenaje de salida o de entrada.

BIOADVANCED
SCIENCE-BASED SOLUTIONS

WEED & GRASS KILLER

READY-TO-USE

FIRST AID IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling poison control center or doctor, or going for treatment. For 24-Hour Emergency Assistance spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

Active ingredient: 0.5% Glufosinate-Ammonium

PRECAUTIONARY STATEMENTS



Hazards to Humans and Domestic Animals CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

DO NOT allow people or pets to enter treated area until sprays have dried.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT mix or allow contact with oxidizing agents, as a hazardous chemical reaction may occur.



ENVIRONMENTAL HAZARDS

To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

EPA Reg. No. 42750-383-92564
EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package.
(65) = 92564-TX-1 (57) = 071106-GA-003 (42) = 88746-GA-01
BioAdvanced® is a registered trademark of SBM Life Science Corp.

PRIMEROS AUXILIOS SI ES EN LOS OJOS

- Mantener los ojos abiertos y enjuagar lentamente y cuidadosamente con agua durante 15 o 20 minutos.
- Quitar los lentes de contacto, si los tuviera, después de los primeros 5 minutos, luego continuar lavando.
- Llamar al centro de control de envenenamiento o al médico para asesoramiento sobre el tratamiento.

NÚMERO DE LÍNEA DIRECTA: Tenga el contenedor o etiqueta del producto con usted cuando llame al centro de control de envenenamiento o al médico, o cuando vaya para recibir tratamiento. Para asistencia las 24 horas en caso de emergencia, derrame, incendio, exposición o accidente, llame a CHEMTREC 1-800-424-9300.

Ingrediente activo: Glufosinato de amonio al 0.5%

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS DECLARACIONES DE PRECAUCIÓN



Riesgos para seres humanos y animales domésticos PRECAUCIÓN

Causa irritación moderada en los ojos. Evitar contacto con los ojos o ropa. Lavar cuidadosamente con agua y jabón luego de manipularlo y antes de comer, beber, masticar goma de mascar, usar tabaco o ir al baño.

NO permitir que las personas y las mascotas vuelvan a ingresar al área tratada hasta que el rocío se haya secado.

RIESGOS QUÍMICOS O FÍSICOS

NO mezclar o permitir contacto con agentes oxidantes, ya que puede ocurrir una reacción química peligrosa.



RIESGOS AMBIENTALES

Para proteger al medio ambiente, **NO** permitir que el pesticida ingrese o corra por los drenajes de tormenta, drenaje de aguas pluviales, canaletas o aguas superficiales. Aplicar este producto en clima calmo cuando no haya pronóstico de lluvia en las próximas 24 horas para asegurar que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento.

NOTA: Hasta donde corresponde a la ley vigente, el comprador asume toda responsabilidad por la seguridad y uso que no corresponda con las instrucciones.

Garantía de devolución de dinero: Si usted no está satisfecho con este producto, gustosamente le reembolsaremos el monto original del precio de compra.

Distributed by: SBM Life Science Corp., 1001 Winstead Drive, Suite 500, Cary, NC 27513

50143002a 2006/2012

Product of China. Formulated in the US.
PRESS TO RESEAL