

HLCE MS

Wet Location Surface LED Disk Light with Integrated Motion Sensor

HALO



*Slim profile. Budget friendly.
Easy installation.*



HALO HLCEMS is a low-profile, budget-friendly, surface-mount luminaire that installs from below the ceiling with no plates or clips. Designed for ceiling and wall mounting to most 3-1/2" and 4" square, octagonal, or round junction and pancake boxes, the luminaire includes a supply wire adapter with LED quick wiring connector for easy installation.

The HLCEMS comes in selectable color temperatures with 120V phase cut dimming down to 10%.

Available in individual and contractor bulk packs.



Product Features

- Round 4" and 6" low-profile surface mount disk lights with motion sensing
- Installs in most standard/pancake 30/40 (3-1/2"/4") junction boxes
- Ultra-fast mounting with twist-release lens and keyhole slots (no clips or plates needed)
- 5-color Field-SeleCCTable 27/30/35/40/5000K; 90+ CRI
- Dimming: Dims to 10% (phase cut LE/TE) with compatible dimmers; 120V input
- Includes mounting and wiring hardware for installation into j-boxes (non-CA versions include housing retrofit kit)
- AIR-TITE, wet location-listed, IC-rated, and ENERGY STAR® certified
- Decorative Overlays available in Paintable Matte White and Matte Black (sold separately)



HLCEMS410FS1E



HLCEMS612FS1E

Decorative Trim Overlays



Paintable Matte White



Matte Black




LEARN MORE

Motion Activated

Motion Sensor Benefits

- **Convenience / Safety** - Lights come on as you enter
- **Energy Cost Savings** - Automatically turns off to reduce energy usage
- **Sleek Design** - Perfect for residential applications



Selectable Color

SeleCCTable™ technology puts flexibility at your fingertips. Choose from a range of color temperatures using the switch on the remote junction box.

2700K/3000K/3500K/4000K/5000K

Order Information

4" Disk Lights with Motion Sensor

Catalog Number	Module	Lumens (@3000K)	CRI/CCT	Driver	Finish	Packaging	UPC
HLCEMS410FS1E	4-inch LED Disk Light with Integrated Motion Sensor	1035 lm	90+ CRI, 5-color Field-SeleCCTable™ CCT: 2700/3000/3500/4000/5000K	10% Phase Cut LE/TE Dimming, 120V 60Hz	Matte White	Recyclable 4-color plastic-free packaging	080083303069
HLCEMS410FS1E-CA	4-inch LED Disk Light Integrated Motion Sensor (California Version ²)	1035 lm	90+ CRI, 5-color Field-SeleCCTable™ CCT: 2700/3000/3500/4000/5000K	10% Phase Cut LE/TE Dimming, 120V 60Hz	Matte White	Recyclable 4-color plastic-free packaging	080083303205
HLCEMS410FS1E-6BP	4-inch LED Disk Light with Integrated Motion Sensor (6-pack)	1035 lm	90+ CRI, 5-color Field-SeleCCTable™ CCT: 2700/3000/3500/4000/5000K	10% Phase Cut LE/TE Dimming, 120V 60Hz	Matte White	6 Pack Recyclable 4-color plastic-free packaging	080083303243

6" Disk Lights with Motion Sensor

HLCEMS612FS1E	6-inch LED Disk Light with Integrated Motion Sensor	1260 lm	90+ CRI, 5-color Field-SeleCCTable™ CCT: 2700/3000/3500/4000/5000K	10% Phase Cut LE/TE Dimming, 120V 60Hz	Matte White	Recyclable 4-color plastic-free packaging	080083303083
HLCEMS612FS1E-CA	6-inch LED Disk Light Integrated Motion Sensor (California Version ²)	1260 lm	90+ CRI, 5-color Field-SeleCCTable™ CCT: 2700/3000/3500/4000/5000K	10% Phase Cut LE/TE Dimming, 120V 60Hz	Matte White	Recyclable 4-color plastic-free packaging	080083303229
HLCEMS612FS1E-6BP	6-inch LED Disk Light with Integrated Motion Sensor (6-pack)	1260 lm	90+ CRI, 5-color Field-SeleCCTable™ CCT: 2700/3000/3500/4000/5000K	10% Phase Cut LE/TE Dimming, 120V 60Hz	Matte White	6 Pack Recyclable 4-color plastic-free packaging	080083303267

2. California versions do not include Recessed Housing Mounting Hardware (Retrofit Springs, E26 Edison Socket Adapter) for mounting to compatible housings.

Accessories

4-inch Decorative Trim Overlays

HLCEMS4TRMMB = 4-inch Round Decorative Overlay, Matte Black
HLCEMS4TRMWH = 4-inch Round Decorative Overlay, Paintable Matte White

6-inch Decorative Trim Overlays

HLCEMS6TRMMB = 6-inch Round Decorative Overlay, Matte Black
HLCEMS6TRMWH = 6-inch Round Decorative Overlay, Paintable Matte White



Refer to ENERGY STAR® Certified Products List. Can be used to comply with California Title 24 High Efficacy requirements. Certified to California Appliance Efficiency Database under JAB8.



Cooper Lighting Solutions
1121 Highway 74 South
Peachtree City, GA 30269
P: 770-486-4800
cooperlighting.com


Canada Sales
5925 McLaughlin Road
Mississauga, Ontario L5R 1B8
P: 905-501-3000
F: 905-501-3172

© 2025 Cooper Lighting Solutions
All Rights Reserved
Publication No. BR51827025
August 2025

Product availability, specifications, and compliances are subject to change without notice.

2-in-1 installation


Junction Box Installation



1. Twist & remove lens
2. Wire fixture
3. Line up fixture keyholes to jbox to install



Housing Installation



1. Twist & remove lens
2. Wire fixture to Edison adapter
3. Use springs (included) to attach fixture to the housing

