Safety Data Sheet

1792LOW



1 Material and Supplier Identification

Product Name:	Pro Non-Streaking	
Description:	Glass Cleaner	
Recommended use of the chemical and restrictions:	Use only for the purpose on product label. This product prior dilution if specified on product label.	ct is not intended to be used without
Supplier's Information:	Maintex, Inc. 13300 E. Nelson Ave City of Industry, CA 91746 800-446-1888 (Customer Service)	
Emergency Telephone:	(800) 255-3924 USA (813)248-0585 International (C	Chemtel 24 hrs)
2 Hazards Identification		
Classification of Mixture:	Eye Irritation: Category 2B	Pictogram No Pictogram
Signal Word:	WARNING	
Hazard Statements:	Causes eye irritation	
Precautionary Statements		
General:	KEEP OUT OF REACH OF CHILDREN. Read label b	efore use.
Prevention:	Wash hands thoroughly after handling.	
Response:	IF ON SKIN: Take off contaminated clothing and wash befor irritation persists: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes easy to do. Continue rinsing. If eye irritation persists: Get m IF INHALED: Remove person to fresh air and keep comforta call a Poison Center or get medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	s.Remove contact lenses, if present and edical attention. able for breathing. If problem persists,

Hazardous IngredientsCAS NumberConcentration Range %Isopropanol67-63-0<4</td>

4 First Aid Measures	8
Eye Contact:	Flush eyes with water for 15 minutes. Remove contact lenses if any.
Skin Contact:	Contact with concentrate may be an irritant to sensitive skin. If spilt in large areas of skin, rinse immediately with water and remove clothing. Wash skin thoroughly with soap and water.
Inhalation	If discomfort is experienced after prolonged exposure to vapors, move person to fresh air. Get medical attention if irritation persists.
Ingestion:	Get medical attention immediately. Rinse mouth with water. Do NOT induce vomiting. Drink glass of water to dilute product.

5 Firefighting Measures				
Suitable Extinguishing Media:	Water spray, normal foam, dry agent (carbon dioxide, dry chemical powder.)			
Specific Hazards arising from the Chemical:	In a fire or if heated, a pressure increase will occur and the container may burst. Combustion products may include and are not limited to nitrogen oxides, carbon monoxide, and carbon dioxide.			
Specific Protective Equipment and Precautions for Firefighters:	Firefighters should wear NIOSH approved self-contained breathing apparatus and protective clothing. If safe to do so, remove containers from path of fire. If involved in a fire, keep containers cool with water spray.			

6 Accidental Release Measures

Emergency Procedures:	Keep area clear of personnel until area has been properly cleaned.
Personal Precautions/ Protective Equipment:	Slippery when spilt. To avoid accidents, clean up immediately and shut off source of leak, if safe to do so. Wear appropriate protective equipment to prevent any contamination of skin, eyes, and personal clothing. Provide sufficient ventilation.
Environmental Precautions:	If contamination of sewers or waterways has occurred, advise local emergency services.
Methods for Containment and Cleaning Up:	Contain spill with absorbent (soil, sand, or other inert material) or spill kit to prevent contamination of sewers or waterways. Neutralization agent is not recommended within building, as toxic vapors may be omitted. Properly dispose of used absorbents in accordance with local, state, and federal regulations.

7 Handling and Storage	
Precautions for Safe Handling:	Avoid skin and eye contact, inhalation and ingestion. Wash hands thoroughly after use. Keep out of reach of children.
Conditions for Safe Storage, Including Incompatiibiities:	Store in cool, dry place and out of direct sunlight. Store away from source of heat or ignition. Do not mix with other chemicals. Keep container closed when not in use, and check regularly for leaks.

See Section 10 for incompatible materials.

٦

8 Exposure Controls/Personal Protection			
Control Parameters:			
Hazardous Ingredients	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropanol	TWA 200 ppm	TWA 400 ppm	TWA 400 ppm

Appropriate engineering controls:	Good ventilation should be sufficient to control worker exposure to airborne contaminants.	
Personal Protection		
Eye Protection:	Use protective glasses or safety goggles if splashing or spray-back is likely.	
Hand Protection:	Use protective gloves when used for prolong periods or if skin sensitive.	
Skin Protection:	Use apron if splashing or spray-back is likely.	
Respiratory Protection:	Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.	
Hygiene Measures:	Always wash hands after handling chemical products, and before smoking, eating, drinking, or using the toilet. Wash contaminated clothing or protective equipment before storage and re-use.	

9 Physical and Chemical Properties

Physical State:	Liquid	Specific Gravity:	0.99	Vapour Pressure (mm Hg):	< 17 mm Hg
Color:	Blue	Evaporation Rate:	< 1	Vapour Density:	> 1
Odor:	Slight Ammonia	Solubility in Water:	Complete	Freezing Point (°F):	< 32
pH:	8-9.5	VOC (g/L):	<40	Boiling Point (°F):	> 212
				Flash Point (°F):	> 200
		< means less than	>	means greater than	

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10 Stability and Reactivity

Reactivity:	No specific data
Chemical Stability:	Stable
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid:	Avoid exposure to heat and light.
Incompatible Materials:	Slightly reactive or incompatible with oxidizers (e.g., bleach), strong acids (e.g., hydrochloric acid) and reactive metals (e.g., aluminum).
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

2/4/2021	1792LOW	Pro Non-Streaking	Page 3 of 5
		<u> </u>	

11 Toxological Information

Symptoms:				
	Eye Contact: Skin Contact: Inhalation:	Adverse symptoms may includ Adverse symptoms may includ Adverse symptoms may includ	de the following: irritation, rec de the following: respiratory t	dness ract irritation, coughing
	Ingestion:	Adverse symptoms may inclue	de the following: stomach pai	ins
Acute Toxicity:	Eye Contact: Skin Contact: Inhalation: Ingestion:	Causes serious eye damage. May cause skin irritation. May cause respiratory irritation May cause burns to mouth, th		
Toxicity Data:				
<u>Hazardous Ingr</u>	<u>edients</u>	<u>Result</u>	<u>Species</u>	<u>Dose</u>
Isopropanol		LD 50- Oral	Rat	5045 mg/kg
		LC 50- Inhalation	on Rat	16000 ppm
		LD 50- Dermal	Rabbit	12,800 mg/kg
Chronic Effects:		No known significant effects	or critical hazards	
12 Ecologica	al Information			
Ecotoxicity:		No data available.		
Aquatic Toxicit	v:			
<u>Hazardous Ing</u> i	-	<u>Result</u>	<u>Species</u>	<u>Dose</u>
Isopropanol		LC50	Fathead minnow	9640 mg/l 96 hrs
		EC50	Daphnia Magna	5102 mg/l 24 hrs
		EC50	Green Algae	>2000 mg/l 72 hrs
Other Adverse E	Effects:	No known significant effects	or critical hazards.	
13 Disposal	Considerations	6		
Disposal Method	ds:	Diluted product can be flushe Dispose of waste in accordar	•	
14 Transport	ation Informati	ion		
	n provided may not	e sizes may have exceptions fror t reflect those exceptions and ma		odes or package sizes.
DOT Classificati		Not Regulated		
UN Number:		-		
Transport Hazar	d Class:			
Packaging Grou				
Hazardous Divis	sion:			
Hazardous Cont	ents:			
15 Regulator	y Information			
SARA Title III:		Yes	Contains 2-Butoxyethanol	
California Propo Other Regulation		No		
2/4/2021				

16 Other Information

HMIS/NFPA Hazard Rating:

Health: 1

Flammability: 1

Reactivity: 0

The information contained herein is based on the data available to us. It is believed to be correct. NO warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use thereof. For further information consult Maintex, Inc. .