

# DEWALT



## POWERFUL BRUSHLESS MOTOR

Delivers more power than pneumatic\*\* with 732 MW0† of power rotating at up to 5,600 ft/min

## VARIABLE SPEED TRIGGER

## VARIABLE SPEED DIAL



## TOOL CONNECT™ CHIP-READY

(Chip sold separately)

## ROTATABLE LED

## TOOL FREE BELT CHANGE

## 173° ROTATING ARM

With storage position

## CHANGEABLE CONTACT ARM

For multiple applications

# 20V MAX\* XR® 18 IN. BANDFILE

## MORE POWER THAN PNEUMATIC\*\* FOR TOUGH APPLICATIONS

\* Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

\*\* Based on MW0, using DCBP034 battery (sold separately) vs. pneumatic-powered Dynabrade® Dynaflex® 14000, 14010 Abrasive Belt Tools. Dynabrade® Dynaflex® II 40320, 40321, 40324, 40326, 40335, 40381 Abrasive Belt Tools. Dynabrade® Dynaflex® III 15300, 15302, 15400, 15401, 15420 Abrasive Belt Tools. DYNABRADE® and DYNAFLEX® are registered trademarks of Dynabrade, Inc., which has not endorsed or approved this comparison.

† No Load Speed: 26938 RPM (5,600 Ft/Min) using DCBP034 battery (sold separately).

## KIT INCLUDES

### DCM200E1

- (1) DCM200 Bandfile
- (2) 80G 18 in. (457mm) Sanding Belts
- (1) DCBP034 POWERSTACK™ 1.7Ah Compact Battery
- (1) DCB107 Charger

### DCM200B

- (1) DCM200 Bandfile
- (2) 80G 18 in. (457mm) Sanding Belts



**GUARANTEED TOUGH.®**

**DCM200SS**

# 20V MAX\* XR® 18 IN. BANDFILE



\* Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

\*\* Based on MWO, using DCBP034 battery (sold separately) vs. pneumatic-powered Dynabrade® Dynaflex® 14000, 14010 Abrasive Belt Tools. Dynabrade® Dynaflex® II 40320, 40321, 40324, 40326, 40335, 40381 Abrasive Belt Tools. Dynabrade® Dynaflex® III 15300, 15302, 15400, 15401, 15420 Abrasive Belt Tools. DYNABRADE® and DYNAFLEX® are registered trademarks of Dynabrade, Inc., which has not endorsed or approved this comparison.

† No Load Speed: 26938 RPM (5,600 Ft/Min) using DCBP034 battery (sold separately).

## SPECIFICATIONS

<b>FT / MIN</b>	1,970 - 5,600
<b>VOLTAGE</b>	20V MAX*
<b>BELT SIZE</b>	18 in. x 1/2 in.
<b>ARM ROTATION</b>	173°
<b>MWO (MAX WATTS OUT)</b>	732 MWO†

## TOOL WARRANTY

**3  
YEAR**  
LIMITED  
WARRANTY

**1  
YEAR**  
FREE  
SERVICE

**90  
DAY**  
MONEY BACK  
GUARANTEE

## RELATED PRODUCTS (SOLD SEPARATELY)

### DCM200DC

Dust Extractor Adaptor



### DCM20120S

18 in. x 1/2 in.  
Offset Contact Arm



Copyright © 2023 DeWALT. The following are examples of trademarks for one or more DeWALT power tools and accessories: the yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.

DCM200SS

**GUARANTEED TOUGH.®**

**1-800-4-DeWALT**

**www.DeWALT.com**