



# Bryant® | K-R2699-4

20-1/4" oval drop-in bathroom sink

## Features

- 4" (102 mm) centerset faucet holes
- Oval basin
- Overflow drain



## Available Colors/Finishes

*Color tiles intended for reference only.*

- 0 White



## Codes/Standards

*ADA compliant when installed to the specific requirements of these regulations.*

ADA

ASME A112.19.2/CSA B45.1  
ADA  
ICC/ANSI A117.1

## Technical Information

Number of Deck Holes:	3
Faucet Hole(s) Size:	1-1/4" (32 mm)
Center(s):	4" (102 mm)
With Overflow:	Yes
Drain Hole Diameter:	1-3/4" (44 mm)
Basin Configuration:	Single Bowl
Basin Length:	17-3/8" (441 mm)
Basin Width:	10-7/8" (277 mm)
Basin Depth:	5-1/2" (140 mm)

## Material

- Vitreous china

## Recommended Products/Accessories

K-23726 Drain treatment

K-23725 Cast iron cleaner

## Warranty

*See website for detailed warranty information.*

KOHLER® Vitreous China Bathroom Sink Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
3-27-2026 18:0 - US-CA

---

## Installation

- Drop-in
- 

## Installation Notes

*Install this product according to the installation instructions.*

Spout must be 5" (12.7 cm) long (min) for adequate clearance into the lavatory when installed with the centerline as shown.

NOTICE: Countertop manufacturer or cutter must use the cut-out template provided with the product, or a current one provided by Kohler Co. (call 1-800-4-KOHLER). Kohler Co. is not responsible for cut-out errors when the incorrect cut-out template is used.

Product dimensions are nominal and may vary per ASME A112.19.2 tolerances.

ADA compliant when installed to the specific requirements of these regulations.

