

Medicine Cabinet

30"W x 26"H


COPY THE MODEL NUMBER FOR YOU RECORDS HERE #

READ THE INSTRUCTIONS CAREFULLY, familiarize yourself with all the parts as shown in the exploded view. The exploded view will also provide a helpful reference when relating to the location of the various parts and how they are mounted.






PARTS LIST.




WARNING: Safety glasses should always be worn when working with medicine cabinet

RECOMMENDED TOOLS



Determining Measurement and Direction:

Model No.	Height	Width	Depth	Tolerance
3026	25"	29 1/2"	4''	±1/8"







Fig 1

Fig 2

If needed ,please turn over the upside to downside ,you may get the opposite hand installations.




Left hand Installation



Right hand Installation


Recessed or semi-recessed


1. Peel off the side kits from the cabinet as figure shown.



Peel off the side kits

2. Make sure hinges are on correct side of opening for left hand or right hand operation. Place cabinet box into rough opening. On fully recessed applications, make sure cabinet flange covers rough opening evenly all around (Fig 3). On semi-recess applications, mirror edges should meet wall surface. (Fig 4). Shim as needed.






How to Surface Mount Cabinet

If installing in combination with a middle mirror/shelf kit, please see "Center Mirror/Shelf Kit Installation" Directions that came with your center mirror prior to preforming the steps below

1. Establish precise height and draw a level horizontal line (Fig 6). IMPORTANT: Detect medicine cabinet at precise height. Make sure there is at least 1" of clearance above any obstructions.



2. Place bottom of wall bracket on horizontal line and at correct position left to right and mark holes on wall (Fig 7).






Fig 7

3. Drill 8 mm hole if required for wall anchor and place wall anchor in hole. Mount wall bracket with #10 x 11/2" (5) screws. (Fig 8)






4. Insert surface mount z-clips (6) as shown (Fig 9 & 10).



5. Place cabinet into wall bracket (Fig 11). Mark hole locations of z-clips (Fig 12). When determining location, it is recommended that at least one z-clip be located at a stud. Detach cabinet and drill 8mm hole if needed for anchor, and place in anchor in hole.



Door Installation

1 .Remove protective packaging from door ,be careful not to bump edges of mirror. Line hinges up against hinge mounting plates. Snap into position (Fig 14).





Fig 14


2 .Door should "snap" locked when about 1" from being fully closed. Door should be placed even in relation to cabinet. Insert bumper (2) (Fig 15).



Pull forward and up simultaneously

Additional Item Installation

1 .Insert clear shelf clip ② into appropriate hole location using 2 clips per shelf (Fig 16).



Install cover plate

