



Awaken® | K-98344

42" deluxe sidebar with integrated water supply

Features

- Integrated water supply allows water to be plumbed directly through bottom bracket of sidebar
- Allows adjustment of handshower angle
- Adjustable mounting brackets offer installation flexibility
- Coordinates with Awaken showerheads, handshowers and showering accessories



Available Colors/Finishes

Color tiles intended for reference only.

- BN Vibrant Brushed Nickel
- BL Matte Black
- 2MB Vibrant Brushed Moderne Brass



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
3-27-2026 19:7 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ADA, CSA B651 compliant when installed to the specific requirements of these regulations.

ADA CSA B651

ASME A112.18.1/CSA B125.1

ADA

CSA B651

Material

- Premium metal construction for durability and reliability
- KOHLER finishes resist corrosion and tarnishing

Recommended Products/Accessories

K-23723 Faucet cleaner

Warranty

See website for detailed warranty information.

KOHLER® Faucet Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)


Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

3-27-2026 19:7 - US-CA

Supply Adapter	A
1218069 (included)	1-13/16" – 2-5/16" (46 mm – 59 mm)
1229031*	0 – 1/2" (0 – 13 mm)
1247986*	5/16" – 13/16" (8 mm – 21 mm)
1247985*	13/16" – 1-5/16" (21 mm – 33 mm)
1247984*	1-5/16" – 1-13/16" (33 mm – 46 mm)
1218070*	2-5/16" – 2-13/16" (59 mm – 71 mm)
1218071*	2-13/16" – 3-5/16" (71 mm – 84 mm)

*Sold Separately



Installation

- Wall-mount
- May require additional service parts based on installation type (see installation guide for details)

Installation Notes

Install this product according to the installation instructions.

Mount the sidebar to stud framing or install backing support.
Mounting brackets can be adjusted to align with existing holes for retrofit installations.
ADA, CSA B651 compliant when installed to the specific requirements of these regulations.

