

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® INSECT REPELLENT V

Version 2.0

Print Date 11/12/2012

Revision Date 08/23/2012

MSDS Number 350000003990

SITE_FORM Number
30000000000000003321.001

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Trade name : OFF!® DEEP WOODS® INSECT REPELLENT V

Use of the Substance/Mixture : Insect Repellent

Company : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour International Emergency Phone: (703)527-3887
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance / Odor : clear / aerosol / characteristic

Immediate Concerns

: Warning
FLAMMABLE:
CAUSES EYE IRRITATION.
Keep away from heat, sparks and flame.
Do not puncture or incinerate.
Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.
Avoid contact with eyes and lips.
Contents under pressure.
Harmful if swallowed.

Potential Health Effects

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : Causes:
Moderate eye irritation

Skin : May cause skin reactions in rare cases.

Inhalation : Inhalation may cause central nervous system effects.

Ingestion : Causes headache, drowsiness or other effects to the central nervous system.
May cause irritation to mouth, throat and stomach.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® INSECT REPELLENT V

Version 2.0

Print Date 11/12/2012

Revision Date 08/23/2012

MSDS Number 350000003990

SITE_FORM Number
30000000000000003321.001

Harmful if swallowed.

Aggravated Medical Condition : Do not apply to cuts or irritated skin.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	30.00 - 60.00
N,N-Diethyl-m-toluamide	134-62-3	10.00 - 30.00
Butane	106-97-8	1.00 - 5.00
Propane	74-98-6	1.00 - 5.00
Isobutane	75-28-5	1.00 - 5.00

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact : Remove contact lenses. Flush immediately with plenty of water for at least 15 to 20 minutes. Get medical attention if irritation develops and persists.

Skin contact : Wash off immediately with plenty of water. Get medical attention if irritation develops and persists. If you suspect a reaction to this product, discontinue use and remove contaminated clothing.

Inhalation : Remove to fresh air. If breathing is affected, get medical attention.

Ingestion : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during firefighting : Flammable liquid. Vapors are heavier than air and may travel to a source of ignition and flash back. Liquid run-off to sewers

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® INSECT REPELLENT V

Version 2.0

Print Date 11/12/2012

Revision Date 08/23/2012

MSDS Number 350000003990

SITE_FORM Number

300000000000000003321.001

may create fire/explosion hazard. Burns with colourless flame. Aerosol Product - Containers may rocket or explode in heat of fire. Container may melt and leak in heat of fire. Do not allow run-off from fire fighting to enter drains or water courses.

Further information : Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

Flash point : < -7 °C
< 19.4 °F
Method: Tag Closed Cup (TCC)
Note: Propellant

Lower explosion limit : Note: no data available

Upper explosion limit : Note: no data available

NFPA Classification : NFPA Level 2 Aerosol

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Remove all sources of ignition.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Wear personal protective equipment.

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Use appropriate containment to avoid environmental contamination.
Outside of normal use, avoid release to the environment.

Methods for cleaning up : If damage occurs to aerosol can:
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Use only non-sparking equipment.
Dike large spills.
Clean residue from spill site.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® INSECT REPELLENT V

Version 2.0

Print Date 11/12/2012

Revision Date 08/23/2012

MSDS Number 350000003990

SITE_FORM Number

30000000000000003321.001

7. HANDLING AND STORAGE

Handling

- Advice on safe handling : Do not puncture or incinerate.
Avoid contact with eyes and lips.
Avoid breathing vapors, mist or gas.
For personal protection see section 8.
Do not spray toward face.
Do not use in areas without adequate ventilation.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
- Advice on protection against fire and explosion : Keep away from heat and sources of ignition.
Take measures to prevent the build up of electrostatic charge.

Storage

- Requirements for storage areas and containers : Keep away from food, drink and animal feedingstuffs.
Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.
Keep in a dry, cool and well-ventilated place.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® INSECT REPELLENT V

Version 2.0

Print Date 11/12/2012

Revision Date 08/23/2012

MSDS Number 350000003990

SITE_FORM Number
30000000000000003321.001

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Ethyl alcohol	64-17-5	1,900 mg/m3	1,000 ppm	-	OSHA TWA
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL
Butane	106-97-8	-	1,000 ppm	-	ACGIH TWA
Propane	74-98-6	1,800 mg/m3	1,000 ppm	-	OSHA TWA
Propane	74-98-6	-	1,000 ppm	-	ACGIH TWA
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection : Do not spray in enclosed areas.

Hand protection : No special requirements.

Eye protection : Safety glasses with side-shields

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : aerosol

Color : clear

Odor : characteristic

pH : not applicable

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® INSECT REPELLENT V

Version 2.0

Print Date 11/12/2012

Revision Date 08/23/2012

MSDS Number 350000003990

SITE_FORM Number

30000000000000003321.001

Boiling point	:	no data available
Freezing point	:	not applicable
Flash point	:	< -7 °C < 19.4 °F Method: Tag Closed Cup (TCC) Propellant
Evaporation rate	:	no data available
Auto-ignition temperature	:	no data available
Lower explosion limit	:	no data available
Upper explosion limit	:	no data available
Vapour pressure	:	no data available
Density	:	0.84 g/cm3
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	no data available
Volatile Organic Compounds Total VOC (wt. %)*	:	64.4 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations

10. STABILITY AND REACTIVITY

Conditions to avoid	:	Heat, flames and sparks.
Materials to avoid	:	Strong oxidizing agents
Hazardous decomposition products	:	Thermal decomposition can lead to release of irritating gases and vapours.
Hazardous reactions	:	Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	:	LD50 3,735 mg/kg
---------------------	---	---------------------

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® INSECT REPELLENT V

Version 2.0

Print Date 11/12/2012

Revision Date 08/23/2012

MSDS Number 350000003990

SITE_FORM Number

30000000000000003321.001

Acute inhalation toxicity : LC50
> 2.18 mg/l

Acute dermal toxicity : LD50
> 2,000 mg/kg

Chronic effects

Carcinogenicity : no data available

Mutagenicity : None Anticipated

Reproductive effects : no data available

Teratogenicity : no data available

Sensitisation : no data available

12. ECOLOGICAL INFORMATION

Ecotoxicity effects : no data available

13. DISPOSAL CONSIDERATIONS

PESTICIDAL WASTE:

Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding disposal.

Consumer may discard empty container in trash, or recycle where facilities exist.

RCRA waste class : D001 (Ignitable Waste)

14. TRANSPORT INFORMATION

Land transport

- U.S. DOT and Canadian TDG Surface Transportation:

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® INSECT REPELLENT V

Version 2.0

Print Date 11/12/2012

Revision Date 08/23/2012

MSDS Number 350000003990

SITE_FORM Number

30000000000000003321.001

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1
Class: 2.1
UN number 1950
Packaging group: None.
Note: Limited quantities derogation may be applicable to this product, please check transport documents.

Sea transport

IMDG:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1
Class: 2
UN number: 1950
Packaging group: None.
EmS: F-D, S-U
Note: Limited quantities derogation may be applicable to this product, please check transport documents.

Air transport

ICAO/IATA:

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1
Class: 2.1
UN/ID No.: UN 1950
Packaging group: None.
Note: SC Johnson typically does not ship products via air. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.

Canada Regulations : This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Registration # / Agency
4822-167/US/EPA

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



OFF!® DEEP WOODS® INSECT REPELLENT V

Version 2.0

Print Date 11/12/2012

Revision Date 08/23/2012

MSDS Number 350000003990

SITE_FORM Number
30000000000000003321.001

16. OTHER INFORMATION

HMIS Ratings

Health	2
Flammability	4
Reactivity	0

NFPA Ratings

Health	2
Fire	4
Reactivity	0
Special	-

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
--------------	--