





Assembly Instructions

Caution: You must read this before you proceed

CHAISE LOUNGE



Part List


Label	Picture	Description	QTY
A		Armrest	2
B		Armrest	2
C		Seat	1
D		Back Cushion	4
E		Leg	6

Hardware

Label	Picture	Description	QTY
①		Bolt (M8*55MM)	7
②		Screw Arbor (M8*70MM)	7
③		Flat Washer	13
④		Spring Washer	13
⑤		Nut	7
⑥		Spanner	1
⑦		Allen Wrench	1
⑧		Plastic Washer	9

Assembly Preparation

Before Beginning Assembly:



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Steps



This Chaise Lounge has multiple parts and may require up to 60 minutes to assemble. To give you an overview of the Chaise Lounge parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.


Note: It is recommended that you have an adult partner to assist during the entire assembly process.


Step 1



Remove the Back Cushion(D) and Legs And Hardware Pack from the Seat(C).


Step 2





Install the Screw Arbor(②) on the corresponding hole bit of Armrest(A), as shown in the figure. Repeat the same process with another Armrest(A). Link the Screw Arbor on Armrest(A) to the corresponding hole in the Seat(C). Turn the Chaise Lounge over with the bottom facing out. Fix the Screw Arbor(②) using Flat Washer(③), Spring Washer(④) and Nut(⑤) with Spanner(⑥).

Step 3



With the assistance of your partner, insert the Tapered Connectors on the Armrest(B) into the Tapered Connectors on the Armrest(A) as shown in the picture.

Attach the Armrest(B) to Seat(C) using Bolts(①), Spring Washers(④), and Flat Washers(③) with Allen Wrench(⑦).

Repeat the same process with another Armrest(B).


Note: Make sure the Tapered Connectors on Armrest(B) lock into the Tapered Connectors on the Armrest(A).

Assistance from an adult partner is needed for this assembly process.

During this assembly process - do exercise caution. You may need to use your hand to press down and or pave away the padded surface to facilitate the 'slip and slide' assembly.

Caution: Ensure that your fingers do not get caught or pinched in the assembly process.

Step 4



Install the Leg(E) at the bottom of the Chaise Lounge by placing one Plastic Washer(⑧) on the threaded stem.


Then insert threaded stem into the threaded mounting position at the corner of the Chaise Lounge.

Tighten by turning the Leg clockwise.

Repeat the same step to install the remaining five Legs.


Note: The use of Gaskets are OPTIONAL and are especially useful to help alleviate slight wobbles. Some Legs may need more than one whilst some legs may not need any.

Step 5



Lay the Chaise Lounge flat.
Put the Back Cushion(D) on the Seat(C).

Step 6



Your Chaise Lounge is ready for use.
This Chaise Lounge can only be used on a flat, level surface.

Care & Maintenance



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Not for commercial use. For residential use only.



- Stains may be removed with mild soap solution and damp cloth.



- Children should not climb or jump on the furniture.



- Dust and pick-up spills using a clean, non-colored, lint-free cloth.