

SAFETY DATA SHEET

Issuing Date 19-May-2021

Revision Date 03-Feb-2021

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publicly available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Evolution Water Base RAL Acrylic 520cc

Other means of identification

Product Code(s) 1622721

Recommended use of the chemical and restrictions on use

Recommended Use Topcoat (Paint or Paint-Related) - Aerosol

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification M&P Export Managment Corporation

Address 140 Central Avenue
Farmingdale
NJ
07727
US

Telephone Phone:732-223-0160

E-mail mzdzinski@mpexport.com

Emergency telephone number

Company Emergency Phone Number 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

| | |
|--|-------------|
| Serious eye damage/eye irritation | Category 2A |
| Specific target organ toxicity (single exposure) | Category 1 |



| | |
|--|---------------|
| Specific target organ toxicity (repeated exposure) | Category 2 |
| Flammable aerosols | Category 2 |
| Gases under pressure | Liquefied Gas |

Appearance Multiple Colors**Physical state** Liquid spray Aerosol**Odor** Mild**GHS Label elements, including precautionary statements****Danger****Hazard statements**

Causes serious eye irritation

Causes damage to organs

May cause damage to organs through prolonged or repeated exposure

Flammable Aerosol

Contains gas under pressure; may explode if heated

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Wear eye protection/ face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Protect from sunlight. Store in a well-ventilated place

Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed. Causes mild skin irritation.

Unknown acute toxicity

70.9 % of the mixture consists of ingredient(s) of unknown toxicity

53.75 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

57.5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
 70.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
 70.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
 67.15 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|-----------------------|----------|----------|--|---|
| Supplier Trade Secret | - | 50 - 60% | - | - |
| Propan-2-ol | 67-63-0 | 13.4 | - | - |
| Supplier Trade Secret | - | 0 - 10% | - | - |
| Supplier Trade Secret | - | 0 - 10% | - | - |
| 2-Butoxyethanol | 111-76-2 | 3.725 | - | - |
| Supplier Trade Secret | - | 0 - 10% | - | - |

4. FIRST AID MEASURES

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists. If symptoms persist, call a physician.

Skin contact

In case of contact with liquefied gas, thaw frosted parts with lukewarm water. Wash off immediately with plenty of water for at least 15 minutes. If symptoms persist, call a physician.

Ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms

Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

| | |
|---|---|
| Suitable Extinguishing Media | Dry chemical. Carbon dioxide (CO ₂). Water spray. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED. |
| Specific hazards arising from the chemical | Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket. |
| Hazardous Combustion Products | Carbon oxides. Carbon monoxide. Carbon dioxide (CO ₂). Formaldehyde. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | Yes. |
| Sensitivity to Static Discharge | Yes. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|---|
| Personal precautions | Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. |
| Other Information | Ventilate the area. Refer to protective measures listed in Sections 7 and 8. |

Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for containment | Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor. |
| Methods for cleaning up | Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. |

7. HANDLING AND STORAGE

Precautions for safe handling

| | |
|--------------------------------|--|
| Advice on safe handling | Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open |
|--------------------------------|--|



flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapors or mists. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH | |
|-----------------------------|--|---|---|---|
| Propan-2-ol 67-63-0 | STEL: 400 ppm TWA: 200 ppm | TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³ | IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³ | |
| Supplier Trade Secret | TWA: 10 mg/m³ | TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust | IDLH: 5000 mg/m³ | |
| Supplier Trade Secret | TWA: 3 mg/m³ inhalable particulate matter | TWA: 3.5 mg/m³ (vacated) TWA: 3.5 mg/m³ | IDLH: 1750 mg/m³ TWA: 3.5 mg/m³ TWA: 0.1 mg/m³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH | |
| 2-Butoxyethanol 111-76-2 | TWA: 20 ppm | TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* | IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³ | |
| Chemical name | Alberta | British Columbia | Ontario TWA/PELV | Quebec |
| Supplier Trade Secret | | TWA: 1000 ppm | | |
| Propan-2-ol 67-63-0 | TWA: 200 ppm TWA: 492 mg/m³ STEL: 400 ppm STEL: 984 mg/m³ | TWA: 200 ppm STEL: 400 ppm | TWA: 200 ppm STEL: 400 ppm | TWA: 400 ppm TWA: 985 mg/m³ STEL: 500 ppm STEL: 1230 mg/m³ |
| Supplier Trade Secret | TWA: 10 mg/m³ | TWA: 10 mg/m³ TWA: 3 mg/m³ | TWA: 10 mg/m³ | TWA: 10 mg/m³ |
| Supplier Trade Secret | TWA: 3.5 mg/m³ | TWA: 3 mg/m³ | TWA: 3 mg/m³ | TWA: 3 mg/m³ |

| | | | | |
|-----------------------------|--|-------------|-------------|-------------|
| 2-Butoxyethanol 111-76-2 | TWA: 20 ppm TWA: 97 mg/m ³ | TWA: 20 ppm | TWA: 20 ppm | TWA: 20 ppm |
|-----------------------------|--|-------------|-------------|-------------|

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Impervious gloves. Wear suitable gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid spray; Aerosol
Appearance Multiple Colors
Odor Mild
Color No information available
Odor Threshold No data available

| <u>Property</u> | <u>Values</u> | <u>Remarks</u> | <u>Method</u> |
|--|--------------------|----------------|---------------|
| pH | UNKNOWN | | |
| Melting / freezing point | No data available | None known | |
| Boiling point / boiling range | No data available | None known | |
| Flash Point | No data available | None known | |
| Evaporation Rate | No data available | None known | |
| Flammability (solid, gas) | No data available | None known | |
| Flammability Limit in Air | | None known | |
| Upper flammability limit | No data available | | |
| Lower flammability limit | No data available | | |
| Vapor pressure | No data available | None known | |
| Vapor density | No data available | None known | |
| Relative density | 1 | | |
| Water Solubility | Completely soluble | | |
| Solubility(ies) | No data available | None known | |
| Partition coefficient: n-octanol/water | No data available | | |
| Autoignition temperature | No data available | None known | |
| Decomposition temperature | No data available | None known | |

| | | |
|---------------------|-------------------|------------|
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other Information

| | |
|----------------------------|--------------------------|
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Softening Point | No information available |
| Molecular Weight | No information available |
| VOC Content (%) | No information available |
| Liquid Density | No information available |
| Bulk Density | No information available |
| Particle Size | No information available |
| Particle Size Distribution | No information available |

10. STABILITY AND REACTIVITY

| | |
|------------------------------------|--|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | Heat, flames and sparks. Excessive heat. |
| Incompatible materials | None known based on information supplied. |
| Hazardous Decomposition Products | Carbon oxides. Formaldehyde. Carbon monoxide. Carbon dioxide (CO ₂). |

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information**

| | |
|--------------|--|
| Inhalation | Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. |
| Eye contact | Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain. |
| Skin contact | Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation. |
| Ingestion | Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|----------|--|
| Symptoms | May cause redness and tearing of the eyes. |
|----------|--|

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

| | |
|--------------------------------------|----------------|
| ATEmix (oral) | 3,064.70 mg/kg |
| ATEmix (dermal) | 6,355.00 mg/kg |
| ATEmix (inhalation-gas) | 35,154.40 ppm |
| ATEmix (inhalation-dust/mist) | 10.20 mg/L |
| ATEmix (inhalation-vapor) | 85.90 mg/L |

Unknown acute toxicity 70.9 % of the mixture consists of ingredient(s) of unknown toxicity
 53.75 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
 57.5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
 70.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
 70.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
 67.15 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-----------------------|-----------------------|-------------------------|---|
| Supplier Trade Secret | - | - | = 164000 ppm (Rat) 4 h |
| Propan-2-ol | = 1870 mg/kg (Rat) | = 4059 mg/kg (Rabbit) | > 10000 ppm (Rat) 6 h |
| Supplier Trade Secret | > 10000 mg/kg (Rat) | - | = 5.09 mg/L (Rat) 4 h |
| Supplier Trade Secret | > 15400 mg/kg (Rat) | - | > 4.6 mg/m ³ (Rat) 4 h |
| 2-Butoxyethanol | = 470 mg/kg (Rat) | = 435 mg/kg (Rabbit) | = 450 ppm (Rat) 4 h = 486 ppm (Rat) 4 h |
| Supplier Trade Secret | = 3200 mg/kg (Rat) | > 15200 mg/kg (Rat) | > 3.55 mg/L (Rat) 6 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.
Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|-----------------------------|-------|----------|-----|------|
| Propan-2-ol 67-63-0 | - | Group 3 | - | X |
| Supplier Trade Secret | - | Group 2B | - | X |
| Supplier Trade Secret | A3 | Group 2B | - | X |
| 2-Butoxyethanol 111-76-2 | A3 | Group 3 | - | - |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.**STOT - single exposure** Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs.**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.**Aspiration hazard** No information available.**12. ECOLOGICAL INFORMATION****Ecotoxicity** The environmental impact of this product has not been fully investigated.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|-----------------------|---|---|----------------------------|--|
| Supplier Trade Secret | No data available | 96h LC50: > 4.1 g/L (Poecilia reticulata) | No data available | No data available |
| Propan-2-ol | 72h EC50: > 1000 mg/L (Desmodesmus subspicatus) 96h EC50: > 1000 mg/L (Desmodesmus subspicatus) | 96h LC50: = 11130 mg/L (Pimephales promelas) 96h LC50: = 9640 mg/L (Pimephales promelas) 96h LC50: > 1400000 µg/L (Lepomis macrochirus) | No data available | 48h EC50: = 13299 mg/L (Daphnia magna) |
| 2-Butoxyethanol | No data available | 96h LC50: = 1490 mg/L (Lepomis macrochirus) 96h LC50: = 2950 mg/L (Lepomis macrochirus) | No data available | 48h EC50: > 1000 mg/L (Daphnia magna) |
| Supplier Trade Secret | 72h EC50: = 18.4 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: = 30 mg/L (Pimephales promelas) | No data available | No data available |

Persistence and Degradability No information available.**Bioaccumulation****Component Information**

| Chemical name | Partition coefficient |
|-----------------------|-----------------------|
| Supplier Trade Secret | -0.18 |
| Propan-2-ol | 0.05 |
| 2-Butoxyethanol | 0.81 |
| Supplier Trade Secret | 3.47 |

Mobility No information available.**Other adverse effects** No information available.**13. DISPOSAL CONSIDERATIONS****Waste treatment methods**

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number D001

California Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|------------------------|----------------------------|
| Propan-2-ol 67-63-0 | Toxic Ignitable |

14. TRANSPORT INFORMATION

DOT

UN-No. UN1950
 Proper Shipping Name AEROSOLS
 Hazard Class 2.1
 Description UN1950, AEROSOLS, 2.1, LTD QTY
 Emergency Response Guide Number 126

TDG

UN-No. UN1950
 Proper Shipping Name AEROSOLS
 Hazard Class 2.1
 Description UN1950, AEROSOLS, 2.1, LTD QTY

MEX

UN-No. UN1950
 Proper Shipping Name AEROSOLS
 Hazard Class 2.1
 Description UN1950, AEROSOLS, 2.1

ICAO

UN-No. UN1950
 Proper Shipping Name AEROSOLS
 Hazard Class 2.1
 Description UN1950, AEROSOLS, 2.1, LTD QTY

IATA

UN-No. UN1950
 Proper Shipping Name AEROSOLS, FLAMMABLE
 Hazard Class 2.1
 ERG Code 10L
 Description UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD QTY

IMDG/IMO

UN-No. UN1950
 Proper Shipping Name AEROSOLS



| | |
|--------------|--------------------------------|
| Hazard Class | 2.1 |
| EmS-No. | F-D, S-U |
| Description | UN1950, AEROSOLS, 2.1, LTD QTY |

RID

| | |
|----------------------|-----------------------|
| UN-No. | UN1950 |
| Proper Shipping Name | AEROSOLS |
| Hazard Class | 2.1 |
| Classification code | 5F |
| Description | UN1950, AEROSOLS, 2.1 |
| ADR/RID-Labels | 2.1 |

ADR

| | |
|-------------------------|----------------------------|
| UN-No. | UN1950 |
| Proper Shipping Name | AEROSOLS |
| Hazard Class | 2.1 |
| Classification code | 5F |
| Tunnel restriction code | (D) |
| Description | UN1950, AEROSOLS, 2.1, (D) |

ADN

| | |
|----------------------|-----------------------|
| UN-No. | UN1950 |
| Proper Shipping Name | AEROSOLS |
| Hazard Class | 2.1 |
| Classification code | 5F |
| Special Provisions | 190, 327, 344, 625 |
| Description | UN1950, AEROSOLS, 2.1 |
| Hazard Labels | 2.1 |
| Limited Quantity | 1 L |
| Ventilation | VE01, VE04 |

| |
|-----------------------------------|
| 15. REGULATORY INFORMATION |
|-----------------------------------|

Safety, health and environmental regulations/legislation specific for the substance or mixture**International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

| | |
|---------------|---|
| TSCA | Contact supplier for inventory compliance status. |
| DSL/NDSL | Contact supplier for inventory compliance status. |
| EINECS/ELINCS | Contact supplier for inventory compliance status. |
| ENCS | Contact supplier for inventory compliance status. |
| KECL | Contact supplier for inventory compliance status. |
| PICCS | Contact supplier for inventory compliance status. |
| AICS | Contact supplier for inventory compliance status. |

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances



ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|----------------------------|----------|----------|-------------------------------|
| Propan-2-ol - 67-63-0 | 67-63-0 | 13.4 | 1.0 |
| 2-Butoxyethanol - 111-76-2 | 111-76-2 | 3.725 | 1.0 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 |
|-------------------------|--|
| Supplier Trade Secret - | carcinogen, 2/21/2003 (airborne, unbound particles of respirable size) |
| Supplier Trade Secret - | Carcinogen |

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|-----------------------------|------------|---------------|--------------|--------------|----------|
| Supplier Trade Secret | X | X | X | | |
| Propan-2-ol 67-63-0 | X | X | X | X | |
| Supplier Trade Secret | X | X | X | | |
| Supplier Trade Secret | X | X | X | | X |
| 2-Butoxyethanol 111-76-2 | X | X | X | X | X |



16. OTHER INFORMATION

| | | | | |
|-----------------------------------|---------------------------|----------------------------------|---------------------------|---|
| NFPA | Health hazards 3 | Flammability 3 | Instability 0 | Physical and Chemical Properties - |
| HMIS | Health hazards 3 * | Flammability 3 | Physical hazards 0 | Personal Protection X |
| <i>Chronic Hazard Star Legend</i> | | <i>* = Chronic Health Hazard</i> | | |

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 19-May-2021

Revision Date 03-Feb-2021

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet