

## TEST REPORT

Report No. AL2307546401EN

Approved Date: Jul. 21, 2023

Page 1 / 10

**Applicant** TRADEMARK GLOBAL, LLC.  
**Address** 7951 WEST ERIE AVENUE | LORAIN, OHIO 44053

The following submitted sample(s) was/were identified by/on behalf of the applicant as

No.	Item No.	Product Description
1	80-CROK	Carrom Board Game Classic Strike and Pocket Table Game with Cue Sticks, Coins, Queen and Striker for Adults, Kids, Boys and Girls

**Name of Distributor** Trademark Games. LLC

**Age Grading** 3+

**Country of origin** MADE IN CHINA

**Country of destination** U.S.A

**Date Received** Jul. 17, 2023

**Test Period** Jul. 17, 2023 to Jul. 21, 2023

Test Request	Conclusion
As specified by applicant, the following tests were conducted:	
<b>1. Standard Consumer Safety Specification for Toy Safety of ASTM F963-17</b>	
--Physical and mechanical test	PASS
--Flammability test	PASS
--Heavy metals test	PASS
<b>2. Consumer Product Safety Improvement Act of 2008 (CPSIA)</b>	
--Sec. 101 Children's products containing lead; lead paint rule	PASS
--Sec. 108 Prohibition on sale of certain products containing specified phthalates	PASS
--Sec. 103 Tracking labels for children's products	PASS
<b>3. Consumer Product Safety Commission, Code of Federal Regulations Title 16 Chapter II Subchapter B Part 1303(CPSC 16 CFR)</b>	
--Part 1303—Ban of lead-containing paint and certain consumer products bearing lead-containing paint	PASS
<b>4. Safe Drinking Water and Toxic Enforcement Act of 1986 of California Proposition 65</b>	
--Total Lead content	PASS
--Five phthalates(DBP BBP DEHP DnHP DIDP) content	PASS

For more information about the test, please refer to the following pages.

Compiled

By

He hai ying

Checked

By

Chen Junjun

Approved

By

He

Jiang He

Shanghai Lelangtek Testing Technology Co., Ltd.

Room 101-103 of 1st Floor and 2nd-3rd Floor, Building 4, No.158, Jinfeng Road, Pudong District, Shanghai

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This test report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.

Address: Room 101-103 of 1st Floor and 2nd-3rd Floor, Building 4, No.158, Jinfeng Road, Pudong District, Shanghai, China (201201)

Tel: +86 21 5838-0071 Fax: +86 21 5838-0083

# TEST REPORT

Report No. AL2307546401EN

Approved Date: Jul. 21, 2023

Page 2 / 10

**Product Photo(s)****80-CROK**

Lelangtek authenticated the photo on original report only

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.

Address: Room 101-103 of 1st Floor and 2nd-3rd Floor, Building 4, No.158, Jinfeng Road, Pudong District, Shanghai, China (201201)

Tel: +86 21 5838-0071 Fax: +86 21 5838-0083

# TEST REPORT

Report No. AL2307546401EN

Approved Date: Jul. 21, 2023

Page 3 / 10

## TEST RESULT

### 1 Standard Consumer Safety Specification for Toy Safety of ASTM F963-17

#### 1.1 Physical and mechanical test

Applicant specified age group for testing: Over 3 years of age

##### 1.1.1 Applicable requirements for before and after normal use and abuse test

Section	Test Item	Result
4	Safety requirements	
4.1	Material Quality	PASS
4.3.7	Stuffing materials	N/A
4.5	Sound-Producing Toys	N/A
4.6.1	Toys Intended for Children under 36 Months (Small Objects)	N/A
4.6.2	Mouth-Actuated Toys	N/A
4.6.3	Toys And Games for 36 Months to 72 Months (Small Part Warning)	PASS
4.7	Accessible Edges	PASS
4.8	Projections	N/A
4.9	Accessible Points	PASS
4.10	Wires Or Rods	N/A
4.11	Nails And Fasteners	PASS
4.12	Plastic Film	PASS
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps, and Elastics	N/A
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires and Axles	N/A
4.18	Holes, Clearance, and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.

Address: Room 101-103 of 1st Floor and 2nd-3rd Floor, Building 4, No.158, Jinfeng Road, Pudong District, Shanghai, China (201201)

Tel: +86 21 5838-0071 Fax: +86 21 5838-0083

# TEST REPORT

Report No. AL2307546401EN

Approved Date: Jul. 21, 2023

Page 4 / 10

Section	Test Item	Result
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chests	N/A
5	Labeling Requirements	
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	PASS
5.8	Toys Intended to be Assembled By an Adult	N/A
5.11	Small objects, small balls, marbles, and balloons	PASS
5.16	Promotional Materials	N/A
6	Instructional Literature	
6.1	Definition and Description	PASS
6.4	Toys Intended to be Assembled By an Adult	N/A
7	Producer's Markings	
7.1	Either a principal component of a toy or the package of toy shall be marked with the name and address of the producer or the distributor	PASS

Note: N/A=Not applicable

## 1.1.2 Normal use and abuse test

Section	Title	Test condition
8.5	Normal Use Testing	
8.6	Abuse Testing	
8.7	Impact Tests	3 times
8.8	Torque Tests for Removal of Components	4 in.lbf
8.9	Tension Test for Removal of Components	15 lbf
8.10	Compression Tests	30 lbf

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.

Address: Room 101-103 of 1st Floor and 2nd-3rd Floor, Building 4, No.158, Jinfeng Road, Pudong District, Shanghai, China (201201)

Tel: +86 21 5838-0071 Fax: +86 21 5838-0083

# TEST REPORT

Report No. AL2307546401EN

Approved Date: Jul. 21, 2023

Page 5 / 10

## 1.2 Flammability Test

Refer to: ASTM F963-17 Section 4.2

Test method: As per section 4.2 of the ASTM standard Consumer Safety Specification For Toy Safety F963-17, the sample was tested according to Annex A5 flammability testing procedure for solids and soft toys.

Ignition Point	Burn length (inch)	Time (sec)	Burn Rate (inch/sec)	Limit (inch/sec)	Test result
End	/	/	DNI	0.1	PASS

Note: DNI=Did Not Ignite.

## 1.3 Heavy metals test

Refer to: ASTM F963-17 Section 4.3.5.1&4.3.5.2

Test method: ASTM F963-17 Section 8.3

Instrument: Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES)

### 1.3.1 Total lead test

#### 1.3.1.1 Paint and Similar Surface-Coating Materials

Component No.	Total Lead(T-Pb)
1	ND
2	ND
3	ND
Limit(mg/kg)	≤90

#### 1.3.1.2 Toy Substrate Materials

Component No.	Total Lead(T-Pb)
4	ND
5	ND
6	ND
7	ND
8	ND
9	ND
10	ND
11	ND
12	ND
Limit(mg/kg)	≤100

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.

Address: Room 101-103 of 1st Floor and 2nd-3rd Floor, Building 4, No.158, Jinfeng Road, Pudong District, Shanghai, China (201201)

Tel: +86 21 5838-0071 Fax: +86 21 5838-0083

# TEST REPORT

Report No. AL2307546401EN

Approved Date: Jul. 21, 2023

Page 6 / 10

## 1.3.2 Soluble element test

Component No.	Soluble Lead (s-Pb)	Soluble Cadmium (s-Cd)	Soluble Mercury (s-Hg)	Soluble Chromium (s-Cr)	Soluble Arsenic (s-As)	Soluble Selenium (s-Se)	Soluble Barium (s-Ba)	Soluble Antimony (s-Sb)
1	ND	ND	ND	ND	ND	ND	ND	ND
2	ND	ND	ND	ND	ND	ND	ND	ND
3	ND	ND	ND	ND	ND	ND	ND	ND
5	ND	ND	ND	ND	ND	ND	ND	ND
6	ND	ND	ND	ND	ND	ND	ND	ND
7	ND	ND	ND	ND	ND	ND	ND	ND
8	ND	ND	ND	ND	ND	ND	ND	ND
9	ND	ND	ND	ND	ND	ND	ND	ND
10	ND	ND	ND	ND	ND	ND	ND	ND
11	ND	ND	ND	ND	ND	ND	ND	ND
12	ND	ND	ND	ND	ND	ND	ND	ND
Limit (mg/kg)	≤90	≤75	≤60	≤60	≤25	≤500	≤1000	≤60

Note:

- (1) mg/kg = ppm=parts per million.
- (2) ND = Not detected, the test result(s) is/are below the detection limit.
- (3) Detection Limit : Total Lead---10mg/kg Soluble element---5mg/kg.
- (4) According to ASTM F963-17, in the case where there is between 10mg and 100 mg of uniform material the mass of the test portion shall be reported in the test report and the quantity of the appropriate elements shall be calculated and reported as if 100 mg of the test portion had been used.
- (5) According to ASTM F963-17, materials such as glass, metal, ceramic are exempted from soluble element test if they are not small parts.

## 2 Consumer Product Safety Improvement Act of 2008 (CPSIA)

### 2.1 Total Lead test

Refer to: CPSIA Sec. 101(a), (f)

Test method: CPSC-CH-E1001-08.3:2012, CPSC-CH-E1002-08.3:2012, CPSC-CH-E1003-09.1:2011

Instrument: Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES)

#### 2.1.1 Total lead content in paint and surface coating

Component No.	Total Lead(T-Pb)
1	ND
2	ND
3	ND
Limit(mg/kg)	≤90

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.

Address: Room 101-103 of 1st Floor and 2nd-3rd Floor, Building 4, No.158, Jinfeng Road, Pudong District, Shanghai, China (201201)

Tel: +86 21 5838-0071 Fax: +86 21 5838-0083

## TEST REPORT

Report No. AL2307546401EN

Approved Date: Jul. 21, 2023

Page 7 / 10

## 2.1.2 Total lead content in substrate

Component No.	Total Lead(T-Pb)
4	ND
5	ND
6	ND
7	ND
8	ND
9	ND
10	ND
11	ND
12	ND
Limit(mg/kg)	≤100

## 2.2 Phthalates content

Refer to: CPSIA Sec.108

Test method: CPSC-CH-C1001-09.4(2018)

Instrument: Gas Chromatography-Mass Spectrometer(GC-MS)

Component No.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	DEHP	DBP	BBP	DIBP	DPENP	DHEXP	DCHP	DINP
1	ND	ND	ND	ND	ND	ND	ND	ND
2	ND	ND	ND	ND	ND	ND	ND	ND
3	ND	ND	ND	ND	ND	ND	ND	ND
5	ND	ND	ND	ND	ND	ND	ND	ND
6	ND	ND	ND	ND	ND	ND	ND	ND
7	ND	ND	ND	ND	ND	ND	ND	ND
8	ND	ND	ND	ND	ND	ND	ND	ND
9	ND	ND	ND	ND	ND	ND	ND	ND
10	ND	ND	ND	ND	ND	ND	ND	ND
11	ND	ND	ND	ND	ND	ND	ND	ND
12	ND	ND	ND	ND	ND	ND	ND	ND
Limit(%)	≤0.1	≤0.1	≤0.1	≤0.1	≤0.1	≤0.1	≤0.1	≤0.1

Note:

(1) DEHP 1) Bis(2-ethylhexyl) Phthalate CAS No. 117-81-7

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.

Address: Room 101-103 of 1st Floor and 2nd-3rd Floor, Building 4, No.158, Jinfeng Road, Pudong District, Shanghai, China (201201)

Tel: +86 21 5838-0071 Fax: +86 21 5838-0083

# TEST REPORT

Report No. AL2307546401EN

Approved Date: Jul. 21, 2023

Page 8 / 10

DBP	2)	Dibutyl Phthalate	CAS No.	84-74-2
BBP	3)	Benzyl Butyl Phthalate	CAS No.	85-68-7
DIBP	4)	Di-isobutyl phthalate	CAS No.	84-69-5
DPENP	5)	Di-n-pentyl phthalate	CAS No.	131-18-0
DHEXP	6)	Di-n-hexyl phthalate	CAS No.	84-75-3
DCHP	7)	Di-cyclohexyl phthalate	CAS No.	84-61-7
DINP	8)	Di-isononyl Phthalate	CAS No.	28553-12-0, 68515-48-0

- (2) 0.1%=1000mg/kg, mg/kg = ppm=parts per million.
- (3) ND = Not detected, the test result(s) is/are below the detection limit.
- (4) Detection Limit : Total Lead---10mg/kg, Phthalates ---50mg/kg.

## 2.3 Tracking labels

Refer to: CPSIA Sec. 103(a)

Section	Title	Result
1	Present on package and product	PASS
2	Permanent	PASS
3	The manufacturer or private labeler	PASS
4	Location of production	PASS
5	Date of production	PASS
6	Cohort information	PASS

## 3 Consumer Product Safety Commission, Code of Federal Regulations Title 16 Chapter II Subchapter B Part 1303

### Total Lead in paint and surface coating

Refer to: CPSC 16 CFR part 1303

Test method: CPSC-CH-E1003-09.1:2011

Instrument: Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES)

Component No.	Total Lead(T-Pb)
1	ND
2	ND
3	ND
<b>Limit(mg/kg)</b>	<b>≤90</b>

Note:

- (1) mg/kg = ppm=parts per million.
- (2) ND = Not detected, the test result(s) is/are below the detection limit.

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.

Address: Room 101-103 of 1st Floor and 2nd-3rd Floor, Building 4, No.158, Jinfeng Road, Pudong District, Shanghai, China (201201)

Tel: +86 21 5838-0071 Fax: +86 21 5838-0083

# TEST REPORT

Report No. AL2307546401EN

Approved Date: Jul. 21, 2023

Page 9 / 10

(3) Detection Limit : Total Lead---10mg/kg.

## 4 Safe Drinking Water and Toxic Enforcement Act of 1986 of California Proposition 65

### 4.1 Total Lead content

Test method: CPSC-CH-E1001-08.3:2012, CPSC-CH-E1002-08.3:2012, CPSC-CH-E1003-09.1:2011

Instrument: Inductively Coupled Plasma Optical Emission Spectrometry(ICP-OES)

Component No.	Total Lead(T-Pb)
1	ND
2	ND
3	ND
4	ND
5	ND
6	ND
7	ND
8	ND
9	ND
10	ND
11	ND
12	ND
Limit(mg/kg)	Coating materials:≤90,substrate materials:≤100

### 4.2 Five phthalates(DBP BBP DEHP DnHP DIDP) content

Test method: CPSC-CH-C1001-09.4(2018)

Instrument: Gas Chromatography-Mass Spectrometer(GC-MS)

Component No.	(1) DBP	(2) BBP	(3) DEHP	(4) DnHP	(5) DIDP
1	ND	ND	ND	ND	ND
2	ND	ND	ND	ND	ND
3	ND	ND	ND	ND	ND
5	ND	ND	ND	ND	ND
6	ND	ND	ND	ND	ND
7	ND	ND	ND	ND	ND
8	ND	ND	ND	ND	ND
9	ND	ND	ND	ND	ND
10	ND	ND	ND	ND	ND
11	ND	ND	ND	ND	ND
12	ND	ND	ND	ND	ND
Limit(%)	≤0.1	≤0.1	≤0.1	≤0.1	≤0.1

Note:

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.

Address: Room 101-103 of 1st Floor and 2nd-3rd Floor, Building 4, No.158, Jinfeng Road, Pudong District, Shanghai, China (201201)

Tel: +86 21 5838-0071 Fax: +86 21 5838-0083

# TEST REPORT

Report No. AL2307546401EN

Approved Date: Jul. 21, 2023

Page 10 / 10

- |     |      |    |                             |         |                       |
|-----|------|----|-----------------------------|---------|-----------------------|
| (1) | DBP  | 1) | Dibutyl Phthalate           | CAS No. | 84-74-2               |
|     | BBP  | 2) | Benzyl Butyl Phthalate      | CAS No. | 85-68-7               |
|     | DEHP | 3) | Bis(2-ethylhexyl) Phthalate | CAS No. | 117-81-7              |
|     | DnHP | 4) | Di-n-hexyl phthalate        | CAS No. | 84-75-3               |
|     | DIDP | 5) | Diisodecyl phthalate        | CAS No. | 26761-40-0/68515-49-1 |
- (2) DnHP: Di-n-hexyl phthalate( CAS No.: 84-75-3), also abbreviated DHEXP.
- (3) 0.1%=1000mg/kg, mg/kg = ppm=parts per million
- (4) ND = Not detected, the test result(s) is/are below the detection limit.
- (5) Detection Limit : Phthalates ---50mg/kg Total Lead---10mg/kg

## TEST COMPONENT DESCRIPTION

### Coating materials

- |   |                     |         |
|---|---------------------|---------|
| 1 | Black coating       | On wood |
| 2 | Red coating         | On wood |
| 3 | Transparent varnish | On wood |

### Metal material

- |   |              |       |
|---|--------------|-------|
| 4 | Silver metal | Screw |
|---|--------------|-------|

### Wood materials

- |    |                  |   |
|----|------------------|---|
| 5  | Light beige wood | Wood in the middle of the table             |
| 6  | Beige wood       | Chopsticks                                  |
| 7  | Light beige wood | Wood on the border of the table             |
| 8  | Light beige wood | Table bottom foot pad (wood)                |
| 9  | Light beige wood | A small wooden pair near the pad            |
| 10 | Beige wood       | Roundwood                                   |
| 11 | Wood             | Base material under the red & black coating |

### Other material

- |    |              |             |
|----|--------------|-------------|
| 12 | Green fabric | Fibre cloth |
|----|--------------|-------------|

\*\*\*\*\* End of Report\*\*\*\*\*

- (1) This report is not affixed to the special seal invalid.
- (2) This report shall not be modified, increased, deleted, copied or intercepted, without the approval of Lelangtek.
- (3) The results shown in this report refer only to the lab received sample(s) .
- (4) If you have any question or concern to this report, please contact us within 10 days, or it will not be accepted out of the time.

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.

Address: Room 101-103 of 1st Floor and 2nd-3rd Floor, Building 4, No.158, Jinfeng Road, Pudong District, Shanghai, China (201201)

Tel: +86 21 5838-0071 Fax: +86 21 5838-0083