

Report No. AL23080609001EN

Address

Approved date: Aug. 17, 2023 Page 1 / 10

Applicant Trademark Global, LLC.

7951 West Erie Avenue | Lorain, Ohio 44053



The following submitted sample(s) was/were identified by/on behalf of the applicant as

No. Item No.		Product Description						
1	Premium Set of 55 Double Nine Dominoes Wood Case							
Name of Distributor		Trademark Games. LLC						
Age		3+						
Country of origin		MADE IN CHINA						
Country of destination		U.S.A						
Summar	······							
Date Received		Aug. 8, 2023						
Test Period		Aug. 8, 2023 to Aug. 17, 2023						
Test Request		As specified by applicant, please refer to the following page.						

For more information about the test, please refer to the following pages.

Compiled

By

-V luo luo

Checked long hu

By



This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.

Test Request

TEST REPORT

Approved date: Aug. 17, 2023 Page 2 / 10

t		As specified by applicant, the following tests were conducted:	Conclusion
	1.	Standard Consumer Safety Specification for Toy Safety of ASTM F963-17	
		Physical and mechanical test	PASS
		Flammability test	PASS
		Heavy metals test	PASS
	2.	Consumer Product Safety Improvement Act of 2008 (CPSIA)	
		Sec. 101 Children's products containing lead; lead paint rule	PASS
		Sec. 108 Prohibition on sale of certain products containing specified phthalates	PASS
		Sec. 103 Tracking labels for children's products	PASS
	3.	Consumer Product Safety Commission, Code of Federal Regulations Title 16 Chapter	II Subchapter B
		Part 1303(CPSC 16 CFR)	
		Part 1303—Ban of lead-containing paint and certain consumer products	PASS
		bearing lead-containing paint	
	4.	Safe Drinking Water and Toxic Enforcement Act of 1986 of California Proposition 65	
		Total Lead content	PASS
		Five phthalates(DBP BBP DEHP DnHP DIDP) content	PASS

と姓」の問題

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction

documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Approved date: Aug. 17, 2023 Page 3 / 10

W. M. A.

Sample Photo(s)

12-2409

TEST REPORT



Lelangtek authenticated the photo on original report only

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Report No. AL23080609001EN

Approved date: Aug. 17, 2023 Page 4 / 10

Test Result

1 Standard Consumer Safety Specification for Toy Safety of ASTM F963-17

1.1 Physical and mechanical test

Applicant specified age group for testing: Over 3 years of age

1.1.1 Applicable requirements for before and after normal use and abuse test

Section	Test Item	Result
4	Safety requirements	
4.1	Material Quality	PASS
4.3.7	Stuffing materials	N/A
4.5	Sound-Producing Toys	N/A
4.6.1	Toys Intended for Children under 36 Months (Small Objects)	N/A
4.6.2	Mouth-Actuated Toys	N/A
4.6.3	Toys And Games for 36 Months to 72 Months (Small Part Warning)	PASS
4.7	Accessible Edges	PASS
4.8	Projections	N/A
4.9	Accessible Points	PASS
4.10	Wires Or Rods	N/A
4.11	Nails And Fasteners	PASS
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps, and Elastics	N/A
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires and Axles	N/A
4.18	Holes, Clearance, and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.28	Stroller and Carriage Toys	N/A

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.





TEST REPORT

Approved date: Aug. 17, 2023 Page 5 / 10

Section	Test Item	Result
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chests	N/A
5	Labeling Requirements	
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	PASS
5.11	Small objects, small balls, marbles, and balloons	PASS
6	Instructional Literature	
6.1	Definition and Description	PASS
7	Producer's Markings	
7.1	Either a principal component of a toy or the package of toy shall be marked with	PASS
	the name and address of the producer or the distributor	

Note:N/A=Not applicable.

1.1.2 Normal use and abuse test

Section	Title	Test condition	
8.5	Normal Use Testing		
8.6	Abuse Testing		
8.7	Impact Tests	4×3.0 ft	
8.8	Torque Tests for Removal of Components	4 in.lbf	
8.9	Tension Test for Removal of Components	15 lbf	
8.10	Compression Tests	30 lbf	

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.







Report No. AL23080609001EN

Approved date: Aug. 17, 2023 Page 6 / 10

1.2 Flammability Test

Refer to: ASTM F963-17 Section 4.2

Test method: As per section 4.2 of the ASTM standard Consumer Safety Specification For Toy Safety F963-17, the sample was

tested according to Annex A5 flammability testing procedure for solids and soft toys.

Ignition Point	Burn length	Time	Burn Rate Limit		Test result	
Ignition Point	(inch)	(sec)	(inch/sec)	(inch/sec)	lest lesuit	
End	/	/	DNI	0.1	PASS	

Note:DNI=Did Not Ignite.

1.3 Heavy metals test

Refer to: ASTM F963-17 Section 4.3.5.1&4.3.5.2

Test method: ASTM F963-17 Section 8.3

Instrument: Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES)

1.3.1 Total lead test

1.3.1.1 Paint and Similar Surface-Coating Materials

Component No.	Total Lead(T-Pb)
1	ND
2	ND
Limit(mg/kg)	≤90

1.3.1.2 Toy Substrate Materials

Component No.	Total Lead(T-Pb)
3	ND
4	ND
5	21
Limit(mg/kg)	≤100

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.

Approved date: Aug. 17, 2023 Page 7 / 10

> 专 ting

1.3.2 Soluble element test

Report No. AL23080609001EN

Commonweat	Soluble	Soluble	Soluble	Soluble	Soluble	Soluble	Soluble	Soluble
Component	Lead	Cadmium	Mercury	Chromium	Arsenic	Selenium	Barium	Antimony
No.	(s-Pb)	(s-Cd)	(s-Hg)	(s-Cr)	(s-As)	(s-Se)	(s-Ba)	(s-Sb)
1	ND	ND	ND	ND	ND	ND	ND	ND
2	ND	ND	ND	ND	ND	ND	ND	ND
3	ND	ND	ND	ND	ND	ND	ND	ND
4	ND	ND	ND	ND	ND	ND	ND	ND
Limit	≤90	≤75	≤60	≤60	≤25	≤500	≤1000	≤60
(mg/kg)	290	273	200	200	225	2500	51000	200

Note:

(1) mg/kg = ppm=parts per million.

(2) ND = Not detected, the test result(s) is/are below the detection limit.

(3) Detection Limit : Total Lead---10mg/kg Soluble element---5mg/kg.

(4) According to ASTM F963-17, in the case where there is between 10mg and 100 mg of uniform material the mass of the test portion shall be reported in the test report and the quantity of the appropriate elements shall be calculated and reported as if 100 mg of the test portion had been used.

(5) According to ASTM F963-17, materials such as glass, metal, ceramic are exempted from soluble element test if they are not small parts.

2 Consumer Product Safety Improvement Act of 2008 (CPSIA)

2.1 Total Lead test

Refer to: CPSIA Sec. 101(a), (f)

Test method: CPSC-CH-E1001-08.3:2012,CPSC-CH-E1002-08.3:2012,CPSC-CH-E1003-09.1:2011

Instrument: Inductively Coupled Plasma Optical Emission Spectrometry (ICP-OES)

2.1.1 Total lead content in paint and surface coating

Component No.	Total Lead(T-Pb)
1	ND
2	ND
Limit(mg/kg)	≤90

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Address: Room 101-103 of 1st Floor and 2nd-3rd Floor, Building 4, No.158, Jinfeng Road, Pudong District, Shanghai, China (201201) Tel: +86 21 5838-0071 Fax: +86 21 5838-0083



Approved date: Aug. 17, 2023 Page 8 / 10

2.1.2 Total lead content in substrate

Report No. AL23080609001EN

Component No.	Total Lead(T-Pb)
3	ND
4	ND
5	21
Limit(mg/kg)	≤100

2.2 Phthalates content

Refer to: CPSIA Sec.108

DPENP

5)

Test method: CPSC-CH-C1001-09.4(2018)

Instrument: Gas Chromatography-Mass Spectrometer(GC-MS)

Component		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
No.		DEHP	DBP	BBP	DIBP	DPENP	DHEXP	DCHP	DINP
1		ND	ND	ND	ND	ND	ND	ND	ND
2		ND	ND	ND	ND	ND	ND	ND	ND
3		ND	ND	ND	ND	ND	ND	ND	ND
Limit(%)		≤0.1	≤0.1	≤0.1	≤0.1	≤0.1	≤0.1	≤0.1	≤0.1
Note:									
(1)	DEHP	1)	Bis(2-ethyl	is(2-ethylhexyl) Phthalate		CAS No. 11	No. 117-81-7		
DBP		2)	Dibutyl Phthalate			CAS No. 84	. 84-74-2		
	BBP	3)	Benzyl Buty	yl Phthalate		CAS No. 85	-68-7		
	DIBP	4)	Di-isobutyl	phthalate		CAS No. 84	-69-5		

CAS No. 131-18-0

Di-n-pentyl phthalate DHEXP 6) Di-n-hexyl phthalate CAS No. 84-75-3 DCHP Di-cyclohexyl phthalate CAS No. 84-61-7 7)

- DINP 8) **Di-isononyl Phthalate** CAS No. 28553-12-0, 68515-48-0
- (2) 0.1%=1000mg/kg, mg/kg = ppm=parts per million.

(3) ND = Not detected, the test result(s) is/are below the detection limit.

Detection Limit : Total Lead---10mg/kg, Phthalates ---50mg/kg. (4)

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



TEST REPORT

Approved date: Aug. 17, 2023 Page 9 / 10

2.3 Tracking labels

Refer to: CPSIA Sec. 103(a)

Section	Title	Result	
1	Present on package and product	PASS	
2	Permanent	PASS	
3	The manufacturer or private labeler	PASS	
4	Location of production	PASS	
5	Date of production	PASS	
6	Cohort information	PASS	

3 Consumer Product Safety Commission, Code of Federal Regulations Title 16 Chapter II Subchapter B Part 1303

Total Lead in paint and surface coating

Refer to: CPSC 16 CFR part 1303

Test method: CPSC-CH-E1003-09.1:2011

Instrument: Inductively Co	upled Plasma Optical Emis	sion Spectrometry (ICP-OES)

Component No.	Total Lead(T-Pb)		
1	ND		
2	ND		
Limit(mg/kg)	≤90		

Note:

(1) mg/kg = ppm=parts per million.

(2) ND = Not detected, the test result(s) is/are below the detection limit.

(3) Detection Limit : Total Lead---10mg/kg.

4 Safe Drinking Water and Toxic Enforcement Act of 1986 of California Proposition 65

4.1 Total Lead content

Test method: CPSC-CH-E1001-08.3:2012,CPSC-CH-E1002-08.3:2012,CPSC-CH-E1003-09.1:2011

Instrument: Inductively Coupled Plasma Optical Emission Spectrometry(ICP-OES)

Component No.	Total Lead(T-Pb)
1	ND
2	ND
3	ND
4	ND
5	21
Limit(mg/kg)	Coating materials:≤90,substrate materials:≤100

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Note: All test results are only valid for the samples being tested. This rest report shall not be reproduced except in full, without the written approval of the testing laboratory The Dates for internal quality control data reference only.



Report No. AL23080609001EN

Approved date: Aug. 17, 2023 Page 10 / 10

4.2 Five phthalates(DBP BBP DEHP DnHP DIDP) content

Test method: CPSC-CH-C1001-09.4(2018)

Instrument: Gas Chromatography-Mass Spectrometer(GC-MS)

Component	(1)	(2) BBP	(3) DEHP	(4) DnHP	(5) DIDP	
No.	DBP					
1	ND	ND	ND	ND	ND	
2	ND	ND	ND	ND	ND	
3	ND	ND	ND	ND	ND	
Limit(%)	≤0.1	≤0.1	≤0.1	≤0.1	≤0.1	
Note:						

Note:

(1)

[DBP	1)	Dibutyl Phthalate	CAS No.	84-74-2
E	BBP	2)	Benzyl Butyl Phthalate	CAS No.	85-68-7
[DEHP	3)	Bis(2-ethylhexyl) Phthalate	CAS No.	117-81-7
[DnHP	4)	Di-n-hexyl phthalate	CAS No.	84-75-3
[DIDP	5)	Diisodecyl phthalate	CAS No.	26761-40-0/68515-49-1

(2) DnHP: Di-n-hexyl phthalate(CAS No.: 84-75-3), also abbreviated DHEXP.

(3) 0.1%=1000mg/kg, mg/kg = ppm=parts per million

(4) ND = Not detected, the test result(s) is/are below the detection limit.

(5) Detection Limit : Phthalates ---50mg/kg Total Lead---10mg/kg

Test sample/component description

- 1 Black coating
- 2 Red coating
- 3 Beige plastic
- 4 Burlywood wood
- 5 Silver metal

* * * * * * * * * * * End of Report* * * * * * * * * * *

This document is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitation of liability. Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's finding at the time of its intervention only and within the limits of Applicant's instructions, if any. The Company's sole responsibility transaction documents. This documents cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

DECLARATION

- (1) The information of applicant and sample information as listed on the first page of this test report were all provided by the client. The client shall be responsible for the representativeness of sample and authenticity of materials, for which our company shall bear no responsibilities.
- (2) The test data of this test report is only responsible for the tested sample. In principle, the report issued by our company will not judge the test results, unless the customer has special requirements, our company will not bear any economic and legal responsibilities for the direct or indirect impact.
- (3) The client shall assume the risks in production, storage, drawing and transferring of sample, and our company shall not assume the risk of incorrect inspection result incurred by these activities.
- (4) The judgment method of determining the conformity in this test report is according to the measured value without considering the risk caused by uncertainty, unless otherwise clearly stipulated in special agreement, standard or specification. The client shall assume the risk caused by this judgment method, and our company shall not bear related responsibilities.
- (5) If there is any dissent to the test data by the client, please submit the written application for reexamination to the company within fifteen working days from the issue date of the report. To the test items which cannot be retested, the client may have to give up the dissent right.
- (6) The client to return the sample shall notify our company in writing in dealing with entrusting of inspection, and shall retrieve the remaining inspection sample within 30 days after receiving the test report, unless otherwise agreed upon. If the client fails to notify us of returning the sample in writing, our company is entitled to dispose of the remaining inspection sample as per our company's sample disposition stipulations 1 month after issuing the inspection report. If the sample's quality does not allow reserving, our company may immediately dispose of it after issuing the inspection report.
- (7) Lelangtek guarantees the objectivity and fairness of test, and carries out confidentiality obligations on business secrets such as business information, technical documents and so on.
- (8) This test report is invalid without the signature of the approver, special inspection stamp and paging seal of our organization, and Data erasure invalid.
- (9) This test report cannot be copied in any way without the written permission of our company. The test report which is approved to be copied is only effective after duplicated in full text and stamped by our company.
- (10) Reports of Findings are issued on the basis of information. documents and samples provided by, or on behalf of, Client and solely for the benefit of Client who is responsible for acting as it sees fit on the basis of such Reports of Findings. Neither the Company nor any of its officers, employees, agents or subcontracts shall be labile to Client nor any third party for any actions taken or not taken on the basis of such Reports of Findings nor for any incorrect results arising from unclear ,erroneous, incomplete, misleading or false information provided to the Company.
- (11) The Company shall not be labile for any delayed, partial or total nonperformance of the services arsing directly or indirectly from any event outside the Company's control, including but not limited to failure by the Client to comply with any of its obligations.
- (12) In the event of any claim of loss, damage or other reason, the compensation of the Company shall not exceed three times of the subject service charge of the subject sample in any case for loss, damage or claim of any kind.
- (13) In case of any discrepancy between the English and Chinese versions of the Terms of Service, the Chinese version shall prevail.