

AXOR Citterio

Thermostat for concealed installation with shut-off valve and lever handle

Surfaces: **Chrome** Article Number: **39700001**



Description

product features

- 1 function
- volume control for 1 outlet
- maximum flow rate at 3 bar: 22.7 l/min
- thermostat cartridge, ceramic cartridge
- safety lock at 40° C
- temperature limitation adjustable
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- connection type: basic set
- dirt filter included
- cUPC/IAPMO/3016/ cUPC mark
- MASS/Massachusetts

Product image




AXOR Citterio
Thermostat for concealed installation with shut-off valve and lever handle
 Surfaces: **Chrome** Article Number: **39700001**



Exploded Drawing

Year of production: >10/13



AXOR Citterio

Thermostat for concealed installation with shut-off valve and lever handle

Surfaces: **Chrome** Article Number: **39700001**



Spare part list

Year of production: >10/13

Pos.	Description	Article Number	PC	PU
1	noise reduction	94073000	0	1
2	set of non return valves DW 15	94074000	0	1
3	O-ring 16x2	98133000	0	1
4	set of screws	96525000	0	1
5	shut off unit right closing	94009000	0	1
6	thermostat cartridge	94282000	0	1
7	sealing set	95037000	0	1
8	holder for escutcheon	98793000	0	1
9	set of fixing screws	96454000	0	1
10	sleeve	96446000	0	1
11	sleeve	96439000	0	1
12	escutcheon	96752000	0	1
13	O-ring 29x3	98371000	0	1
14	O-Ring 48x3	95508000	0	1
15	handle	96520000	0	1
16	hollow set screw M4x8	97669000	0	1
17	adapter for handle	96451000	0	1
18	handle for thermostat	39994001	0	1
19	hollow set screw M5x10	97672000	0	1
20	pushbutton	97792000	0	1
21	adapter for handle	96435000	0	1
22	extension 22 mm	97407000	0	1
23	extension 25 mm	13595000	0	1