

# Grade 2 (GNA) & 3 (GAC) Knob Sets

Weiser

WEISER

## GNA Series

- Grade 2: Meets residential ANSI A156.2 grade
- Adjustable Latch: Knobsets include an adjustable latch for 2-3/8" or 2-3/4" door backsets.
- 4-post Shielded Construction: With a four-post zinc shielded chassis design for ease of installation and extra security against prying or kick-in attempts.

- Trim Materials: Brass inner and outer trim.
- Door Preparation: 2-1/8" diameter face hole and 1" diameter latch hole.
- Keying: 5 Pin cylinder standard.
- Brilliance Brass: Lifetime warranty against tarnishing

## GAC Series:

- As above but meets Grade 3 specifications with 2-post construction and without shield.



Mfg #	Design	Finish	Thick	EZ #
<b>GNA Passage: Latch bolt operated by knob from either side. Both knobs are always free.</b>				
GNA101B3	Beverly	Polished Brass	Std	039031
GNA101B26D	Beverly	Satin Chrome	Std	039030
GNA101B1 26D	Beverly	Satin Chrome	Thick	074428
GNA101H3	Huntington	Polished Brass	Std	039035
GNA101H3BR SLS1 ♦	Huntington	Brilliance Brass	Std	101200
GNA101H26D	Huntington	Satin Chrome	Std	039034
<b>GAC Passage: Function as Above</b>				
GAC101B9/26D	Beverly	Split	Std	035369
GAC101F3	Fairfax	Polished Brass	Std	060569
GAC101F1 3	Fairfax	Polished Brass	Thick	074443
GAC101F26D	Fairfax	Satin Chrome	Std	038915
GAC101Y3	Yukon	Polished Brass	Std	078024
<b>GNA Privacy: Push and turn knob locking inside; knob with emergency release opening outside</b>				
GNA301B10	Beverly	Satin Bronze	Std	039054
GNA301B11	Beverly	Antique Bronze	Std	039055
GNA301H3	Huntington	Polished Brass	Std	039060
GNA301H26D	Huntington	Satin Chrome	Std	039059
<b>GAC Privacy: Function as Above</b>				
GAC301B9/26D	Beverly	Split		061936
GAC301F3	Fairfax	Polished Brass		060568
GAC301F26D	Fairfax	Satin Chrome	Std	038918
GAC301Y3	Yukon	Polished Brass	Std	078025
<b>GNA Privacy: Turn button locking inside; knob with emergency release opening outside.</b>				
GNA331B26D	Beverly	Satin Chrome	Std	035381

<b>GNA Entrance: Keyed knob outside; push and turn knob locking inside. Deadlocking latch standard.</b>				
GNA501DLB26D	Beverly	Satin Chrome	Std	039069
GNA501DLB1 26D	Beverly	Satin Chrome	Thick	074430
GNA501DLH3	Huntington	Polished Brass	Std	063474
GNA501DLH1 3BR	Huntington	Brilliance Brass	Thick	074433
GNA501DLH26D	Huntington	Satin Chrome	Std	039073
GNA501DLT3	Troy	Polished Brass	Std	061701
<b>GAC Entrance: Function as Above</b>				
GAC501DLB9/26D	Beverly	Split	Std	035389
GAC501DLF3	Fairfax	Polished Brass	Std	060294
GAC501DLF1 3	Fairfax	Polished Brass	Thick	074445
GAC501DLF26D	Fairfax	Satin Chrome	Std	038927
GAC501DLF1 26D	Fairfax	Satin Chrome	Thick	074446
GAC501Y3	Yukon	Polished Brass	Std	078023
<b>GNA Entrance: Keyed knob outside; turn button locking inside. Deadlocking latch.</b>				
GNA531DLH3	Huntington	Polished Brass	Std	039085
<b>GAC Entrance: Function as Above</b>				
GAC531DLB9/26D	Beverly	Split		035394
<b>GNA Storeroom: Keyed knob outside; outside knob always rigid; inside knob always free. Deadlocking latch.</b>				
GNA581DLB3	Beverly	Polished Brass	Std	039092
GNA581DLB 26D	Beverly	Satin Chrome	Std	039091
GNA581DLH3	Huntington	Polished Brass	Std	039095
GNA581DLH26D	Huntington	Satin Chrome	Std	039094
<b>GAC Storeroom: Function as Above</b>				
GAC581DLB9/26D	Beverly	Split	Std	061699
♦ With Stainless Steel Latch, Thickness: Std (1-3/8" to 1-3/4", Thick (1-3/4" to 2-1/4"), Finish: (Split: Satin Chrome Knob with Polished Bronze Insert)				




## WEISER Lever Sets

- Grade 2: Meets residential ANSI A156.2 grade
- Adjustable Latch: Levers include an adjustable latch for 2-3/8" or 2-3/4" door backsets.

- 4-post Shielded Construction: With a four-post zinc shielded chassis design for ease of installation and extra security against prying or kick-in attempts.

- Trim Materials: Brass inner and outer trim.
- Door Preparation: 2-1/8" diameter face hole and 1" diameter latch hole.
- Keying: 5 Pin cylinder standard.

- Brilliance Brass: Lifetime warranty against tarnishing.

Mfg #	Design	Finish	Hand	EZ #
Passage: Latch bolt operated by lever from either side, both levers always free				
GLA101CLH3	Corsair	Polished Brass	LH	035371
GLA101CRH3	Corsair	Polished Brass	RH	035372
GLA101D26D	Dane	Brushed Chrome		039007
GLA101G3	Galiano	Polished Brass		039010
GLA101G26D	Galiano	Brushed Chrome		039009
GLA101K3	Kim	Polished Brass		035373
GLA101K3/W	Kim	Split Type 1		039011
GLA101K3BR FD SLS1 	Kim	Brilliance Brass		076034
GLA101K26D	Kim	Brushed Chrome		035374
GLA101K26D B FD SLS1 	Kim	Brushed Chrome		076033
Dummy Trim: Single lever, wood screw mounting.				
GLA12CRH34	Corsair	Split Type 2	RH	039014
Privacy: Turn button locking inside; lever with emergency release opening outside.				
GLA331K26D	Kim	Brushed Chrome		035434
 20 Minute Fire Rating, Finish: (Split Type 1: White Enameled Knob with Polished Brass Insert)(Split Type 2: Polished Brass with Brushed Brass Insert				



## Single & Double Cylinder Deadbolts


Mfg #	Finish	Thickness	EZ #
<b>Double Cylinder: Deadbolt operated with key on interior and exterior trim.</b>			
GD9371X3	Polished Brass	Std	035409
GD9371X9	Polished Bronze	Std	035413
GD9371X26D	Brushed Chrome	Thick	035412
GD9471X 1 3	Polished Brass	Thick	035419
GD9471X1 3BR	Brilliance Brass	Std	074435
<b>Single Cylinder: Deadbolt operated with key on exterior trim and thumb turn on interior trim.</b>			
GD9471X3	Polished Brass	Std	035417
GD9471X5	Antique Brass	Std	035421
GD9471X9	Polished Bronze	Std	035422
GD9471X26D	Brushed Chrome	Std	035418



- Deadbolts features a 1" projection deadbolt with a 1/4" hardened steel roller to resist sawing and prying.
- Has heavy duty strike plates with 3" mounting screws to resist impact blows and two heavy duty 1/4" mounting screws to secure the deadbolt to the door.
- Meet ANSI A156.5 Grade II.
- Adjustable bolt: For 2-3/8" or 2-3/4" door backsets.
- Trim Materials: Brass inner and outer trim.
- Chassis Materials: Zinc security housing.
- Thickness: Std (1-3/8" to 1-3/4"), Thk (1-3/4" to 2-1/4")


Mfg #	Finish	EZ #
GD4471 3	Polished Brass	035405
GD4471 26D	Satin Chrome	035406

## Heavy Duty GD4471 Series WEISER Deadbolts



- Deadbolts features a 1" projection deadbolt with a 1/4" hardened steel roller to resist sawing and prying.
- Has heavy duty strike plates with 3" mounting screws to resist impact blows and two heavy duty 1/4" mounting screws to secure the deadbolt to the door.
- ANSI A156.5 Grade II.
- Adjustable bolt: For 2-3/8" or 2-3/4" door backsets.
- Trim Materials: Brass inner and outer trim.
- Chassis Materials: Solid brass security housing.
- Thickness: 1-3/4" to 2-1/4"


## Specialty Auxillary Locks



**GD841**


- Adjustable backset 2 3/8" or 2 3/4" with a 1/2" deadlocking latch protection.
- Latches are provided with a deadlocking mechanism to guard against slipping of the latch.

Emergency Key for GD9771	
Mfg #	EZ #
WA9159 BP	069161



**GD9671**

Half door bore 1-1/2" (38.10mm) diameter face hole only. Nothing on exterior door. Deadbolt operated by thumb turn on interior of door.




**GD9771**

Message display panel on exterior trim and thumb turn on interior trim. No keyed cylinder

Mfg #	Description	Finish	Thickness	EZ #
GD841DLX3	Deadlatch Unit	Polished Brass	Std	038958
GD841DLX1 3BR	Deadlatch Unit	Brilliance Brass	Thick	074447
GD841DLX26D	Deadlatch Unit	Satin Chrome	Std	035399
GD9671 3	Exit Bolt	Polished Brass	Std	035427
GD9671 26D	Exit Bolt	Satin Chrome	Std	035429
GD9771 26D	Indicator Bolt	Satin Chrome	Std	039000
Thickness: Std (1-3/8" to 1-3/4"), Thick (1-3/4" to 2-1/4")				

**1963**




- Pressure cast aluminum alloy.
- Tempered steel guide plates.
- Guided drill boring jig with built-in bits
- Precision tool that eliminates need for template markings.

### 1598 Marking Tool Set Includes:

- A8599-2 Strike Locator Tool
- A8924 2-1/4" x 1" Latch Tool
- A8925 2-1/4" x 1-1/8" Latch Tool
- A8930 2-3/4" x 1-1/8" Strike Tool
- A8599-2 Strike Locator

**A8599 2**



**A8924**

## Installation Tools

Mfg #	Description	EZ #
1963	Boring Jig	035464
1598 [WEIS]	Marking Tool Set	035456
A8599 2	Strike Locator	035501
A8924	2-1/4" x 1" Latch Marking Tool	035502
A8925	2-1/4" x 1-1/8" Latch Marking Tool	038904



## WEISER Keying Tools



### 1418 Keying Kits with Tools


- Keying kit includes 100 each of bottom pins, springs, assorted tail-pieces, retaining rings and keying instructions.
- Tool kit includes tru-arc ring pliers, pin tweezers, plug follower, cap tool, shim pick, key depth gauge and cut depth keys.

Mfg #	Size	EZ #
Top Pins		
8553 0 [WEIS]	0	035482
8553 1 [WEIS]	1	035483
8553 2 [WEIS]	2	035484
8553 3 [WEIS]	3	035485
8553 4 [WEIS]	4	035486
8553 5 [WEIS]	5	035487
8553 6 [WEIS]	6	035488
8553 7 [WEIS]	7	035489
8553 8 [WEIS]	8	035490
8553 9 [WEIS]	9	035491

Mfg #	Size	EZ #
Bottom Pins		
8580 2 [WEIS]	2	035493
8580 3 [WEIS]	3	035494
8580 4 [WEIS]	4	035495
8580 5 [WEIS]	5	035496
8580 6 [WEIS]	6	035497
8580 7 [WEIS]	7	035498
8580 8 [WEIS]	8	035499
8580 9 [WEIS]	9	035500
Cylinder Springs		
8554 [WEIS]		035492

Mfg #	Description	EZ #
1029	Cap Tool	035446
12613	Key Gauge	038821
1418	Keying Tool Kit	035447
1421	Plug Follower	035450
1425 [WEIS]	Shim Pick	035451

## Replacement Knobs



A11119B

Mfg #	Type	Series	Design	Finish	EZ #
A10781H26D	Inner Knob	GNA501	Huntington	Satin Chrome	038857
A10781H3	Inner Knob	GNA501	Huntington	Polished Brass	083100
A10811H3	Inner Knob	GNA501 Pre 95	Huntington	Polished Brass	038859
A11119B 9/26D	Inner Knob	GAC501	Beverly	Split	035470
A4502F 3	Inner Knob	GAC501	Fairfax	Polished Brass	065139

## Gripset Mechanisms & Longer Spindle & Posts



WA05602

Mfg #	Description	Series	EZ #
A1133	Gripset Mechanism	WA9471 Pre 95 2 Post	038861
5533	Extension Posts	GAC & GNA Series	035475
A6459	Gripset Mechanism	WA9471 95-05 4 Post	035506
WA05602	Gripset Mechanism	WA9471 05-Current 4 Post	090847

## Escutcheon




1644

- Dimensions: 9" x 3"
- Centers 3-3/4"
- Holes: Top 1-1/2", Bottom 2-1/8"
- Satin Chrome

Mfg #	EZ #
1644 26D	035461

## Pocket Lock



1031

- For doors 1 3/8" to 1 5/8"
- For cutouts of 2-3/4" x 2-1/2"
- Privacy locking turn button inside, emergency release outside.
- Finish: Antique Brass

Mfg #	EZ #
10315	038816

## Roller Latch



Mfg #	EZ #
A51000200	038880

## Deadbolt Tailpieces & Parts

# WEISER

Mfg #	Description	Series	EZ #
169941	Extra Long Tailpiece	GD9471X	038842
169942	Standard Tailpiece	GD9471X	038843
169951	Extra Long Tailpiece	GD9371X	038844
12166 200	Retaining Pin Spring for 14889D Cylinder	GD9000	039779
14889D	5 Pin Cylinder	GD9471X	038834




## Replacement Latches

Mfg #	Type	Finish	Series	EZ #
A50469D	Adjustable Drive-in Dead Latch		GNA, GAC, GLA, WKL, 171, 501, 521, 531, 581	035508
A52460D4	Adjustable Dead Latch with Faceplate	Satin Brass		038888
A52460D10		Satin Bronze		038886
A52460D26		Satin Chrome		038887
A52450D4	5" Deadlatch with Faceplate	Satin Brass		035512
A50869	Adjustable Drive-in Spring Latch		GNA101/301/331, GA101/301/331, GLA101/331, WPA101/331, WPL101/331,	038879
A52860 4	Adjustable Spring Latch with Faceplate	Satin Brass		038891
A52860 10		Satin Bronze		038889
A52860 26		Satin Chrome		038890
A52850 4	5" Delrin Spring Latch with Faceplate	Satin Brass		038884
W13634 1 26D	Faceplate Only	Satin Chrome	A50469D Deadlatch	088372
W13634 1 4		Satin Brass		088373



## Replacement Bolts

Mfg #	Type	Finish	Series	EZ #
A62460D4	Adjustable Latch	Brushed Brass	GD841	038900
A74450	5" Bolt		GD9000X, Upper for Sectional Handlesets	035515
A74460 4	Adjustable Bolt with Faceplate	Brushed Brass		038901
A76469	Adjustable Drive-in Bolt			035516



## Solid Brass Keyblanks

Mfg #	Pins	Material	EZ #
1783A	5	Brass	061030
WA1559	6	Brass	087988

