

BIOADVANCED®
SCIENCE-BASED SOLUTIONS

WEED & GRASS KILLER

READY-TO-USE

**FAST & POWERFUL
ROOT KILL
ACTION**

Rainproof in 10 minutes
Visible results in 3 hours

KEEP OUT OF REACH OF CHILDREN
CAUTION See back booklet for additional
precautionary statements
NET CONTENTS 24 FL OZ (709ml)

Active Ingredient:
Glufosinate-Ammonium*.....0.5%
Other Ingredients.....99.5%
Total.....100.00%
*Equivalent to 0.04 pound of active ingredient per U.S. gallon
501437874a 200626V2





WEED & GRASS KILLER

READY-TO-USE

Proven results. Not all weed killers are the same.
MAKE THE SWITCH.

PLANTS CONTROLLED

ALL TYPES
OF WEEDS



ALL TYPES
OF GRASSES



WHERE TO USE

AROUND TREES
& SHRUBS



PATIOS



DRIVEWAYS
& WALKWAYS



ALONG FENCES &
FOUNDATIONS



FLOWER
BEDS



WHAT TO KNOW

WATER-BASED
FORMULA



KILLS
THE ROOT



KILLS ON
CONTACT



ALWAYS READ & FOLLOW LABEL DIRECTIONS. FOR OUTDOOR RESIDENTIAL USE ONLY
Indicaciones en español después de las de inglés



FOR QUESTIONS
OR COMMENTS?

Call toll-free
(877) 229-3724
or visit us online at
www.bioadvanced.com



6 87073 04197 2

501436302 200628V2

¹Or your money back.

PEEL
HERE

HOW IT WORKS: This product enters plants through foliage and moves systemically to the roots, killing weeds by stopping the function of a substance found in plants. Any product not absorbed by plants will be deactivated after it hits the soil. Weeds begin to yellow and wilt within 3 hours with complete kill in 1 to 2 weeks.

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always read and follow label directions.

USE RESTRICTIONS

1. **DO NOT** spray plants or grasses you like – they will die. Not for spot weed control in lawns since this product kills lawn grasses.
2. **DO NOT** apply more than 112.5 gallons (4.5 lbs ai) per acre per year.
3. **DO NOT** apply more than 37.5 gallons (1.5 lbs ai) per acre per application.
4. **DO NOT** apply more than a total of 3 broadcast applications per year.
5. The minimum retreatment interval is 5 days.

WHEN TO APPLY

- Use anytime weeds and grasses are actively growing.
- For best results, apply during warm, sunny weather above 60° F to accelerate systemic movement from foliage to roots. Product is effective when applications are made under cool and cloudy conditions as low as 50° F.
- Spray when air is calm to prevent drift to desirable plants.
- **RAINPROOF:** Rain or watering 10 minutes after application will NOT wash away effectiveness

WHEN TO REPLANT

- All ornamental flowers, trees and shrubs may be planted **1 day after** application.
- Herbs, vegetables and fruits may be planted **3 days after** application.

FOR FLOWERBED AND GARDEN PREPARATION

Use this product to kill weeds, grasses and brush before planting flowers, fruits, vegetables, trees or shrubs.

- If soil is dry, water before application and 2 to 3 days after application.
- Apply evenly over treatment area.
- Wait 4 to 6 days for product to kill plants then cleanup plant refuse and till soil.
- Wait 1 to 3 days after last application before planting garden, flowers, trees and shrubs.

TO KILL VINES

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.

- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and tree trunks from spray drift with a piece of cardboard or plastic.

KUDZU

For best results, apply in mid to late summer when vines are mature and actively growing.

WILD BLACKBERRY

Spray anytime plants are actively growing. Dead canes must be cut down and removed. Reapplication is often required to kill deep roots.

POISON IVY & POISON OAK

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

KILLS ALL TYPES OF WEEDS AND GRASSES

Bahiagrass	Dog Fennel	Pennywort
Bentgrass	Evening Primrose	Perennial Ryegrass
Bermudagrass	False Dandelion	Primrose
Bindweed	Fennel	Prostrate Spurge
Black Medic	Fescue	Puncture Vine
Blue Toadflax	Fiddleneck	Quackgrass
Bluegrass	Filaree	Ragweed
Brassbuttons	Florida Pusley	Sandspur
Broadleaf Plantain	Garden Spurge	Shepherdspurse
Bromegrass	Henbit	Smooth Cat's Ear
Bur Clover	Johnsongrass	Sowthistle
Canada Thistle	Knotweed	Spotted Spurge
Chickweed	Lambsquarters	St. Augustinegrass
Crabgrass	Little Bitter Cress	Tall Fescue
Common Plantain	London Rocket	Tansy Ragwort
Common Groundsel	Maiden Cane	Torpedograss
Creeping Bentgrass	Mallow	White Clover
Creeping Charlie	Mayweed	Whitetop
Creeping Beggarweed	Mouseear Chickweed	Wild Morning Glory
Curly Dock	Nimblewill	Wild Barley
Dandelion	Oldenlandia	Yellow Nutsedge
Diffuse Lovegrass	Orchardgrass	(Nutsedge)
	Oxalis	Zoysia
	Pennsylvania Smartweed	

NOTE: Well established difficult to control weeds, including Bermudagrass, Nimblewill, Dandelion, or Canada Thistle may require a repeat application.

HOW TO USE

Adjust nozzle. Spray weeds you want to kill.



FIRST AID

IF IN EYES • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. **HOT LINE NUMBER:** Have the product container or label with you when calling poison control center or doctor, or going for treatment. For 24-Hour Emergency Assistance spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.
Active ingredient: 0.5% Glufosinate-Ammonium

PRECAUTIONARY STATEMENTS



Hazards to Humans and Domestic Animals

CAUTION Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. **DO NOT** allow people or pets to enter treated area until sprays have dried.

PHYSICAL OR CHEMICAL HAZARDS **DO NOT** mix or allow contact with oxidizing agents, as a hazardous chemical reaction may occur.



ENVIRONMENTAL HAZARDS To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.



STORAGE AND DISPOSAL

PESTICIDE STORAGE Rotate nozzle to closed position. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using. **PESTICIDE DISPOSAL AND CONTAINER HANDLING**

Non-refillable container. **DO NOT** reuse or refill this container. **If Empty:** Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CÓMO FUNCIONA: Este producto ingresa a las plantas a través del follaje y se mueve sistemáticamente hacia las raíces y mata las malezas al detener la función de una sustancia que se encuentra en las plantas. Todo producto que las plantas no absorban se desactivará cuando llegue a la tierra. Las malezas comienzan a ponerse amarillas y marchitas en 3 horas y mueren completamente en 1 a 2 semanas.

INDICACIONES DE USO Constituye una violación a la ley federal usar este producto de manera diferente a lo establecido en esta etiqueta. Siempre lea y siga las instrucciones de la etiqueta.

RESTRICCIONES DE USO

1. **NO** rociar plantas o césped que sean de su agrado - van a morir. No usar para controlar malezas al azar ya que este producto mata las gramíneas para césped.
2. **NO** aplicar más de 112.5 galones (4.5 libras del ingrediente activo) por acre por año.
3. **NO** aplicar más de 37.5 galones (1.5 libras del ingrediente activo) por acre por aplicación.
4. **NO** aplicar más de un total de 3 aplicaciones por difusión por año.
5. El intervalo de tratamiento mínimo es de 5 días.

CUÁNDO APLICAR

- Usar en todo momento en que las malezas y la paja estén en crecimiento activo.
- Para lograr mejores resultados, aplicar durante clima cálido y soleado por encima de los 60° F para acelerar el movimiento sistémico desde el follaje hacia las raíces. El producto es efectivo cuando las aplicaciones se hacen en condiciones de clima fresco y nublado de 50° F.
- Cuando el aire está calmo para evitar que se esparza en plantas que queremos conservar.
- **PROTECCIÓN CONTRA LA LLUVIA:** La lluvia o el riego 10 minutos después de la aplicación NO quitará su efectividad

CUÁNDO VOLVER A PLANTAR

- Podrá plantar todo tipo de flores ornamentales, árboles y arbustos **1 día después** de la aplicación.
- Podrá plantar todo tipo de hierbas, vegetales y frutas **3 días después** de la aplicación.

PARA PREPARACIÓN DE CANTEROS Y HUERTAS

Use este producto para matar hierbas malas, malezas y paja antes de plantar flores, frutas, vegetales, árboles y arbustos.

- Si el suelo está seco, riegue antes de aplicar el producto y 2 a 3 días luego de su aplicación.
- Aplicar de manera pareja sobre el área a tratar.
- Espere entre 4 y 6 días para que el producto mate las plantas luego limpie los restos de las plantas y are el suelo.
- Espere de 1 a 3 días luego de la última aplicación antes de plantar flores, árboles y arbustos de jardín.

PARA MATAR ENREDADERAS

- Si las enredaderas están creciendo en postes, verjas o troncos de árboles con corteza madura, corte las enredaderas a una altura de 3 a 4 pies y rocíe bien sobre las enredaderas.
- Si las enredaderas han trepado a los troncos de arbustos y árboles, corte las enredaderas en la base y trátelas como se indica para cepas o rocíe sobre nuevos crecimientos. Si rocía un nuevo crecimiento, proteja los arbustos y los troncos de los árboles del rocío con un trozo de cartón o plástico.

KUDZU

Para obtener mejores resultados, aplicar a mediados o fines del verano cuando las enredaderas están maduras y en crecimiento activo.

ZARZAMORA SILVESTRE

Rocíe en cualquier momento en que las plantas están en crecimiento activo. Las cañas muertas deben cortarse y quitarse. Vuelva a aplicar con tanta frecuencia como sea necesaria para matar la raíz.

ROBLE VENENOSO Y HIEDRA VENENOSA

El contacto con estas plantas en cualquier momento del año puede causar una reacción alérgica. Rocíe en cualquier momento las plantas que tengan un crecimiento activo, pero al menos 4 semanas antes de la primera helada del otoño. Volver a aplicar si aparecen nuevos brotes. Sostener las plantas muertas con guantes de goma. Desechar las plantas y los guantes de goma en una bolsa de basura bien sellada.

MATA TODO TIPO DE MALEZAS Y PAJA

Hierva bahía	Lengua de vaca	Sorgo de halepo
Agrostis	Diente de león	Mallow
Pasto Bermuda	Pastón llorón	Manzanilla hedionda
Corregüela	Manzanilla cimarrona	Oreja de ratón pamplina
Mielga negra	Primulas de la noche	Nimblewill
Sapo azul	Diente de león falso	Oldenlandia
Pasto azul	Hinojo	Pata de gallo
Botones de latón	Cañuela	Oxalis
Plátano de hoja ancha	Ortigailla	Persicaria pensylvanica
Bromus	Filaree	Paragüitas
Trébol de carretilla	Ipecacuana Florida	Raigrás perenne
Cardo de Canadá	Lechosilla	Onagra
Oreja de ratón	Ortiga muerta	Euforbia
Zácate cangrejo	Gramma Johnson	Abrojo
Plátano común	Lengua de pájaro	Gramma del norte
Senecio común	Quinoa blanca	Ambrosia
Agrostis stolonifera	Mastuerzo amargo	Zacate cadillo
Creeping Charlie	Mostacilla común	
Pega-pega		

Bolsa de pastor	Festuca alta	Gloria de la mañana salvaje
Oreja de gato común	Brujilla salvaje	Cebada
Agrilla	Torpedograss	Coyolito (juncia real)
Oreja de gato manchada	Trébol blanco	Zoysia
Pasto de San Agustín	Cardaria draba	

NOTA: Puede ser necesario repetir una aplicación en caso de malezas arraigadas y difíciles de controlar como el pasto Bermuda, nimblewill, diente de león o cardo de Canadá.

CÓMO USAR

Ajustar la boquilla. Rociar las malezas que dese matar.



PRIMEROS AUXILIOS SI ES EN LOS OJOS

- Mantener los ojos abiertos y enjuagar lentamente y cuidadosamente con agua durante 15 o 20 minutos.
- Quitar los lentes de contacto, si los tuviera, después de los primeros 5 minutos, luego continuar lavando.
- Llamar al centro de control de envenenamiento o al médico para asesoramiento sobre el tratamiento.

NÚMERO DE LÍNEA DIRECTA: Tenga el contenedor o etiqueta del producto con usted cuando llame al centro de control de envenenamiento o al médico, o cuando vaya para recibir tratamiento. Para asistencia las 24 horas en caso de emergencia, derrame, incendio, exposición o accidente, llame a CHEMTREC 1-800-424-9300.

Ingrediente activo: Glufosinato de amonio al 0.5%

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

DECLARACIONES DE PRECAUCIÓN



Riesgos para seres humanos y animales domésticos

PRECAUCIÓN Causa irritación moderada en los ojos. Evitar contacto con los ojos o ropa. Lavar cuidadosamente con agua y jabón luego de manipularlo y antes de comer, beber, masticar goma de mascar, usar tabaco o ir al baño. **NO** permitir que las personas y las mascotas vuelvan a ingresar al área tratada hasta que el rocío se haya secado.

RIESGOS QUÍMICOS O FÍSICOS

NO mezclar o permitir contacto con agentes oxidantes, ya que puede ocurrir una reacción química peligrosa.



RIESGOS AMBIENTALES

Para proteger al medio ambiente, **NO** permitir que el pesticida ingrese o corra por los drenajes de tormenta, drenaje de aguas pluviales, canaletas o aguas superficiales. Aplicar este producto en clima calmo cuando no haya pronóstico de lluvia en las próximas 24 horas para asegurar que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento.



ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA Rote la boquilla a la posición de cerrado. Almacene el producto en el envase original en un lugar seguro lejos de la luz directa del sol. Evite el congelamiento. Si se congela, dé tiempo para que se derrita y agite bien antes de usar.

ELIMINACIÓN DEL PESTICIDA Y MANIPULACIÓN DEL CONTENEDOR Contenedor no rellenable. **NO** rellenar o volver a usar este contenedor.

Si está vacío: Colocar en la basura para su reciclado si fuese posible.

Si está parcialmente lleno: Llamar a la agencia local de desechos sólidos para recibir instrucciones sobre su eliminación. Nunca colocar el producto sin usar en un drenaje de salida o de entrada.

NOTA: Hasta donde corresponde a la ley vigente, el comprador asume toda responsabilidad por la seguridad y uso que no corresponda con las instrucciones.

Garantía de devolución de dinero: Si usted no está satisfecho con este producto, gustosamente le reembolsaremos el monto original del precio de compra.

EPA Reg. No. 42750-383-92584 EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package. (65) = 92584-7141 (57) = 07105-04-003 (42) = 8745-04-01
501436392a 20062692 Product of China. Formulated in the US. Distributed by SBM Life Science Corp., 1001 Winstead Drive, Suite 500, Cary, NC 27513

BIOADVANCED® SCIENCE-BASED SOLUTIONS WEED & GRASS KILLER READY-TO-USE



FIRST AID IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling poison control center or doctor, or going for treatment. For 24-Hour Emergency Assistance spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

Active ingredient: 0.5% Glufosinate-Ammonium

PRECAUTIONARY STATEMENTS



Hazards to Humans and Domestic Animals CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

DO NOT allow people or pets to enter treated area until sprays have dried.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT mix or allow contact with oxidizing agents, as a hazardous chemical reaction may occur.



ENVIRONMENTAL HAZARDS

To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

BioAdvanced® is a registered trademark of SBM Life Science Corp.

PRESS TO RESEAL