

## Archer® | K-2355

20" rectangular undermount bathroom sink

### Features

- Classic rectangular basin
- Overflow drain
- No faucet holes; requires wall- or counter-mount faucet
- Coordinates with other products in the Archer collection



### Sustainability



### Available Colors/Finishes

*Color tiles intended for reference only.*

- |    |               |
|----|---------------|
| 0  | White         |
| 96 | Biscuit       |
| 95 | Ice Grey      |
| 7  | Black Black   |
| 71 | Seafoam Green |
| 97 | Timberline    |



## Codes/Standards

ADA, CSA B651 compliant when installed to the specific requirements of these regulations.

ADA    CSA B651

ASME A112.19.2/CSA B45.1  
ADA  
ICC/ANSI A117.1  
CSA B651

## Technical Information

With Overflow:	Yes
Drain Hole Diameter:	1-3/4" (44 mm)
Basin Configuration:	Single Bowl
Basin Length:	17-5/8" (448 mm)
Basin Width:	13" (330 mm)
Basin Depth:	5-7/8" (149 mm)

## Material

- Vitreous china

## Recommended Products/Accessories

K-23726 Drain treatment  
K-23725 Cast iron cleaner




## Warranty

See website for detailed warranty information.

KOHLER® Vitreous China Bathroom Sink Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
3-30-2026 21:2 - US-CA



## Installation

- Undermount

## Installation Notes

*Install this product according to the installation instructions.*

NOTICE: Countertop manufacturer or cutter must use the cut-out template provided with the product, or a current one provided by Kohler Co. (call 1-800-4-KOHLER). Kohler Co. is not responsible for cutout errors when the incorrect cut-out template is used.

Product dimensions are nominal and may vary per ASME A112.19.2 tolerances.

ADA, CSA B651 compliant when installed to the specific requirements of these regulations.

