




Summerwood Craftsman Arbor



GETTING STARTED

First off, allow us to say thank you for the investment you have made in our fine Arbor. This Arbor is designed to be assembled and installed ideally by two people with basic carpentry knowledge and tools. Do not attempt alone, especially during the installation stage. When assembling components, place on a non-abrasive surface (ie: shipping box) to avoid scratching. We recommend a 15' x 15' area for unobstructed assembling. You should not need to use excessive force when assembling any components.


TOOLS YOU WILL NEED







TOOLS YOU MAY NEED



CAUTION: DO NOT HANG OTHER MATERIALS OR OBJECTS FROM RAFTERS OR BEAMS.

Please take the time to read this instruction guide thoroughly prior to the construction of your arbor. If you have any questions, feel free to contact our technical dept by calling

North America: 1 800 282 9346 (Mon. to Fri. 8:00 A.M. to 5:00 P.M. EST).




IN THIS GUIDE


MATERIALS OVERVIEW	4
MATERIALS BREAKDOWN	5
DISTANCE BETWEEN MOUNTING POSTS	6
INSTALLING RAILS AND BRACES	7
INSTALLING SECOND POST AND SECOND PAIR OF BRACES	8
GUIDE ARBOR PANELS OVER INSTALLED MOUNTING POSTS	9
BEAM AND BEAM ENDS ASSEMBLY/ ATTACHMENT	10
ATTACHING RAFTER TO BEAM	11
TIGHTEN ALL SCREWS ON BOTH SIDES	12



MATERIALS OVERVIEW

- 1. 12010 Beam (x2)
- 1 1/2" x 5" x 88" (3.81 x 12.7 x 223.52cm)
- 2. **12011 Rafter (x9)** 11/4" x 5" x 64" (3.17 x 12.7 x 162.50cm)
- 3. **12102 Beam End (x4)** 11/2" x 5" x 23 3/4" (3.81 x 12.7 x 60.32cm)
- 4. **12014 Brace (x8)** 1 1/4" × 5" × 34" (3.17 × 12.7 × 86.52cm)
- 5. **12015 Rail (x4)** 11/2" x 5" x 32" (3.81 x 12.7 x 81.28cm)
- 6. 12013 Right Post (x2)
 5" x 5" x 85" (12.7 x 12.7 x 215.90cm)
 7. 12042 Left Post (x2)
 - 5" x 5" x 85" (12.7 x 12.7 x 215.90cm)






40."


101.60 cm

MATERIALS BREAK DOWN



Step 1


DISTANCE BETWEEN MOUNTING POST




Step 2

INSTALLING RAILS AND BRACES INTO POST

Please Note: Do not fully insert all screws. Wait till last step to adjust where needed, then screw fully!






Step 3


INSTALLING SECOND POST AND SECOND PAIR OF BRACES


Repeat steps 2 and 3 for second arbor panel







GUIDE ARBOR PANELS OVER INSTALLED MOUNTING POST





All screw heads need to be facing the inside of the arbor.






BEAM AND BEAM ENDS ASSEMBLY/ ATTACHMENT

Step 5


Step 6 Attaching rafters to beam



Angle screws on both sides when drilling rafter into beam



TIGHTEN ALL SCREWS ON BOTH SIDES



We're here for you.

If you have any questions at all, don't hesitate to contact us.

NORTH AMERICA TOLL FREE

1-800-282-9346

Visit our website to chat with a support technician.

wearevita.com

