


Ok, let's
get started!

This is easy.
You don't have to be a DIY
expert to assemble this product.
Just follow our instructions and
you will have a show-off worthy
addition in no time.



15-20 min.

estimated
installation time



2+

people required



what to do


- Put on mood music!
- To prevent damage to product, use the clean side of package carton or rug as working surface for assembly.
- **While assembling the product, tighten the bolts up to 50%. Once all parts in place, only then fully tighten the bolts.**

care guide


- Clean regularly with a soft and dry cloth.
- To protect finish, avoid use of abrasive cleaners.
- Wipe up spills immediately. Please!




what's included



(E)-Flat Washer (Ø20mmxØ8mm),
14x




(F)-Lock Washer (Ø15mmxØ8mm),
14x



(G)-Screw (M8X20mm),
14x




(H)-Screw (M6X10mm),
12x




(I)-Allen Key (Ø4mmx110mm,),
1x



A
Table Top




B-Left
Left Metal Leg




B-Right
Right Metal Leg

product parts



C
Metal Rod




D
Metal Base

assembly instructions

Friendly Tip: Take a deep breath going in. This may be a tricky part, but nothing too overwhelming. Just follow these steps to the T and the outcome will be worth it!


step 1:

To set the base of the table, join the table legs (B-Left & B-Right) with the metal rod and base (C & D). Turn the table legs (B-Left & B-Right) upside down and insert the metal rod (C) and metal base (D) as shown in this image. Ensure there is no space in between the areas joined.




step 2:

To set the table frame, see the highlighted areas in red to know where to tighten the Screws (H). Using the Allen Key (I) tighten all Screws (H) to join metal rod and base (C & D) to the table legs (B-Left & B-Right).




step 3:

Next, turn the table top (A) upside down and set the metal base on top of it as shown in this image.




step 4:

See the areas highlighted in red to know where to tighten screws (G) and washers (E & F).




step 5:

Place them on top of each other (F on top of E & G on top of F). Using the Allen Key, tighten all screws (G) to fix the base to the table.




step 6:

Pull on the ribbon to open the drawer.




step 7:

Using the Allen Key (I), detach the handle fitted inside the drawer.



step 8:

Place the handle outside the drawer and re-attach using the screws that you just removed and tighten using the Allen Key (I).



Voila! Your desk is now assembled and secure!

you've
got
a home
with us



to err is human

Drop-tested packing, double-checks, experienced craftspeople, high-end materials- we keep everything in mind to ensure your furniture arrives at your doorstep without any problems. But mistakes can sometimes happen because, well, to err is human. So, in the event of missing parts, delivery problems, damaged parts, please reach out to our team. We will be happy to fix the problem!