

Attention:

Do not remove the bindings holding the two extension arms until fully assembled. These are spring-loaded and can cause serious injury if allowed to spring free.











Attention:

Read this instruction manual carefully and completely before mounting and usage. Keep this manual for future reference.

Dear Customer:

Congratulations and thank you for buying an awning from us. To enjoy this product for a long time and for your own and the safety of other people please obey the mounting instructions.

Before you start mounting and using the awning, please get familiar with this product. Make sure all parts listed up in below packing lists are delivered and intact. If you find that there are parts missing or damaged please do not install the awning but contact after service . Do not start the mounting if parts are missing.





STOP










**MISSING A PART?
CALL US BEFORE GOING
BACK TO THE STORE**

Please have the following information ready when you make your call:













- Model Number of the product located on the front of the assembly manual
 - Description of the part from the parts list
-


- Read entire assembly manual, paying special attention to the important tips and safety information .
- Ensure there are no missing pieces by first separating and identifying all parts.
- Make sure to check packing material for small parts that may have fallen out during shipment.
- Structures are not intended for public use. The Company does not warranty any of its residential structures subjected to commercial use such as: Daycare, Preschool, Nursery School, Recreational Park, or any similar Commercial Application.
- This manual contains helpful information concerning assembly preparation, installation procedure and required maintenance.
- Always keep safety in mind as your structure is being built.
- Keep these instructions for future reference.

HARDWARE

J  2PCS	K-1  1PC	K-2  1PC	L  2PCS	P  4PCS
S  8PCS	M  2PCS	T  2PCS	N  4PCS	

PARTS


A-1  1PC	A-2  1PC	B-1  1PC
B-2  1PC	C-1  1PC	C-2  1PC
D-1  1PC	D-2  1PC	E  1PC
F  1PC	G  3PC	H  1PC




A-1 X1

A-2 X1


S X4




Connect roller tubes "A-1"& "A-2"



Insert roller tube "A-2" into "A-1"
and connect them with screws "S"




Complete the connection to be a
complete roller tube "A"




C-1 X1

C-2 X1


S X2




Connect front bars "C-1"& "C-2"



Insert front bar "C-2" into "C-1"
and connect them with screws "S"
Do not forget to tighten all the
screws



Complete the connection to
be a complete front bar "C"



B-1 X1

B-2 X1



D-1 X1

S X2




Attention:
Do not remove the bindings holding the two extension arms until fully assembled. These are spring-loaded and can cause serious injury if allowed to spring free.

Connect parts "B-1" and "B-2"



Connect steel square tubes with screws "S"




Put the square tube "B-1" into the part
"D-1" and tighten the screws on part "D-1"

G X3




E X1

F X1

Plastic rope "G" should be through into fabric "E" and flap "F"



Thread the fabric into the groove of the tube







J X2

P X4

K-1 X1


K-2 X1

Put parts "P" into groove of roller tube, 1pc on the left and right ends and tighten the screws



Put parts "J" and "P" into left groove of front tube, then tighten the screws on the "P"

Insert the plug "K-1" into front tube, a wooden hammer tool can be used to help with installation.






Put parts "J" and "P" into right groove of front tube, then tighten the screws on the "P"


Insert the plug "K-2" into front tube, a wooden hammer tool can be used to help with installation.

D-1 X1

D-2 X1



Insert the roller into the hole of the "D-1" gearbox.





Connect roller with part "D-2", and tighten screws.

L X2




Attention:



Do not remove the bindings holding the two extension arms until fully assembled. These are spring-loaded and can cause serious injury if allowed to spring free.




Insert Part "J" into the arm, then place the arm close to the square tube "B", keeping the arm parallel to tube "B" (this is an important step!!!)


Fully tighten the
screw nuts






⚠ Cut off the bandings after the awning is fully assembled.







According to the size of the awning, find a suitable height on the wall. Mark the position of the wall bracket with a marker pen and then drill holes.







Install the expansion screws to secure the wall bracket firmly to the wall.




Install the awning on the wall bracket while tightening the fixing screws on the wall bracket.








Front Bar UP	→	Lock nut 1, loosen Lock nut 2, loosen	→	Adjustment bolt fasten	→	Lock nut 1, fasten Lock nut 2, fasten
Front Bar Down	→	Lock nut 1, loosen Lock nut 2, loosen	→	Adjustment bolt loosen	→	Lock nut 1, fasten Lock nut 2, fasten



Enjoy your product!



Care and Cleaning

- 1. For best results, clean the awning with a damp cloth and dry thoroughly. This will help prevent mildew by removing dirt particles that may accumulate.**
- 2. Do not clean with abrasive materials, bleach, or solvents.**
- 3. Store the awning in a dry, sheltered place when not in use.**
- 4. Keep the awning away from fire, extreme heat, freezing conditions, and inclement weather such as rain, hail, sleet, snow, or wind.**