说明书

版式设计要求:

140mm

- 1. 字体: 标题为Myriad Pro SemiBold, 内容为 Myriad Pro light;
- 2. 上下页边距为9mm,左右边距为8mm;;
- 3. 标注说明书长宽尺寸, 单位mm.

Installation instructions Refrigerator water filter

A replacement for the following water filters:

Frigidaire[®] filters

WFCB, WF1CB, WSF-1, NGRG-2000, RF-100, RG-100, 2187, 218710902, 218717805, 218732306, 218907800, 240389101, 240389102, 240394501

Kenmore[®] filters 469910, 46-9910, 4609910000, 9910, 9910P



Tested and Certified by NSF International against **NSF/ANSI Standard 42** in model EFF-WFCBS for the reduction of the claims specified on the Performance Data Sheet, and to **NSF/ANSI 372 (≤0.25% lead)**.

Installation instructions

Before installation:

Shut off the cold-water supply to the refrigerator before installation. Turn on the refrigerator water
dispenser to release water pressure, letting water drain from the pipe completely.

• It is normal for black carbon fines (particles) to appear on the outside of your filter. This happens when the filter is jarred in shipping. It is safe to simply wipe it off.

• The filter connectors are larger to prevent leaks. You might have to twist the filter hard to make sure the connection is secure.

1. Turn off the ice maker in your refrigerator (refer to owners

manual if needed). 2. Locate the filter cup inside your refrigerator, and remove

by turning to the left multiple turns. 3. Remove old filter and discard.

4. Wash the filter cup with warm water and liquid soap then

dry.

 Insert filter into filter cup, o-ring end should be facing up.
Insert cup with filter into refrigerator and turn to the right until cup is seated freely.

until cup is seated firmly. WFCBS_V040



7. Turn on refrigerator ice maker.

8. Run water from the dispenser tor 5 minutes at 0.5 gpm (about 2.5 gallons) to clear the system and prevent sputtering.

Note: Initial flow rate may be slower than expected. Full flow rate should be restored within 24-36 hours.

Resetting your filter indicator:

Note: These are the most common filter reset instructions. If the instructions don't work for your refrigerator brand, see the documentation that came with your refrigerator.

Refrigerator brand	Instructions				
Frigidaire [®] systems	Press and hold the Filter Status button (on the dispenser) for three seconds, until the display changes from "Replace" to "Good".				
Kenmore [®] systems	The filter reset for Kenmore refrigerators varies by model. See the documentation that came with your refrigerator.				

Storage and maintenance:

- Replace your filter every 6 months or 200 gallons to prevent bacteria and fungus growth in your filter, supply lines, and storage tank.

- Keep your unused filters in a cool, dark, and dry place until you need them.

- If you do not use your water dispenser for more than four days, run two gallons of water before using it to prevent bad tasting water.

Frequently asked questions:

Q: Why is it difficult to twist the new filter into the filter housing?

A: The connector may expand because of water pressure. Therefore, it is recommended you push the new filter in with a little bit of force, but not too hard. Then turn it clockwise.

 $\ensuremath{\mathbf{Q}}\xspace$ Do I need to flush the filter after installation?

- A: After installation, it is highly recommended you run water for a few minutes before using. Water filters are made from advanced coconut carbon block, so there are some carbon fines in the filter. Flushing removes the carbon fines to produce clean water.
- Q: Must the filter be changed every 6 months?
- A: Yes, you must replace the filter every six months or sooner if water flow is reduced or if there is heavy sediment / rust present. Over-used filters will degrade the filtration performance.

210mm

▲ Warning:

To reduce the risk of property damage due to water leakage, this filter MUST be installed in accordance with the manufacturer's specifications and instructions. This filter unit must be replaced every 200 gallons or 6 months. Failure to follow instructions and operating specifications will void your warranty. Further, manufacturer assumes no responsibility or liability for damages arising out of misuse of the product. Frigidaire® is a registered trademark of Electrolux Co., Ltd.

Frigidaire® is used for reference purposes only.

Kenmore[®] is a registered trademark of KCD IP, LLC. Kenmore[®] is used for reference purposes only.

reminere o used for teleforce parposes only.

*The service life mentioned above is subject to chlorine reduction. Actual result varies according to the local water quality.

Performance data sheet

System Model No.: EFF-WFCBS

Operating specifications:

Operating Temperature: 33 -100°F/0.6 - 38°C Working Pressure: 20 -100 psi/140 - 689 kPa Rated Capacity: 200 gallons/757 litres Flow Rate: 0.5 gpm/1.9 lpm

Substance reduction:

The system has been tested and certified by the NSF International according to NSF/ANSI Standard 42 for the reduction of the substances listed below. The concentration of the indicated substances in water entering the system was reduced to a concentration less than or equal to the permissible limit for the water leaving the system, as specified by NSF/ANSI Standard 42. While testing was performed under standard laboratory conditions, actual performance may vary.

Substance	Inf. Average	NSF Specified Challenge Concentration		Product Water		NSF Reduction Requirements	
Chlorine Taste and Odor	2.1 mg/L	2.0mg/L±10%	97.0%	0.063mg/L	N/A	≥50%	J-00295543

\triangle

Do not use with water that is microbiologically unsafe or of unknown water quality without adequate disinfection before or after the system. Systems certified for cyst reduction may be used with disinfected water that may contain filterable cysts.

