

Assembly Instructions

Caution : You must read this before you proceed

Care & Maintenance



- Not for commercial use. For residential use only.



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.





- Children should not climb or jump on the furniture.



- Dust and pick-up spills using a clean, non-colored, lint-free cloth.




Please look in carton for hardware packs and legs.
Sets often ship in multiple boxes and may arrive a day or two apart.

TABLE










CAUTION : This Table is NOT a TOY. Keep your child / children at bay in the process of assembly.
For turning the Table and to prevent damage to the Table, 02 persons may be needed to executethis action.








Parts List

Label	Picture	Description	QTY
①		Panel 1	1
②		Panel 2	1
③		Base Plate	1







Parts List

Label	Picture	Description	QTY
4		Left Side Panel	1
5		Right Side Panel	1
6		Deck Plate	1
7		Inner Panel	1
8		Inner Left Side Panel	1
9		Inner Right Side Panel	1
10		Inner Vertical Panel	1








Parts List

Label	Picture	Description	QTY
11		Dummy Drawer Panel	2
12		Drawer Front Panel	1
13		Drawer Left Panel	1
14		Drawer Right Panel	1
15		Back Panel Of The Drawer	1
16		Drawer Bottom Plate	1
17		Seat Panel	4









Parts List

Label	Picture	Description	QTY
18		Stool Left Board	4
19		Stool Right Board	4
20		Stool Front And Rear Board	8
21		Stool Base Plate	4
22		Stool Vertical Board	4
23		Soft Panel Surface	4






Hardware

Label	Picture	Description	QTY
A		Cam Bolt (Ø6x35mm)	81
B		Cam Nut (Ø15x10mm)	81
C		Dowel (Ø6x30mm)	91
D		Screw (Ø7x38mm)	11
E		Four-Fold Hinge	3
F		Three-Fold Hinge	8
G		Sliding Rails (L=285mm)	2
H		Screw (Ø6xØ3x12mm)	69

Hardware



Label	Picture	Description	QTY
I		Screw (Ø8xØ4x35mm)	4
J		Swivel Wheels (With brakes)	2
K		Swivel Wheels (Without brakes)	3
L	 Left	Lift Mechanism-Left (80N)	1
R	 Right	Lift Mechanism-Right (80N)	1
M	 Left	Lift Mechanism-Left (140N)	1
N	 Right	Lift Mechanism-Right (140N)	1
O		Pad Ø15*3mm	18

Hardware

Label	Picture	Description	QTY
P		Pad Ø20mm	67
Q		Pad Ø15*3mm	4
S		Bolt (M6*10MM)	47
T		Screwdriver	1
U		Allen Wrench	1

Assembly Preparation

Before
Beginning
Assembly:



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Steps

This Table has multiple parts and may require up to 60 minutes to assemble. To give you an overview of the Table parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.




friendly reminder

To avoid errors and confusion during the installation of accessories, use the type and quantity of hardware accessories according to the installation procedure described in the instructions. First, unroll the accessories bag and lay out the hardware accessories, cut holes in the side, and take out the hardware accessories



STEP 01




Installation requires ensuring the correct position of the holes.

Cx2



Ø6*30mm

Dx2




Ø7*38mm

Connect Deck Plate (⑥) and Inner Left Side Panel (⑧) with Dowel (C), and then lock them with Screw (D).

STEP 02

Installation requires ensuring the correct position of the holes.




Cx2



Ø6*30mm


Dx2



Ø7*38mm

Connect Deck Plate (⑥) and Inner Right Side Panel (⑨) with Dowel (C), and then lock them with Screw (D).

STEP 03




Ax2



Lock Cam Bolt (A) onto Deck Plate (6)


STEP 04




Bx2




Cx2



Connect Deck Plate (6) and Inner Vertical Panel (10) with Dowel (C) and then lock Cam Nut (B).



STEP 05



x2


Gx2



L=285

Separate Sliding Rails (G) into Sliding Rails (G1) and (G2)

STEP 06




Hx4






Ø3*12mm

G1x2







Use Screw (H) to securely fasten and fix Sliding Rails (G1) onto Side Panel (④) and (⑤).

STEP 07




Open the Lift Mechanism (M) and (N)

STEP 08



Use Bolt (S) to lock and fix Lift Mechanism-Left (M) onto Left Side Panel (4), and Lift Mechanism-Right (N) onto Right Side Panel (5).

STEP 09




Ax8



Lock Cam Bolt(A) onto Side Panel(④)and(⑤)

STEP 10




When installing, be sure to hold it steady with your hands.

Bx4




Cx2



After installing the components as per step 4 , connect the installed components with Dowel (C) and Left Side Panel (4), and then lock Cam Nut (B).


STEP 11



Bx4




Cx2



Connect Right Side Panel (5) with Dowel (C) and then lock Cam Nut (B).

STEP 12




Ax16



Lock Cam Bolt (A) on Dummy Drawer Panel (11), repeat the above steps twice.

STEP 13




Cx4



Ø6*30mm

Place Dowel (C) into the correct hole position.

STEP 14




Bx8



Ø15*10mm

Align Drawer Panel (⑪) precisely to the correct hole position and press it tightly, then lock Cam Nut (B).

STEP 15




Cx4




Ø6*30mm

Place Dowel (C) into the correct hole position.

STEP 16



After installation, panel 11 will be lower than panels 5 and 4 by a certain amount.




Bx8



Ø15*10mm

Align Drawer Panel (11) precisely to the correct hole position and press it tightly, then lock Cam Nut (B).

STEP 17



Cx6





Ø6*30mm

Place Dowel (C) into the correct hole position.


STEP 18

When installing, slightly lift the cabinet and align Dowel **C** into the hole of panel③



Recommended installers:2


Dx6



Ø7*38mm

Align Base Plate (③) precisely to the correct hole position and press it tightly, then lock Screw (D).

STEP 19



Before installation,
make sure to adjust
component **J** to the
braking position

J x2



K x3




S x20



M6*10mm

Use Bolt (S) to securely fasten and fix Swivel Wheels (J) and (K) on Base Plate (3).

STEP 20



Note: The label on the
hydraulic rod indicates 80 N.

L

R

L x1



Left 80N


R x1



Right 80N

Open the Lift Mechanism (L) and (R)

STEP 21



After the entire cabinet is installed, you can adjust the height of the panel through here.


Sx8



M6*10mm

Use Bolt (S) to securely fasten and fix Lift Mechanism (L) and (R) onto the corresponding plates.

STEP 22




Sx4



M6*10mm


Use Bolt (S) to securely fasten and fix Inner Panel (7) onto Lift Mechanism (L) and (R).

STEP 23



Press Inner Panel (7) downward

STEP 24




Qx4



Attach Pad (Q) to the corresponding position.

STEP 25



Ex3




Hx3



Ø3*12mm

Use Screw(H) to secure Four-Fold Hinge(E) onto Panel ((1)).

STEP 26




Hx12



Ø3*12mm

Use Screw(H) to secure Four-Fold Hinge(E) onto Panel ((1)) and ((2)).

STEP 27




Sx4



M6*10mm

Use Bolt (S) to fix the panel that has been assembled in step 26 onto the Lift Mechanism (M) and (N).

STEP 28




I x4



Ø4*35mm


Use Screw (I) to securely connect Drawer Panel (13) and (14) to Back Panel Of The Drawer (15).

STEP 29




Insert Drawer Bottom Plate (16) into the corresponding slot.

STEP 30




Ax4



Ø6*35mm

Fix Cam Bolt (A) onto Drawer Front Panel (12).

STEP 31




Bx4



Ø15*10mm

Align Drawer Front Panel (12) properly and then lock Cam Nut (B)

STEP 32



G2x2




Hx4



Ø3*12mm

Use Screw (H) to securely fasten and fix Sliding Rails (G2) onto Drawer Panel (13) and (14).

STEP 33




Hx2



Ø3*12mm

Align and install the installed drawer using Sliding Rails (G1) and (G2).

STEP 34



Exposed holes can be attached with stickers **P**


Px30



Ø20mm

The visible holes can be covered by Pad (P).

STEP 35



x8


Ax16



Ø6*35mm

Lock and fix Cam Bolt (A) onto Stool Front And Rear Board (20). Repeat this action eight times.

STEP 36



x4

Bx8




Ø15*10mm

Cx8




Ø6*30mm




Connect Stool Front And Rear Board ((20)) and Stool Base Plate (21) with Dowel (C) and then lock Cam Nut (B). Repeat this action four times.

STEP 37



x4


Cx8



Ø6*30mm

Connect Stool Front And Rear Board (20) and Stool Vertical Board (22) using Dowel (C). Repeat this action four times.

STEP 38




x4

Bx8




Ø15*10mm

Cx16




Ø6*30mm

After aligning Stool Front And Rear Board (20) with Dowel (C) and making the correct connections, lock Cam Nut (B). Repeat this action four times.



STEP 39



F x8




H x24




Ø3*12mm

Use Screw (H) to securely fasten and fix Three-Fold Hinge (F) onto Stool Left Board (18). Repeat this action four times.

STEP 40




A x32



Ø6*35mm

Lock and fix Cam Bolt (A) onto Stool Left Board (18) and Stool Right Board (19). Repeat this action four times.

STEP 41



Bx16



Ø15*10mm


Cx16



Ø6*30mm

After aligning Stool Right Board (19) with Dowel (C) and making the correct connections, lock Cam Nut (B). Repeat this action four times.

STEP 42



Bx16



Ø15*10mm


Cx16



Ø6*30mm

After aligning Stool Left Board (18) with Dowel (C) and making the correct connections, lock Cam Nut (B). Repeat this action four times.

STEP 43




Ox16



Fix Pad (O) in the corresponding position. Repeat this action four times.

STEP 44

When installing, be sure to hold it steady with your hands.



Hx16





Use Screw (H) to securely fasten and fix Seat Panel (17) onto Three-Fold Hinge (F). Repeat this action four times.

STEP 45



Be careful not to get your hand caught when operating switch component 17.

x4



Exposed holes can be attached with stickers **P**

Px32




Ø20mm


The visible holes can be covered by Pad (P) .Repeat this action four times.

STEP 46

Remove the film from the surface




x4




Remove the film from the surface.Repeat this action four times.

STEP 47




Align and paste Soft Panel Surface (23) onto Seat Panel (17)

STEP 48




User Guide

STEP 49



User Guide

STEP 50



WARNING !

Do not play on this furniture with mechanical devices. Be careful to avoid injury when you are about to close the table top downwards.

Always keep this furniture closed when not in use

Your desk is ready for use

Questions & Answers about Proposition 65

- What is Proposition 65?

Proposition 65 requires businesses to provide warnings to Californians about significant exposures to chemicals that cause cancer, birth defects or other reproductive harm. These chemicals can be in the products that Californians purchase, in their homes or workplaces, or that are released into the environment. By requiring that this information be provided, Proposition 65 enables Californians to make informed decisions about their exposures to these chemicals.

Proposition 65 also prohibits California businesses from knowingly discharging significant amounts of listed chemicals into sources of drinking water.

Proposition 65 requires California to publish a list of chemicals known to cause cancer, birth defects or other reproductive harm. This list, which must be updated at least once a year, has grown to include approximately 900 chemicals since it was first published in 1987.

- What types of chemicals are on the Proposition 65 list?

The list contains a wide range of naturally occurring and synthetic chemicals that include additives or ingredients in pesticides, common household products, food, drugs, dyes, or solvents. Listed chemicals may also be used in manufacturing and construction, or they may be byproducts of chemical processes, such as motor vehicle exhaust.

- What does a warning mean?

If a warning is placed on a product label or posted or distributed at a workplace, a business, or in rental housing, the business issuing the warning is aware or believes that it is exposing individuals to one or more listed chemicals.

By law, a warning must be given for listed chemicals unless the exposure is low enough to pose no significant risk of cancer or is significantly below levels observed to cause birth defects or other reproductive harm.

- Where can I get more information on Proposition 65?

If you have specific questions on the administration or implementation of Proposition 65, you can contact OEHHA's Proposition 65 program at P65.Questions@oehha.ca.gov, or by phone at (916) 445-6900.