

UltraCare Everyday Stone & Grout Cleaner & Resealer



DESCRIPTION

UltraCare® Everyday Stone & Grout Cleaner & Resealer is a ready-to-use, everyday spray cleaner. This product helps to boost the performance of any existing penetrating sealers while cleaning and deodorizing. Powerful enough to help dissolve grease and grime, *UltraCare* Everyday Stone & Grout Cleaner & Resealer is ideal for kitchen and bathroom countertops and backsplashes. Non-acidic, it is safe to use on natural stone, grout and tile.

FEATURES AND BENEFITS

- Cleans and helps to maintain any existing penetrating sealers
- Safe for use on natural stone, grout and tile
- Dissolves grease and dirt
- Lemon-scented

WHERE TO USE

- All sealed natural stone, grout, and ceramic porcelain and glass tiles

LIMITATIONS

- Ensure that the product does not come in contact with any non-recommended surface.
- Do not use over painted surfaces.
- Do not mix with other chemicals.

Consult MAPEI's Technical Services Department for application recommendations regarding substrates and conditions not listed.

PRODUCT APPLICATION

Before product use, take appropriate safety precautions. Refer to the Safety Data Sheet for details.

Always test first in several inconspicuous areas to confirm desired results.

1. Spray directly on the area to be cleaned from 5" to 7" (12.5 to 17.5 cm) away.
2. Wipe using a soft clean towel or microfiber cloth.
3. In the case of tough dirt, allow the product to stand for several minutes before wiping. Cleaning may require scrubbing with a white nylon pad.

Close the container tightly after each use. Store in the original container only. Store between temperatures of 35°F to 90°F (2°C to 32°C). Do not allow to freeze.

For more information, refer to the *UltraCare* Maintenance Guide at www.mapei.com.

Shelf Life and Application Properties

Shelf life	Up to 5 years when stored in the original sealed container
Appearance	Clear liquid
Odor	Lemon odor
Physical state	Liquid
VOCs	22 g per L

Packaging and Approximate Coverage*

Size	Coverage
Spray bottle: 24 U.S. oz. (710 mL)	2,500 sq. ft. (232 m ²)

* Coverage depends on application method, texture and porosity of surface and contaminants present.

ADDITIONAL INFORMATION

Refer to the SDS for specific data related to health and safety as well as product handling.

For information on MAPEI's commitment to sustainability and transparency, as well as how MAPEI products may contribute to green building standards and certification systems, contact sustainability_USA@mapei.com (USA) or sustainability-durabilite@mapei.com (Canada).

LEGAL NOTICE

The contents of this Technical Data Sheet ("TDS") may be copied into another project-related document, but the resulting document shall not supplement nor replace requirements per the TDS in effect at the time of the MAPEI product installation. For the most up-to-date TDS and warranty information, please visit our website at www.mapei.com. **ANY ALTERATIONS TO THE WORDING OR REQUIREMENTS CONTAINED IN OR DERIVED FROM THIS TDS SHALL VOID ALL RELATED MAPEI WARRANTIES.**

Before using, the user must determine the suitability of our products for the intended use, and the user alone assumes all risks and liability. **ANY CLAIM SHALL BE DEEMED WAIVED UNLESS MADE IN WRITING TO US WITHIN FIFTEEN (15) DAYS FROM DATE IT WAS, OR REASONABLY SHOULD HAVE BEEN, DISCOVERED.**

CONTACT INFORMATION

MAPEI Headquarters of North America

1144 East Newport Center Drive
Deerfield Beach, Florida 33442
1-888-US-MAPEI (1-888-876-2734) / (954) 246-8888

Technical Services

U.S. and Puerto Rico:

Flooring: 1-800-992-6273

Concrete and heavy construction: 1-888-365-0614

Canada:

1-800-361-9309

Customer Service

1-800-42-MAPEI (1-800-426-2734)

Edition Date: June 4, 2023 MK 3000202 (23-2004)

For the most current product data and BEST-BACKEDSM warranty information,
visit www.mapei.com.
All Rights Reserved. © 2023 MAPEI Corporation.

