

Test Report

Number: SZHH02104849

Applicant: CHIZHOU HAIZHIBAO CHILDREN PRODUCTS
CO., LTD
MATANG INDUSTRIAL PARK, DINGQIAO TOWN,
QINGYANG COUNTY, CHIZHOU CITY.

Date: Dec 13, 2025

Sample Description:

Four (4) sets of submitted sample said to be :

Item Name : **Toy Car**
Item No. : HZB-1528/1528A
Labelled Age Group : 3-8 Years
Applicant Specified Age : From 3 to 8 Years
Grading for Testing :
Packaging Provided by : Yes (Artwork)
Applicant :
Additional Material and Wet : Yes
Paint Provided :
Country of Origin : China
Date Sample Received : Sep 28, 2025
Testing Period : Sep 28, 2025-Dec 12, 2025



Page 1 of 50

Test Report

Number: SZHH02104849



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.



Test Report

Number: SZHH02104849

Conclusion:

<u>Tested Samples</u>	<u>Standard/Test item</u>	<u>Result</u>
Submitted samples	Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products, 15 U.S.C. §2063(a)(5) (CPSA), Consumer Product Safety Act Section 14(a) (5)	Pass
	U.S. CFR Title 16 (CPSC Regulations) Mechanical and physical test	Pass
	U.S. CFR Title 16 (CPSC Regulations) Part 1500.3(c)(6)(vi) flammability test on rigid and pliable solids	Pass
	U.S. ASTM F963-23 Standard Consumer Safety Specification for Toy Safety Excluding section 4.25, 5.14, 6.6, & 7.2	Pass
	U.S. ASTM F963-23 Flammability test of materials other than textile materials	Pass
	Section 4.25 for Battery-Operated Toys and Battery-Powered Ride-on Toys	Pass
	U.S. ASTM F963-23 Section 4.3.5.2 on soluble Cadmium content test	Not applicable
	U.S. ASTM F963-23 Section 4.3.5.1 on total Lead content in surface coating	Pass
	U.S. ASTM F963-23 Section 4.3.5.2 on total Lead content in substrate	Pass
	U.S. ASTM F963-23 on soluble heavy elements test	Pass
Tested components of submitted samples	U.S. 16 CFR Part 1303 total Lead content	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for total Lead content in surface coating	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for Total Lead content in substrate	Pass
	Illinois Lead Poisoning Prevention Act 410 ILCS 45 on total Lead content requirement	Pass
	U.S. Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and U.S. 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	Pass



Test Report

Number: SZHH02104849

<u>Tested samples</u>	<u>Standard/Test item</u>	<u>Result</u>
Tested components of submitted samples	U.S. ASTM F963-23 Section 4.3.8 on Phthalate content	Pass
	Consent Judgment No. BG-350969 for Toys on phthalate content based on the California Proposition 65	Pass
	Di-iso-nonyl phthalate (DINP) content based on the California Proposition 65	See test conducted
	Consent Judgment No. RG-356892 for Toys on total Lead content based on the California Proposition 65	Pass
	Consent Judgment No. CGC-09-485784 for Lead content based on the California Proposition 65	Pass
	Consent Judgment No. BC-580146, CIV-03098, CV-231165, CV-242946, RG-740779 for Tools on lead content based on the California Proposition 65	Pass
Submitted samples	Total Lead content requirements in Children's Safe Products Act (CSPA) - Chapter 70A.430 Revised Code of Washington (RCW)	Not applicable
	Total Cadmium content requirements in Children's Safe Products Act (CSPA) – Chapter 70A.430 Revised Code of Washington (RCW)	Not applicable
Tested components of submitted samples	Phthalates content requirements in Children's Safe Products Act (CSPA) – Chapter 70A.430 Revised Code of Washington (RCW)	Pass
Submitted samples	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 for mechanical and physical test	Pass
	Canada Consumer Product Safety Act Toys Regulation SOR 2011-17 for celluloid or cellulose nitrate test	Pass
Tested components of submitted samples	Canada Consumer Products Containing Lead Regulations SOR/2018-83	Pass
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 and Amendment SOR/2022-122 Section 23 on toxic elements test	Pass
	Canada Consumer Product Safety Act Surface Coating Materials Regulations SOR/2016-193 and Amendment SOR/2022-122 on Lead content	Pass



Page 4 of 50



Test Report

Number: SZHH02104849

<u>Tested samples</u> Submitted sample(s)	<u>Standard/Test item</u>	<u>Result</u>
	Canada Consumer Product Safety Act Surface Coating Materials Regulations SOR/2016-193 and Amendment SOR/2022-122 on Mercury content	Not applicable
	Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 and Amendment SOR/2016-302 Section 27(a) on Heavy metal test	Not applicable
Tested components of submitted samples	Canadian Environmental Protection Act Products Containing Mercury Regulations SOR/2014-254 on total Mercury (Hg) content in product except battery	Pass
	Canada Consumer Product Safety Act Phthalates Regulations SOR/2016-188 on phthalate content	Pass
	Consent Judgment No. CIV-03098, CV-231165, CV-242946, RG-740779 & BC-580146 on phthalate content based on the California Proposition 65	Pass
	Consent Judgment No. GCG-09-485784 & BC-658763 on phthalate content based on the California Proposition 65	Pass

Authorized by:
For Intertek Testing Services
Shenzhen Ltd.



Rachel L. Guo
Vice President



Should you have any query on this report, please click the link below:
https://verifyindex.intertek.com.cn/home/index?id=hl_report_verify



Test Report

Number: SZHH02104849

Tests Conducted

1 Tracking Label Assessment

As per consumer product safety Act section 14(a) (5), 15 U.S.C. §2063(a)(5) (CPSA) and Consumer Product Safety Improvement Act (CPSIA) 2008 Section 103 Tracking Labels for Children Products.

Tracking label found on the packaging:

Manufacturer Name: Chizhou Haizhibao Children Products Co.,Ltd
 Manufacturer Address: Matang Industrial Park DingqiaoTown Qingyang County,Chizhou City, Anhui Province, China
 Item No.: HZB-1528
 Date No.:Oct,2025
 City : Chizhou City, Anhui Province
 Cohort Information: PO#2536CHZB1528

Name of manufacturer/Distributor/©/®	Chizhou Haizhibao Children Products Co.,Ltd
Location of production	Matang Industrial Park DingqiaoTown Qingyang County,Chizhou City, Anhui Province, China
Date code	Oct,2025

Tracking label found on the product:

Manufacturer Name: Chizhou Haizhibao Children Products Co.,Ltd
 Manufacturer Address: Matang Industrial Park DingqiaoTown Qingyang County,Chizhou City, Anhui Province, China
 Item No.: HZB-1528
 Date No.:Oct,2025
 City : Chizhou City, Anhui Province
 Cohort Information: PO#2536CHZB1528



Test Report

Number: SZHH02104849

Tests Conducted

Name of manufacturer/Distributor/©/®	Chizhou Haizhibao Children Products Co.,Ltd
Location of production	Matang Industrial Park DingqiaoTown Qingyang County,Chizhou City, Anhui Province, China
Date code	Oct,2025

Note: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

2 **Physical and Mechanical Test**

Test requirement: U.S. Code of Federal Regulations Title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

	No. of Sample Tested	Sharp Point (1500.48)	Sharp Edge (1500.49)	Small Part (1501)
As received	1	P	P	NA
Impact (1500.53(b))	1	P	P	NA
Flexure (1500.53(d))	0	NA	NA	NA
Torque (1500.53(e))	1	P	P	NA
Tension (1500.53(f))	1	P	P	NA
Compression (1500.53(g))	1	P	P	NA

Abbreviation: P = Pass F = Fail NA= Not Applicable NR=Not Requested

3 **Flammability Test**

Test requirement: U.S. Code of Federal Regulations Title 16 Part 1500.44 for rigid and pliable solids.

Result: Ignited but self-extinguished before burn rate could be determined.



Test Report

Number: SZHH02104849

Tests Conducted

4 Standard Consumer Safety Specification for Toy Safety

Test standard: ASTM Standard Consumer Safety Specification for Toy Safety F963-23.

The submitted samples were undergone the use and abuse tests in accordance with The Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:		
Test	FHSA	Parameter
Machine wash	---	---
Impact test	Section 1500.53(b)	4 x 3.0 ft
Tip over test	---	3 times
Torque test	Section 1500.53(e)	4 in-lbf
Tension test	Section 1500.53(f)	15 lbf
Compression test	Section 1500.53(g)	30 lbf
The submitted samples were undergone the tests in accordance with section 8.5 through section 8.16 and 8.20 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable.		

Section	Requirement		Result
4.1	Material quality (visual check on cleanliness)		P
4.3	Toxicology		
4.3.2	Manufacturing and Packaging of Food		NA
4.3.3	Indirect Food Additives		NA
4.3.4	Cosmetics		NA
4.3.5	Heavy Elements		
	4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	P See test result Heavy Elements Analysis & Total Lead (Pb) Content in Surface Coating
	4.3.5.2	Heavy Metal in Substrate Materials	P See test result Heavy Elements Analysis & Total Lead (Pb) Content in Substrate
4.3.6	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian Feather Origin		NA



Test Report

Number: SZHH02104849

Tests Conducted

Section	Requirement	Result
4.3.7	Stuffing materials (10X magnification check on contaminations)	NA
4.3.8	Phthalate	P See test result Phthalate Content
4.5	Sound-producing toys	P
4.6	Small Objects	NA
4.7	Accessible edges	P
4.8	Projections	P
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	P
4.12	Plastic film	P
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and over-load requirements	P
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	P
4.18	Holes, clearance, and accessibility of mechanisms	P
4.19	Simulated protective devices (such as helmets, hats and goggles)	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	See Note
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA



Test Report

Number: SZHH02104849

Tests Conducted

Section	Requirement	Result
5	Labelling requirement	P/See Note
6	Instructional literature	P/See Note
7	Producer's markings	
7.1	Name and Address of producer/distributor	Yes
7.2	Battery-Powered Ride-on Toy	See Note
7.3	Toy chests	
7.3.1	Name and address of manufacturer/distributor/seller	NA
7.3.2	Code mark	NA

Abbreviation: P = Pass NA= Not Applicable NR=Not Requested

Note: The results of section 4.25, 5.14, 6.6 & 7.2 for battery-powered ride-on toys were referred to the next test item.

5 Flammability Test

Test requirement: Section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined.

6 Battery Powered Ride On Toys

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-23 Section 4.25, 5.14, 6.5, 6.6 and 7.2.

Power Source: 12.0V,4.5Ah, Lead-Acid rechargeable battery x 1 piece for vehicle
3.0V, AA size x 2 pieces for remote

Battery charger (Provided): Model number: ZNL-G120050 Input: 100-240 VA.C, Output: 12.0V D.C.

Section	Testing Items	Assessment
4.25.1	Battery marking	P
4.25.2	Maximum allowable direct current potential	P
4.25.3	Protection against charging non-rechargeable battery	P
4.25.4	Accessible batteries	P
4.25.5	Isolation of batteries of different types or capacities	P
4.25.6	Temperature of battery surface	P
4.25.7	Temperature of battery surface or combustion hazard after normal use and abuse test	P
4.25.8	Instruction requirement	NA
	- 5.14 Non-replaceable batteries	NA



Page 10 of 50



Test Report

Number: SZHH02104849

Tests Conducted

<u>Section</u>	<u>Testing Items</u>	<u>Assessment</u>
	- 5.14.2 Instruction for button or coin cell batteries	NA
	- 6.5 Instruction on safe battery usage	P
	- 6.9 Instruction for toys which require a manufacturer-supplied specialty or custom tool to access the batteries	NA
4.25.9	Battery-powered ride on toys	P
4.25.9.1	The maximum temperature measured on the insulation of any conductor shall not exceed the temperature rating of the material.	P
4.25.9.2	Battery powered ride on toys shall not present a risk of fire in stalled motor test.	P
4.25.9.3	A battery powered ride on toy designed with a wiring system that has a user replaceable device (fuse type) For the primary circuit protection or a wiring system with user resetable primary circuit protection (manual reset fuse) shall not actuate (open or trip) when tested in accordance with the nuisance tripping test	NA
4.25.9.4	Switches used in battery powered ride on toys. - Polymeric materials in switches used in battery powered ride on toys that are used to support current carrying parts shall carry a minimum flame rating of UL-94 V-0 or have a glow wire ignition rating of 750°C. - The switch body shall not result in a short-circuit condition when subjected to the switch endurance test and overload tests. - The switch shall not fail in a mode that could cause the vehicle to run continuously (switch stuck in the "on" position) when subjected to the endurance test and the overload test.	P
4.25.9.5	User replaceable circuit protection devices in battery powered ride on toys - User replaceable circuit protection devices used in battery powered ride on toys shall be listed, recognized or certified by an independent laboratory. - All circuit protection devices used in battery powered ride on toys intended to be replaced by the user shall be replaceable only with the use of a tool or by a design which does not easily allow tempering such as a design requiring excessive force to open.	NA



Test Report

Number: SZHH02104849

Tests Conducted

<u>Section</u>	<u>Testing Items</u>	<u>Assessment</u>
4.25.9.6	Batteries and battery chargers. - Battery connectors must be constructed of material with a V-0 flame rating or have a glow wire ignition rating of 750°C. - The battery charging system shall not present a risk of fire due to a short circuit condition applied to any point in the length of a charger/battery. - During charging, battery charging voltages shall not exceed the recommended charging voltages. - Battery charges must be certified to the appropriate standard body.	P
4.25.9.7	Wiring connected to the main/motor battery shall be short circuit protected and shall not present the risk of fire.	P
4.25.9.8	Strain relief shall be provided to prevent mechanical stress on wires entering a connector block during routine maintenance.	P
4.25.9.9	Battery powered ride on toys shall comply with the requirements for safety labelling, for additional instructional literature, and for required producer's markings. - 5.14.1 Battery powered ride on toys safety labelling - 6.6 Instructions - 7.2 Producer's marking	P
4.25.10	Toys contain secondary cells or secondary batteries	NA

Remark: P = Pass

NA = Not Applicable

7 Soluble Cadmium (Cd) content in Metal (small parts) (U.S. ASTM F963-23 Section 4.3.5.2)

As per Section 4.3.5.2(2)(d) and 8.3.5.5(3) of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-E1004-11 was used and soluble cadmium content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Assessment: As no metallic toys or metallic toy components which are small parts were found in the submitted samples, no soluble Cadmium testing has been performed for U.S. ASTM F963-23 on soluble Cadmium content.



Test Report

Number: SZHH02104849

Tests Conducted

8 Total Lead (Pb) Content in Surface Coating (U.S. ASTM F963-23 Section 4.3.5.1)

With reference to Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Element	Result (ppm) θ	Detection Limit (ppm)	Limit (ppm)
	Tested Component		
	(1+2) Δ , (3)		
Lead (Pb)	ND	10	90

ppm = part per million = mg/kg

Δ = The result is based on dry weight of testing sample

ND = Not detected (less than detection limit)

θ = Single result for each test component/group

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Black coating on metal (metal part).

9 Total Lead (Pb) Content in Substrate (U.S. ASTM F963-23 Section 4.3.5.2)

With reference to Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-E1001-08.3 or/and CPSC-CH-E1002-08.3 were used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry and/or Atomic Absorption Spectrometry.

Element	Result (ppm) θ	Detection Limit (ppm)	Limit (ppm)
	Tested Component		
	(1+2), (3+4+5), (6+7+8), (9+10+11), (12+13+14), (15+16+17), (18+19+20), (21+22+23), (24+25+26), (27+28+29), (30+31), (32), (33+35), (34), (36+37+38), (39+40+41), (42+43+44), (45+46+47), (48+49+50), (51+52+53), (54+55), (56+57+58), (59) to (73)		
Lead (Pb)	ND	10	100

ppm = part per million = mg/kg

Δ = The result is based on dry weight of testing sample

ND = Not detected (less than detection limit)

θ = Single result for each test component/group

Tested component(s):

- (1) Red plastic (accessory).
- (2) Pink plastic (accessory).
- (3) Blue plastic (accessory).
- (4) Black plastic (accessory).
- (5) Bright blue plastic (accessory).



Test Report

Number: SZHH02104849

Tests Conducted

- (6) Bright black plastic (accessory).
- (7) Bright pink plastic (accessory).
- (8) Red plastic (accessory).
- (9) Pink plastic (accessory).
- (10) Grey plastic (accessory).
- (11) White plastic (accessory).
- (12) Blue plastic (accessory).
- (13) Yellow plastic (accessory).
- (14) Bright white plastic (accessory).
- (15) Green plastic (accessory).
- (16) Dull pink plastic (accessory).
- (17) Flesh color plastic (accessory).
- (18) Blue plastic (accessory).
- (19) Green plastic (accessory).
- (20) Orange plastic (accessory).
- (21) Pink plastic (accessory).
- (22) White plastic (accessory).
- (23) Pink plastic (accessory).
- (24) Purple plastic (accessory).
- (25) Blue plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Black plastic (accessory).
- (28) Red plastic (accessory).
- (29) Light pink plastic (accessory).
- (30) Army green plastic (accessory).
- (31) White plastic (accessory).
- (32) Blue plastic (shell of vehicle).
- (33) White plastic label with inaccessible coatings (sticker).
- (34) Silver color metal (screw on battery cover of remote-control).
- (35) Black plastic (vehicle body, seat, hub, holder accessory, wheel holder, frame, box, pedal, function indication panel).
- (36) Silver color plastic (hub cap of wheels).
- (37) Matt-black plastic (wheels).
- (38) Black plastic (steering wheel).
- (39) Black plastic (buckle).
- (40) Bright silver color plastic (door clasp, rear decoration).
- (41) Red plastic (joint of door).
- (42) Matt-black plastic (switch, button).
- (43) White plastic (button).
- (44) Black plastic (button panel on USB function indication).
- (45) Black plastic (socket of USB function indication).
- (46) Light red plastic (charger of seat).
- (47) Black plastic (socket of charger cover of seat).
- (48) White plastic (tube of steering wheel, gear of wheel holder).
- (49) Bright red plastic (spring decoration).
- (50) Transparent red plastic (light cover).
- (51) Transparent plastic (light cover).
- (52) Black plastic (shrinking tube).
- (53) Black plastic (clasp of wire).
- (54) Semi-transparent hot melt glue (joint).
- (55) Black plastic (wire covering of front light).
- (56) Red plastic (wire covering of front light).
- (57) White plastic (remote-control).
- (58) Black plastic (remote-control).
- (59) Transparent brown plastic (remote-control).
- (60) Blue plastic (nut).



Page 14 of 50



Test Report

Number: SZHH02104849

Tests Conducted

- (61) Black plated metal (screw).
- (62) Silver color metal (screw on motor case).
- (63) Silver color metal (big spring).
- (64) Silver color metal (nut).
- (65) Silver color metal (washer).
- (66) Silver color metal excluding coating (axle of wheel).
- (67) Silver color metal excluding coating (axle of steering wheel).
- (68) Silver color metal (screw on axle of steering wheel).
- (69) Silver color metal excluding coating (tube).
- (70) Silver color metal sheet excluding coating (bar).
- (71) Silver color metal sheet excluding coating (pad).
- (72) Silver color solder excluding coating (joint).
- (73) Silver color metal excluding coating (rivet).

10 Heavy Elements Analysis (Except modelling clay) (U.S. ASTM F963-23)

As per Section 4.3.5 and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, heavy elements migration content were determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Element	Result (ppm)		Detection Limit (ppm)	Limit (ppm)
	Tested component			
	(1)	(47)		
Sol. Barium (Ba)	193	15	5	1000
Sol. Lead (Pb)	ND	ND	5	90
Sol. Cadmium (Cd)	ND	ND	5	75
Sol. Antimony (Sb)	ND	ND	5	60
Sol. Selenium (Se)	ND	ND	5	500
Sol. Chromium (Cr)	ND	ND	5	60
Sol. Mercury (Hg)	ND	ND	5	60
Sol. Arsenic (As)	ND	ND	2.5	25

Element	Result (ppm) θ	Detection Limit (ppm)	Limit (ppm)
	Tested component		
	(2)to(46),(48)to(53),(55)to(62)		
Sol. Barium (Ba)	ND	5	1000
Sol. Lead (Pb)	ND	5	90
Sol. Cadmium (Cd)	ND	5	75
Sol. Antimony (Sb)	ND	5	60
Sol. Selenium (Se)	ND	5	500
Sol. Chromium (Cr)	ND	5	60
Sol. Mercury (Hg)	ND	5	60
Sol. Arsenic (As)	ND	2.5	25

Sol. = Soluble

ppm = part per million = mg/kg

ND = Not detected (less than detection limit)

θ = Single result for each test component/group

Tested component(s):

- (1) Black coating on metal (metal part).
- (2) Red plastic (accessory).
- (3) Pink plastic (accessory).
- (4) Blue plastic (accessory).



Test Report

Number: SZHH02104849

Tests Conducted

- (5) Black plastic (accessory).
- (6) Bright blue plastic (accessory).
- (7) Bright black plastic (accessory).
- (8) Bright pink plastic (accessory).
- (9) Red plastic (accessory).
- (10) Pink plastic (accessory).
- (11) Grey plastic (accessory).
- (12) White plastic (accessory).
- (13) Blue plastic (accessory).
- (14) Yellow plastic (accessory).
- (15) Bright white plastic (accessory).
- (16) Green plastic (accessory).
- (17) Dull pink plastic (accessory).
- (18) Flesh color plastic (accessory).
- (19) Blue plastic (accessory).
- (20) Green plastic (accessory).
- (21) Orange plastic (accessory).
- (22) Pink plastic (accessory).
- (23) White plastic (accessory).
- (24) Pink plastic (accessory).
- (25) Purple plastic (accessory).
- (26) Blue plastic (accessory).
- (27) Pink plastic (accessory).
- (28) Black plastic (accessory).
- (29) Red plastic (accessory).
- (30) Light pink plastic (accessory).
- (31) Army green plastic (accessory).
- (32) White plastic (accessory).
- (33) Blue plastic (shell of vehicle).
- (34) White plastic label with inaccessible coatings (sticker).
- (35) Black plastic (vehicle body, seat, hub, holder accessory, wheel holder, frame, box, pedal, function indication panel).
- (36) Silver color plastic (hub cap of wheels).
- (37) Matt-black plastic (wheels).
- (38) Black plastic (steering wheel).
- (39) Black plastic (buckle).
- (40) Bright silver color plastic (door clasp, rear decoration).
- (41) Red plastic (joint of door).
- (42) Matt-black plastic (switch, button).
- (43) White plastic (button).
- (44) Black plastic (button panel on USB function indication).
- (45) Black plastic (socket of USB function indication).
- (46) Light red plastic (charger of seat).
- (47) Black plastic (socket of charger cover of seat).
- (48) White plastic (tube of steering wheel, gear of wheel holder).
- (49) Bright red plastic (spring decoration).
- (50) Transparent red plastic (light cover).
- (51) Transparent plastic (light cover).
- (52) Black plastic (shrinking tube).
- (53) Black plastic (clasp of wire).
- (54) @ Black coating on plastic (pattern on remote-control).
- (55) Semi-transparent hot melt glue (joint).
- (56) Black plastic (wire covering of front light).
- (57) Red plastic (wire covering of front light).
- (58) White plastic (remote-control).
- (59) Black plastic (remote-control).



Page 16 of 50



Test Report

Number: SZHH02104849

Tests Conducted

- (60) Transparent brown plastic (remote-control).
- (61) Blue plastic (nut).
- (62) Black webbing (belt).
- (63) @ White coatings on plastic (switch).

@: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Additional acid was required to lower the pH for component (1).

11 Total Lead (Pb) Content in Surface Coating (U.S. 16 CFR Part 1303 and CPSIA Section 101(15 USC 1278a))

As per Standard Operating Procedure for Determining Lead (Pb) in paint and other similar surface coatings, test method CPSC-CH-E1003-09.1 was used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry.

Element	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(1+2) Δ , (3)		
Lead (Pb)	ND	10	90

The above limit was quoted according to U.S. 16 CFR Part 1303 and U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for total Lead content in surface coating.

ppm = parts per million = mg/kg

ND = Not detected (less than detection limit)

Δ = The result is based on dry weight of testing sample

θ = Single result for each test component/group

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Black coating on metal (metal part).



Test Report

Number: SZHH02104849

Tests Conducted

12 Total Lead (Pb) Content in Substrate (U.S. CPSIA Section 101(15 USC 1278a))

As per Standard Operating Procedures for Determining total Lead (Pb) in children's products, test methods CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 were used and total Lead content was determined by Inductively Coupled Plasma - Optical Emission Spectrometry and/or Atomic Absorption Spectrometry.

Element	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(1+2),(3+4+5),(6+7+8), (9+10+11),(12+13+14), (15+16+17),(18+19+20), (21+22+23),(24+25+26), (27+28+29),(30+31),(32), (33+35),(34),(36+37+38), (39+40+41),(42+43+44),(45+46+47), (48+49+50),(51+52+53),(54+55), (56+57+58),(59)to(73)		
Lead (Pb)	ND	10	100

The above limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101(15 USC 1278a) for total Lead content in substrate.

ppm = parts per million = mg/kg

ND = Not detected (less than detection limit)

θ = Single result for each test component/group

Tested component(s):

- (1) Red plastic (accessory).
- (2) Pink plastic (accessory).
- (3) Blue plastic (accessory).
- (4) Black plastic (accessory).
- (5) Bright blue plastic (accessory).
- (6) Bright black plastic (accessory).
- (7) Bright pink plastic (accessory).
- (8) Red plastic (accessory).
- (9) Pink plastic (accessory).
- (10) Grey plastic (accessory).
- (11) White plastic (accessory).
- (12) Blue plastic (accessory).
- (13) Yellow plastic (accessory).
- (14) Bright white plastic (accessory).
- (15) Green plastic (accessory).
- (16) Dull pink plastic (accessory).
- (17) Flesh color plastic (accessory).
- (18) Blue plastic (accessory).
- (19) Green plastic (accessory).
- (20) Orange plastic (accessory).
- (21) Pink plastic (accessory).
- (22) White plastic (accessory).
- (23) Pink plastic (accessory).
- (24) Purple plastic (accessory).
- (25) Blue plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Black plastic (accessory).



Test Report

Number: SZHH02104849

Tests Conducted

- (28) Red plastic (accessory).
- (29) Light pink plastic (accessory).
- (30) Army green plastic (accessory).
- (31) White plastic (accessory).
- (32) Blue plastic (shell of vehicle).
- (33) White plastic label with inaccessible coatings (sticker).
- (34) Silver color metal (screw on battery cover of remote-control).
- (35) Black plastic (vehicle body, seat, hub, holder accessory, wheel holder, frame, box, pedal, function indication panel).
- (36) Silver color plastic (hub cap of wheels).
- (37) Matt-black plastic (wheels).
- (38) Black plastic (steering wheel).
- (39) Black plastic (buckle).
- (40) Bright silver color plastic (door clasp, rear decoration).
- (41) Red plastic (joint of door).
- (42) Matt-black plastic (switch, button).
- (43) White plastic (button).
- (44) Black plastic (button panel on USB function indication).
- (45) Black plastic (socket of USB function indication).
- (46) Light red plastic (charger of seat).
- (47) Black plastic (socket of charger cover of seat).
- (48) White plastic (tube of steering wheel, gear of wheel holder).
- (49) Bright red plastic (spring decoration).
- (50) Transparent red plastic (light cover).
- (51) Transparent plastic (light cover).
- (52) Black plastic (shrinking tube).
- (53) Black plastic (clasp of wire).
- (54) Semi-transparent hot melt glue (joint).
- (55) Black plastic (wire covering of front light).
- (56) Red plastic (wire covering of front light).
- (57) White plastic (remote-control).
- (58) Black plastic (remote-control).
- (59) Transparent brown plastic (remote-control).
- (60) Blue plastic (nut).
- (61) Black plated metal (screw).
- (62) Silver color metal (screw on motor case).
- (63) Silver color metal (big spring).
- (64) Silver color metal (nut).
- (65) Silver color metal (washer).
- (66) Silver color metal excluding coating (axle of wheel).
- (67) Silver color metal excluding coating (axle of steering wheel).
- (68) Silver color metal (screw on axle of steering wheel).
- (69) Silver color metal excluding coating (tube).
- (70) Silver color metal sheet excluding coating (bar).
- (71) Silver color metal sheet excluding coating (pad).
- (72) Silver color solder excluding coating (joint).
- (73) Silver color metal excluding coating (rivet).



Page 19 of 50



Test Report

Number: SZHH02104849

Tests Conducted

13 Total Lead (Pb) Content (U.S. Illinois Lead Poisoning Prevention Act 410 ILCS 45)

As per Illinois Lead Poisoning Prevention Act 410 ILCS 45, with reference to CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3 and/or CPSC-CH-E1003-09.1 and followed by Inductively Coupled Argon Plasma Spectrometry and/or Atomic Absorption Spectrometry.

(I) Surface coating

Element	Result (ppm) θ	Detection Limit (ppm)	Warning Statement Limit (ppm)	Limit (ppm)
	Tested Component			
	(1+2) Δ , (3)			
Lead (Pb)	ND	10	40	90

(II) Non-Surface Coating (Substrate)

Element	Result (ppm)	Detection Limit (ppm)	Limit (ppm)
	Tested Component		
	(80+81)		
Lead (Pb)	20	10	600

Element	Result (ppm) θ	Detection Limit (ppm)	Limit (ppm)
	Tested Component		
	(37+57+85), (79), (82+83+84)		
Lead (Pb)	ND	10	600

Element	Result (ppm) θ	Detection Limit (ppm)	Limit (ppm)
	Tested Component		
	(4+5), (6+7+8), (9+10+11), (12+13+14), (15+16+17), (18+19+20), (21+22+23), (24+25+26), (27+28+29), (30+31+32), (33+34), (35), (36+38), (39+40+41), (42+43+44), (45+46+47), (48+49+50), (51+52+53), (54+55+56), (58+59), (60+61+62), (63) to (78)		
Lead (Pb)	ND	10	100

ND = Not detected (less than detection limit)

ppm = parts per million = mg/kg

Δ = The result is based on dry weight of testing sample

θ = Single result for each test component/group

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).



Test Report

Number: SZHH02104849

Tests Conducted

- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) Blue plastic (shell of vehicle).
- (36) White plastic label with inaccessible coatings (sticker).
- (37) Black plastic (plug of charger).
- (38) Black plastic (vehicle body, seat, hub, holder accessory, wheel holder, frame, box, pedal, function indication panel).
- (39) Silver color plastic (hub cap of wheels).
- (40) Matt-black plastic (wheels).
- (41) Black plastic (steering wheel).
- (42) Black plastic (buckle).
- (43) Bright silver color plastic (door clasp, rear decoration).
- (44) Red plastic (joint of door).
- (45) Matt-black plastic (switch, button).
- (46) White plastic (button).
- (47) Black plastic (button panel on USB function indication).
- (48) Black plastic (socket of USB function indication).
- (49) Light red plastic (charger of seat).
- (50) Black plastic (socket of charger cover of seat).
- (51) White plastic (tube of steering wheel, gear of wheel holder).
- (52) Bright red plastic (spring decoration).
- (53) Transparent red plastic (light cover).
- (54) Transparent plastic (light cover).
- (55) Black plastic (shrinking tube).
- (56) Black plastic (clasp of wire).
- (57) Black plastic (pin of plug of charger).
- (58) Semi-transparent hot melt glue (joint).
- (59) Black plastic (wire covering of front light).
- (60) Red plastic (wire covering of front light).
- (61) White plastic (remote-control).
- (62) Black plastic (remote-control).
- (63) Transparent brown plastic (remote-control).
- (64) Blue plastic (nut).
- (65) Black plated metal (screw).



Page 21 of 50



Test Report

Number: SZHH02104849

Tests Conducted

- (66) Silver color metal (screw on motor case).
- (67) Silver color metal (big spring).
- (68) Silver color metal (nut).
- (69) Silver color metal (washer).
- (70) Silver color metal excluding coating (axle of wheel).
- (71) Silver color metal excluding coating (axle of steering wheel).
- (72) Silver color metal (screw on axle of steering wheel).
- (73) Silver color metal excluding coating (tube).
- (74) Silver color metal sheet excluding coating (bar).
- (75) Silver color metal sheet excluding coating (pad).
- (76) Silver color solder excluding coating (joint).
- (77) Silver color metal excluding coating (rivet).
- (78) Silver color metal (screw on battery cover of remote-control).
- (79) Black plastic (wrench tool).
- (80) Silver color metal (pin on case of US charger).
- (81) Silver color metal (plug of US charger).
- (82) Black plastic with brown printing (case of charger).
- (83) Transparent plastic (light cover of charger).
- (84) Black plastic (cable of charger).
- (85) Black plastic (cable joint of charger).

14 Phthalate Content (U.S. CPSIA Section 108(a) & (b)(3) and U.S. 16 CFR Part 1307)

As per CPSC-CH-C1001-09.4, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	CAS No.	Result (%) ⁰	Detection limit (%)	Limit (%)
		Tested component (1+2)Δ,(3),(4+5), (6+7+8),(9+10+11), (12+13+14),(15+16+17), (18+19+20),(21+22+23), (24+25+26),(27+28+29), (30+31+32),(33+34), (35),(36+37), (38+39+40), (41+42+43),(44+45+46), (47+48+49),(50+51+52), (53+54+55),(56+57), (58+59+60),(61+62)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.01	0.1
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	0.01	0.1
Di-n-hexyl Phthalate (DHEXP)	84-75-3	ND	0.01	0.1
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	0.01	0.1

The above limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 Title I, Sec 108(a) & (b)(3) and U.S. 16 CFR Part 1307 for Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates.



Test Report

Number: SZHH02104849

Tests Conducted

ND = Not detected (less than detection limit)
θ = Single result for each test component/group
Δ = The result is based on dry weight of testing sample

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) Blue plastic (shell of vehicle).
- (36) White plastic label with inaccessible coatings (sticker).
- (37) Black plastic (vehicle body, seat, hub, holder accessory, wheel holder, frame, box, pedal, function indication panel).
- (38) Silver color plastic (hub cap of wheels).
- (39) Matt-black plastic (wheels).
- (40) Black plastic (steering wheel).
- (41) Black plastic (buckle).
- (42) Bright silver color plastic (door clasp, rear decoration).
- (43) Red plastic (joint of door).
- (44) Matt-black plastic (switch, button).
- (45) White plastic (button).
- (46) Black plastic (button panel on USB function indication).
- (47) Black plastic (socket of USB function indication).
- (48) Light red plastic (charger of seat).



Page 23 of 50



Test Report

Number: SZHH02104849

Tests Conducted

- (49) Black plastic (socket of charger cover of seat).
- (50) White plastic (tube of steering wheel, gear of wheel holder).
- (51) Bright red plastic (spring decoration).
- (52) Transparent red plastic (light cover).
- (53) Transparent plastic (light cover).
- (54) Black plastic (shrinking tube).
- (55) Black plastic (clasp of wire).
- (56) Semi-transparent hot melt glue (joint).
- (57) Black plastic (wire covering of front light).
- (58) Red plastic (wire covering of front light).
- (59) White plastic (remote-control).
- (60) Black plastic (remote-control).
- (61) Transparent brown plastic (remote-control).
- (62) Blue plastic (nut).

15 Phthalate Content (U.S. ASTM F963-23 Section 4.3.8)

As per Section 4.3.8 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, test method CPSC-CH-C1001-09.4 was used and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	CAS No.	Result (%) ^θ	Detection limit (%)	Limit (%)
		Tested component (1+2)Δ,(3),(4+5), (6+7+8),(9+10+11), (12+13+14),(15+16+17), (18+19+20),(21+22+23), (24+25+26),(27+28+29), (30+31+32),(33+34), (35),(36+37), (38+39+40), (41+42+43),(44+45+46), (47+48+49),(50+51+52), (53+54+55),(56+57), (58+59+60),(61+62)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0/ 68515-48-0	ND	0.01	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.01	0.1
Di-n-pentyl Phthalate (DPENP)	131-18-0	ND	0.01	0.1
Di-n-hexyl Phthalate (DHEXP)	84-75-3	ND	0.01	0.1
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	0.01	0.1

ND = Not detected (less than detection limit)

Δ = The result is based on dry weight of testing sample

θ = Single result for each test component/group



Test Report

Number: SZHH02104849

Tests Conducted

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) Blue plastic (shell of vehicle).
- (36) White plastic label with inaccessible coatings (sticker).
- (37) Black plastic (vehicle body, seat, hub, holder accessory, wheel holder, frame, box, pedal, function indication panel).
- (38) Silver color plastic (hub cap of wheels).
- (39) Matt-black plastic (wheels).
- (40) Black plastic (steering wheel).
- (41) Black plastic (buckle).
- (42) Bright silver color plastic (door clasp, rear decoration).
- (43) Red plastic (joint of door).
- (44) Matt-black plastic (switch, button).
- (45) White plastic (button).
- (46) Black plastic (button panel on USB function indication).
- (47) Black plastic (socket of USB function indication).
- (48) Light red plastic (charger of seat).
- (49) Black plastic (socket of charger cover of seat).
- (50) White plastic (tube of steering wheel, gear of wheel holder).
- (51) Bright red plastic (spring decoration).
- (52) Transparent red plastic (light cover).



Page 25 of 50



Test Report

Number: SZHH02104849

Tests Conducted

- (53) Transparent plastic (light cover).
- (54) Black plastic (shrinking tube).
- (55) Black plastic (clasp of wire).
- (56) Semi-transparent hot melt glue (joint).
- (57) Black plastic (wire covering of front light).
- (58) Red plastic (wire covering of front light).
- (59) White plastic (remote-control).
- (60) Black plastic (remote-control).
- (61) Transparent brown plastic (remote-control).
- (62) Blue plastic (nut).

16 Phthalate Content (California Proposition 65 – Toys)

With reference to CPSC-CH-C1001-09.4 and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	Result (%) θ	Detection Limit (%)	Limit (%)
	Tested component		
	(1+2) Δ , (3), (4+5), (6+7+8), (9+10+11), (12+13+14), (15+16+17), (18+19+20), (21+22+23), (24+25+26), (27+28+29), (30+31+32), (33+34), (35), (36+37), (38+39+40), (41+42+43), (44+45+46), (47+48+49), (50+51+52), (53+54+55), (56+57), (58+59+60), (61+62)		
Dibutyl phthalate (DBP)	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	ND	0.01	0.1
Di-iso-decyl phthalate (DIDP)	ND	0.01	0.1
Di-n-hexyl phthalate (DnHP)	ND	0.01	0.1

The above limit was quoted from the Consent Judgment No. BG-350969 settled by superior court of the state of California for the county of Alameda, for Toys based on the California Proposition 65.

ND = Not detected (less than detection limit)
 Δ = The result is based on dry weight of testing sample
 θ = Single result for each test component/group

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).



Page 26 of 50



Test Report

Number: SZHH02104849

Tests Conducted

- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) Blue plastic (shell of vehicle).
- (36) White plastic label with inaccessible coatings (sticker).
- (37) Black plastic (vehicle body, seat, hub, holder accessory, wheel holder, frame, box, pedal, function indication panel).
- (38) Silver color plastic (hub cap of wheels).
- (39) Matt-black plastic (wheels).
- (40) Black plastic (steering wheel).
- (41) Black plastic (buckle).
- (42) Bright silver color plastic (door clasp, rear decoration).
- (43) Red plastic (joint of door).
- (44) Matt-black plastic (switch, button).
- (45) White plastic (button).
- (46) Black plastic (button panel on USB function indication).
- (47) Black plastic (socket of USB function indication).
- (48) Light red plastic (charger of seat).
- (49) Black plastic (socket of charger cover of seat).
- (50) White plastic (tube of steering wheel, gear of wheel holder).
- (51) Bright red plastic (spring decoration).
- (52) Transparent red plastic (light cover).
- (53) Transparent plastic (light cover).
- (54) Black plastic (shrinking tube).
- (55) Black plastic (clasp of wire).
- (56) Semi-transparent hot melt glue (joint).
- (57) Black plastic (wire covering of front light).
- (58) Red plastic (wire covering of front light).
- (59) White plastic (remote-control).
- (60) Black plastic (remote-control).
- (61) Transparent brown plastic (remote-control).
- (62) Blue plastic (nut).



Page 27 of 50



Test Report

Number: SZHH02104849

Tests Conducted

17 Di-iso-nonyl phthalate (DINP) Content (California Proposition 65)

With reference to CPSC-CH-C1001-09.4 and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test item	Result (%) θ	Reporting limit (%)	Limit (%)
	Tested component (1+2) Δ , (3), (4+5), (6+7+8), (9+10+11), (12+13+14), (15+16+17), (18+19+20), (21+22+23), (24+25+26), (27+28+29), (30+31+32), (33+34), (35), (36+37), (38+39+40), (41+42+43), (44+45+46), (47+48+49), (50+51+52), (53+54+55), (56+57), (58+59+60), (61+62)		
Di-iso-nonyl phthalate (DINP)	ND	0.01	--

ND = Not detected (less than reporting limit)

θ = Single result for each test component/group

Δ = The result is based on dry weight of testing sample

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).



Test Report

Number: SZHH02104849

Tests Conducted

- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) Blue plastic (shell of vehicle).
- (36) White plastic label with inaccessible coatings (sticker).
- (37) Black plastic (vehicle body, seat, hub, holder accessory, wheel holder, frame, box, pedal, function indication panel).
- (38) Silver color plastic (hub cap of wheels).
- (39) Matt-black plastic (wheels).
- (40) Black plastic (steering wheel).
- (41) Black plastic (buckle).
- (42) Bright silver color plastic (door clasp, rear decoration).
- (43) Red plastic (joint of door).
- (44) Matt-black plastic (switch, button).
- (45) White plastic (button).
- (46) Black plastic (button panel on USB function indication).
- (47) Black plastic (socket of USB function indication).
- (48) Light red plastic (charger of seat).
- (49) Black plastic (socket of charger cover of seat).
- (50) White plastic (tube of steering wheel, gear of wheel holder).
- (51) Bright red plastic (spring decoration).
- (52) Transparent red plastic (light cover).
- (53) Transparent plastic (light cover).
- (54) Black plastic (shrinking tube).
- (55) Black plastic (clasp of wire).
- (56) Semi-transparent hot melt glue (joint).
- (57) Black plastic (wire covering of front light).
- (58) Red plastic (wire covering of front light).
- (59) White plastic (remote-control).
- (60) Black plastic (remote-control).
- (61) Transparent brown plastic (remote-control).
- (62) Blue plastic (nut).



Test Report

Number: SZHH02104849

Tests Conducted

18 Total Lead Content (California Proposition 65 – Toys)

With reference to CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3 and/or CPSC-CH-E1003-09.1 and followed by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(1+2) Δ , (3)		
Lead (Pb)	ND	10	90

Element	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(4+5), (6+7+8), (9+10+11), (12+13+14), (15+16+17), (18+19+20), (21+22+23), (24+25+26), (27+28+29), (30+31+32), (33+34), (35), (36+38), (37), (39+40+41), (42+43+44), (45+46+47), (48+49+50), (51+52+53), (54+55+56), (57+58), (59+60+61), (62) to (76)		
Lead (Pb)	ND	10	100

The above limit was quoted from the Consent Judgment No. RG-356892 settled by superior court of the State of California for the county of Alameda, for Toys based on the California Proposition 65.

ND = Not detected (less than detection limit)

Δ = The result is based on dry weight of testing sample

θ = Single result for each test component/group

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).



Page 30 of 50



Test Report

Number: SZHH02104849

Tests Conducted

- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) Blue plastic (shell of vehicle).
- (36) White plastic label with inaccessible coatings (sticker).
- (37) Silver color metal (screw on battery cover of remote-control).
- (38) Black plastic (vehicle body, seat, hub, holder accessory, wheel holder, frame, box, pedal, function indication panel).
- (39) Silver color plastic (hub cap of wheels).
- (40) Matt-black plastic (wheels).
- (41) Black plastic (steering wheel).
- (42) Black plastic (buckle).
- (43) Bright silver color plastic (door clasp, rear decoration).
- (44) Red plastic (joint of door).
- (45) Matt-black plastic (switch, button).
- (46) White plastic (button).
- (47) Black plastic (button panel on USB function indication).
- (48) Black plastic (socket of USB function indication).
- (49) Light red plastic (charger of seat).
- (50) Black plastic (socket of charger cover of seat).
- (51) White plastic (tube of steering wheel, gear of wheel holder).
- (52) Bright red plastic (spring decoration).
- (53) Transparent red plastic (light cover).
- (54) Transparent plastic (light cover).
- (55) Black plastic (shrinking tube).
- (56) Black plastic (clasp of wire).
- (57) Semi-transparent hot melt glue (joint).
- (58) Black plastic (wire covering of front light).
- (59) Red plastic (wire covering of front light).
- (60) White plastic (remote-control).
- (61) Black plastic (remote-control).
- (62) Transparent brown plastic (remote-control).
- (63) Blue plastic (nut).
- (64) Black plated metal (screw).
- (65) Silver color metal (screw on motor case).
- (66) Silver color metal (big spring).
- (67) Silver color metal (nut).
- (68) Silver color metal (washer).
- (69) Silver color metal excluding coating (axle of wheel).
- (70) Silver color metal excluding coating (axle of steering wheel).
- (71) Silver color metal (screw on axle of steering wheel).
- (72) Silver color metal excluding coating (tube).
- (73) Silver color metal sheet excluding coating (bar).
- (74) Silver color metal sheet excluding coating (pad).
- (75) Silver color solder excluding coating (joint).
- (76) Silver color metal excluding coating (rivet).



Page 31 of 50



Test Report

Number: SZHH02104849

Tests Conducted

19 Lead (Pb) Content

With reference to CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3 and/or CPSC-CH-E1003-09.1 and followed by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (mg/kg)	Reporting Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(1+2)		
Lead (Pb)	20	10	100

Element	Result (mg/kg) θ	Reporting Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(3+4+5),(6+7+8)		
Lead (Pb)	ND	10	100

The above limit was quoted from the Consent Judgment No. CGC-09-485784 settled by superior court of the State of California for the county of San Francisco, for charging docks based on the California Proposition 65.

ND = Not Detected (less than reporting limit)

θ = Single result for each test component/group

Tested component(s):

- (1) Silver color metal (pin on case of US charger).
- (2) Silver color metal (plug of US charger).
- (3) Black plastic with brown printing (case of charger).
- (4) Transparent plastic (light cover of charger).
- (5) Black plastic (cable of charger).
- (6) Black plastic (cable joint of charger).
- (7) Black plastic (plug of charger).
- (8) Black plastic (pin of plug of charger).

20 Lead (Pb) Content (California Proposition 65 – Tools)

With reference to CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3 and/or CPSC-CH-E1003-09.1 and followed by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (mg/kg)	Reporting Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(1)		
Lead (Pb)	ND	10	100



Test Report

Number: SZHH02104849

Tests Conducted

With reference to NIOSH 9100.

Element	Result (µg)	Reporting Limit (µg)	Limit (µg)
	Tested Component		
	(1)		
Lead (Pb)	ND	0.5	1.0

The above limit was quoted from the Consent Judgment No. BC-580146, CIV-03098, CV-231165, CV-242946, RG-740779 settled by superior court of the State of California for the county of Los Angeles, Marin, Santa Clara, Alameda, for Tools based on the California Proposition 65.

µg = microgramme

ND = Not Detected (less than reporting limit)

Tested component(s):

(1) Black plastic (wrench tool).

21 Washington CSPA –Total Lead(Pb) Content

With reference to CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3 and/or CPSC-CH-E1003-09.1, followed by Inductively Coupled Argon Plasma Spectrometry.

Assessment: Not Applicable.

22 Washington CSPA – Total Cadmium (Cd) Content

With reference to Section 8.3.1 of ASTM F963-23, followed by Inductively Coupled Argon Plasma Spectrometry.

Assessment: Not Applicable.



Test Report

Number: SZHH02104849

Tests Conducted

23 Washington CSPA - Phthalate Content

Solvent extraction and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	CAS No.	Result (%) θ	Reporting Limit (%)	Limit (%)
		Tested Component (1+2) Δ , (3), (4+5), (6+7+8), (9+10+11), (12+13+14), (15+16+17), (18+19+20), (21+22+23), (24+25+26), (27+28+29), (30+31+32), (33+34), (35), (36+37), (38+39+40), (41+42+43), (44+45+46), (47+48+49), (50+51+52), (53+54+55), (56+57), (58+59+60), (61+62)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.002	0.1
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	0.002	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.002	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	ND	0.002	0.1
Di-n-octyl phthalate (DNOP)	117-84-0	ND	0.005	0.1
Di-iso-decyl phthalate (DIDP)	26761-40-0	ND	0.005	0.1
Sum of six phthalates	--	ND	--	0.1

ND = Not detected (less than reporting limit)

Δ = The result is based on dry weight of testing sample

θ = Single result for each test component/group

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).



Test Report

Number: SZHH02104849

Tests Conducted

- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) Blue plastic (shell of vehicle).
- (36) White plastic label with inaccessible coatings (sticker).
- (37) Black plastic (vehicle body, seat, hub, holder accessory, wheel holder, frame, box, pedal, function indication panel).
- (38) Silver color plastic (hub cap of wheels).
- (39) Matt-black plastic (wheels).
- (40) Black plastic (steering wheel).
- (41) Black plastic (buckle).
- (42) Bright silver color plastic (door clasp, rear decoration).
- (43) Red plastic (joint of door).
- (44) Matt-black plastic (switch, button).
- (45) White plastic (button).
- (46) Black plastic (button panel on USB function indication).
- (47) Black plastic (socket of USB function indication).
- (48) Light red plastic (charger of seat).
- (49) Black plastic (socket of charger cover of seat).
- (50) White plastic (tube of steering wheel, gear of wheel holder).
- (51) Bright red plastic (spring decoration).
- (52) Transparent red plastic (light cover).
- (53) Transparent plastic (light cover).
- (54) Black plastic (shrinking tube).
- (55) Black plastic (clasp of wire).
- (56) Semi-transparent hot melt glue (joint).
- (57) Black plastic (wire covering of front light).
- (58) Red plastic (wire covering of front light).
- (59) White plastic (remote-control).
- (60) Black plastic (remote-control).
- (61) Transparent brown plastic (remote-control).
- (62) Blue plastic (nut).



Page 35 of 50



Test Report

Number: SZHH02104849

Tests Conducted

24 Physical and Mechanical Test

Test standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17.

The submitted samples were undergone the use and abuse tests in accordance with the Canada Consumer Product Safety Act Toys Regulations (SOR/2011-17):	
<u>Test</u>	<u>Parameter</u>
Drop test	4 x 0.914 m
Pull test	44.5 N
Push test	44.5N

No.	Requirement	Result
3	General - English and French bilingual statement	P
	Packaging	
4	(a) The opening perimeter is less than 356mm	P
	(b) The opening perimeter is 356mm or more	P
	Electrical hazard	
6	Electrically heated toys	NA
	Mechanical hazard	
7	Small parts	NA
8	Metal edges	P
9	Wire frames	P
10	Plastic edges	P
11	Wooden surfaces, edges and corners	NA
12	Glass	NA
13	Fasteners	P
14	Folding mechanism, bracket or bracing	NA
15	Spring-wound driving mechanisms	NA
16	Projectile components	NA
17	Toys which a child can enter and which can be closed by a lid or door	NA
18	Stationary toy that is intended to bear the weight of a child	NA
	Auditory hazards	
19	Noise limit	P
	Thermal hazards	
20	Heated surfaces, parts or substances	P



Page 36 of 50



Test Report

Number: SZHH02104849

Tests Conducted

No.	Requirement	Result
	Dolls, plush toys and soft toys	
28	Fastenings to attach parts, clothing or ornamentation	NA
29	Stuffing materials	NA
	(a) Clean and free from vermin	NA
	(b) Free from hard and sharp foreign matter	NA
30	Small parts -Squeaker, reed, valve or other similar device	NA
31	Eyes and noses	NA
	Plant seeds	
35	Plant seeds for making noise	NA
36	Plant seeds for stuffing material	NA
37	Shaft-like handle	NA
38	Toy steam engines boilers	NA
40	Rattle	NA
41	Elastics	NA
42	Yo-yo type balls	NA
	(a) Stretchable cords	NA
	(b) Similar product	NA
	Magnetic Toys	
43	Magnetic force	NA
44	(1) Exceptions of 44 (1)(a)	NA
	(1) Exceptions of 44 (1)(b)	NA
	(2) Warning – Container and instructions or use for 44 (1)(b)	NA
45	Exception	NA
46	Requirements and Testing	NA
47	Warning	NA

Abbreviation: P = Pass F= Fail NA = Not Applicable NR=Not Requested



Page 37 of 50



Test Report

Number: SZHH02104849

Tests Conducted

25 Cellulose Nitrate and Celluloid

Test Standard : Canada Consumer Product Safety Act Toys Regulation SOR 2011-17 section 21.

Cellulose Nitrate/Celluloid	<u>Assessment</u> Absent	<u>Requirement</u> Absent
-----------------------------	-----------------------------	------------------------------

26 Total Lead (Pb) content (CCPSA SOR/2018-83)

As per Method C-02.2.2, C-02.3.2, C-02.4.1, published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section, acid digestion was used and Total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

<u>Element</u>	<u>Result (mg/kg) θ</u>	<u>Detection Limit (mg/kg)</u>	<u>Limit (mg/kg)</u>
	<u>Tested Component</u>		
	(1+2)Δ,(3),(4+5),(6+7+8),(9+10+11),(12+13+14), (15+16+17),(18+19+20),(21+22+23), (24+25+26),(27+28+29),(30+31+32), (33+34),(35),(36+38),(37),(39+40+41), (42+43+44),(45+46+47),(48+49+50), (51+52+53),(54+55+56),(57+58),(59+60+61), (62)to(76)		
Lead (Pb)	ND	10	90

The above limit was quoted according to Canada Consumer Products Containing Lead Regulations SOR/2018-83.

ND = Not detected (less than detection limit)
θ = Single result for each test component/group

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).

Test Report

Number: SZHH02104849

Tests Conducted

- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) Blue plastic (shell of vehicle).
- (36) White plastic label with inaccessible coatings (sticker).
- (37) Silver color metal (screw on battery cover of remote-control).
- (38) Black plastic (vehicle body, seat, hub, holder accessory, wheel holder, frame, box, pedal, function indication panel).
- (39) Silver color plastic (hub cap of wheels).
- (40) Matt-black plastic (wheels).
- (41) Black plastic (steering wheel).
- (42) Black plastic (buckle).
- (43) Bright silver color plastic (door clasp, rear decoration).
- (44) Red plastic (joint of door).
- (45) Matt-black plastic (switch, button).
- (46) White plastic (button).
- (47) Black plastic (button panel on USB function indication).
- (48) Black plastic (socket of USB function indication).
- (49) Light red plastic (charger of seat).
- (50) Black plastic (socket of charger cover of seat).
- (51) White plastic (tube of steering wheel, gear of wheel holder).
- (52) Bright red plastic (spring decoration).
- (53) Transparent red plastic (light cover).
- (54) Transparent plastic (light cover).
- (55) Black plastic (shrinking tube).
- (56) Black plastic (clasp of wire).
- (57) Semi-transparent hot melt glue (joint).
- (58) Black plastic (wire covering of front light).
- (59) Red plastic (wire covering of front light).
- (60) White plastic (remote-control).
- (61) Black plastic (remote-control).
- (62) Transparent brown plastic (remote-control).
- (63) Blue plastic (nut).
- (64) Black plated metal (screw).
- (65) Silver color metal (screw on motor case).
- (66) Silver color metal (big spring).
- (67) Silver color metal (nut).
- (68) Silver color metal (washer).
- (69) Silver color metal excluding coating (axle of wheel).
- (70) Silver color metal excluding coating (axle of steering wheel).
- (71) Silver color metal (screw on axle of steering wheel).
- (72) Silver color metal excluding coating (tube).
- (73) Silver color metal sheet excluding coating (bar).
- (74) Silver color metal sheet excluding coating (pad).
- (75) Silver color solder excluding coating (joint).
- (76) Silver color metal excluding coating (rivet).



Page 39 of 50



Test Report

Number: SZHH02104849

Tests Conducted

27 Toxic Elements Analysis (CCPSA SOR/2011-17 and Amendment SOR/2022-122)

With reference to Method C-02.2.1, C-07 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section, acid digestion method was used and toxic elements content were determined by Inductively Coupled Plasma-mass Spectrometry.

Element	Result θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested component		
	(1+2) Δ , (3)		
Tot. Lead (Pb)	ND	10	90
Tot. Mercury (Hg)	ND	0.047	10

With reference to Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-23, extraction method was used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

Element	Result	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested component		
	(3)		
Sol. Cadmium (Cd)	ND	5	1000
Sol. Antimony (Sb)	ND	5	1000
Sol. Selenium (Se)	ND	5	1000
Sol. Arsenic (As)	ND	2.5	1000
Sol. Barium (Ba)	193	5	1000

The above limit was quoted according to Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 and Amendment SOR/2022-122 Section 23 for prohibition on toxic elements in stickers, films and surface coating materials.

Tot. = Total

Sol. = Soluble

ND = Not detected (less than detection limit)

Δ = The result is based on dry weight of sample

θ = Single result for each test component/group

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Black coating on metal (metal part).

Additional acid was required to lower the pH for component(s) (3).



Test Report

Number: SZHH02104849

Tests Conducted

28 Total Lead (Pb) Content (CCPSA SOR/2016-193 and Amendment SOR/2022-122)

As per Method C-02.2.2 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section, acid digestion method was used and determined by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (mg/kg) θ	Detection Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(1+2) Δ , (3)		
Lead (Pb)	ND	10	90

The above limit was quoted according to Canada Consumer Product Safety Act Surface Coating Materials Regulations SOR/2016-193 and Amendment SOR/2022-122 for prohibition on Lead in stickers, films or surface coating materials.

ND = Not detected (less than detection limit)

Δ = The result is based on dry weight of testing sample

θ = Single result for each test component/group

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Black coating on metal (metal part).

29 Total Mercury (Hg) Content (CCPSA SOR/2016-193 and Amendment SOR/2022-122)

With reference to Method C-07 published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section, acid digestion method was used and determined by Inductively Coupled Plasma-mass Spectrometry.

Assessment: Since no surface coating material (paint or other similar material) was found on the submitted sample (s), the testing scope of Canada Consumer Product Safety Act Surface Coating Materials Regulations SOR/2016-193 and Amendment SOR/2022-122 was not applicable to the submitted sample (s).

30 Heavy Metal Analysis in Plastic Material (CCPSA SOR/2011-17 and Amendment SOR/2016-302)

Acid extraction method was used, and soluble heavy metal contents were determined by Inductively Coupled Argon Plasma Spectrometry.

Assessment: As the submitted samples were not subjected to the scope of the standard, no heavy metal testing has been performed for Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 and Amendment SOR/2016-302 Section 27(a) on Heavy metal content.



Test Report

Number: SZHH02104849

Tests Conducted

31 Total Mercury (Hg) Content (For product except battery) (CEPA SOR/2014-254)

As per IEC 62321-4:2013+AMD1:2017, acid digestion was used and analysed by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result (%)	Limit (%)
(1+2)	ND	0.1
(3+4+5)	ND	0.1
(6+7+8)	ND	0.1
(9+10+11)	ND	0.1
(12+13+14)	ND	0.1
(15+16+17)	ND	0.1
(18+19+20)	ND	0.1
(21+22+23)	ND	0.1
(24+25+26)	ND	0.1
(27+28+29)	ND	0.1
(30+31)	ND	0.1
(32)	ND	0.1
(33+35)	ND	0.1
(34+139+140)	ND	0.1
(36+37+38)	ND	0.1
(39+40+41)	ND	0.1
(42+43+44)	ND	0.1
(45+46+47)	ND	0.1
(48+49+50)	ND	0.1
(51+52+53)	ND	0.1
(54+55)	ND	0.1
(56+57+58)	ND	0.1
(59)to(62)	ND	0.1
(63+64+65)	ND	0.1
(66+67+68)	ND	0.1
(69+70+71)	ND	0.1
(72+73+74)	ND	0.1
(75+76+77)	ND	0.1
(78+79+80)	ND	0.1
(81+82+83)	ND	0.1
(84+85+86)	ND	0.1
(87+88+89)	ND	0.1
(90+91+92)	ND	0.1
(93+94+95)	ND	0.1
(96+97+98)	ND	0.1
(99+100+101)	ND	0.1
(102+103+104)	ND	0.1
(105+106+107)	ND	0.1
(108+109+110)	ND	0.1
(111+112+113)	ND	0.1
(114+115+116)	ND	0.1
(117+118+119)	ND	0.1
(120)	ND	0.1
(121+122+123)	ND	0.1
(124+125+126)	ND	0.1
(127+128+129)	ND	0.1
(130+131+132)	ND	0.1
(133+134+135)	ND	0.1
(136+137+138)	ND	0.1



Test Report

Number: SZHH02104849

Tests Conducted

ND = Not Detection

Detection limit = 0.0001%

Δ = The result is based on dry weight of sample

Tested component(s):

- (1) Red plastic (accessory).
- (2) Pink plastic (accessory).
- (3) Blue plastic (accessory).
- (4) Black plastic (accessory).
- (5) Bright blue plastic (accessory).
- (6) Bright black plastic (accessory).
- (7) Bright pink plastic (accessory).
- (8) Red plastic (accessory).
- (9) Pink plastic (accessory).
- (10) Grey plastic (accessory).
- (11) White plastic (accessory).
- (12) Blue plastic (accessory).
- (13) Yellow plastic (accessory).
- (14) Bright white plastic (accessory).
- (15) Green plastic (accessory).
- (16) Dull pink plastic (accessory).
- (17) Flesh color plastic (accessory).
- (18) Blue plastic (accessory).
- (19) Green plastic (accessory).
- (20) Orange plastic (accessory).
- (21) Pink plastic (accessory).
- (22) White plastic (accessory).
- (23) Pink plastic (accessory).
- (24) Purple plastic (accessory).
- (25) Blue plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Black plastic (accessory).
- (28) Red plastic (accessory).
- (29) Light pink plastic (accessory).
- (30) Army green plastic (accessory).
- (31) White plastic (accessory).
- (32) Blue plastic (shell of vehicle).
- (33) White plastic label with inaccessible coatings (sticker).
- (34) Plastic part on PCB (inner charger).
- (35) Black plastic (vehicle body, seat, hub, holder accessory, wheel holder, frame, box, pedal, function indication panel).
- (36) Silver color plastic (hub cap of wheels).
- (37) Matt-black plastic (wheels).
- (38) Black plastic (steering wheel).
- (39) Black plastic (buckle).
- (40) Bright silver color plastic (door clasp, rear decoration).
- (41) Red plastic (joint of door).
- (42) Matt-black plastic (switch, button).
- (43) White plastic (button).
- (44) Black plastic (button panel on USB function indication).
- (45) Black plastic (socket of USB function indication).
- (46) Light red plastic (charger of seat).
- (47) Black plastic (socket of charger cover of seat).
- (48) White plastic (tube of steering wheel, gear of wheel holder).



Page 43 of 50



Test Report

Number: SZHH02104849

Tests Conducted

- (49) Bright red plastic (spring decoration).
- (50) Transparent red plastic (light cover).
- (51) Transparent plastic (light cover).
- (52) Black plastic (shrinking tube).
- (53) Black plastic (clasp of wire).
- (54) Semi-transparent hot melt glue (joint).
- (55) Black plastic (wire covering of front light).
- (56) Red plastic (wire covering of front light).
- (57) White plastic (remote-control).
- (58) Black plastic (remote-control).
- (59) Transparent brown plastic (remote-control).
- (60) Blue plastic (nut).
- (61) Black webbing (belt).
- (62) Coatings (red, black) on plastic (warning label of wire).
- (63) Semi-transparent plastic (cable tie of wire).
- (64) Transparent plastic (shrinking tube).
- (65) Beige PCB (back of battery socket).
- (66) Dull red plastic (jack).
- (67) White plastic (jack).
- (68) White plastic (socket).
- (69) Organic part (big motor).
- (70) White plastic (gears of inner motor case).
- (71) White grease (inner motor case).
- (72) Black plastic (thick wire covering).
- (73) Red plastic (thick wire covering).
- (74) Yellow plastic (thick wire covering).
- (75) Green plastic (thick wire covering).
- (76) Red plastic (wire covering).
- (77) Orange plastic (wire covering).
- (78) Yellow plastic (wire covering).
- (79) Black plastic (wire covering).
- (80) White plastic (wire covering).
- (81) Green plastic (wire covering).
- (82) Blue plastic (wire covering).
- (83) White plastic excluding coatings (warning label of wire).
- (84) White paper label with transparent plastic film and inaccessible orange coating (sticker on JR case).
- (85) White adhesive foam (pad of joint of JR case).
- (86) Black-grey plastic (JR case).
- (87) Blue PCB with plastic part (inner JR case).
- (88) White glue (inner JR case).
- (89) Black resin (inner JR case).
- (90) Organic part (black block on PCB of JR case).
- (91) Organic part (green capacitor of inner JR case).
- (92) Black plastic (inductor of inner JR case).
- (93) Bright black plastic (Relay).
- (94) Black plastic (thin wire covering of inner steering wheel, USB function indication).
- (95) Red plastic (thin wire covering of inner steering wheel, USB function indication).
- (96) Yellow plastic (thin wire covering of inner steering wheel, USB function indication).
- (97) Green PCB (inner steering wheel).
- (98) Semi-transparent/black plastic (button of steering wheel).
- (99) White plastic (USB plug of USB function indication).
- (100) Transparent/black plastic label (screen of USB function indication).
- (101) White plastic with black printing (screen of USB function indication).
- (102) Semi-transparent resin (screen of USB function indication).
- (103) Black PCB (inner screen of USB function indication).
- (104) Beige/black plastic (button on PCB of USB function indication).



Page 44 of 50



Test Report

Number: SZHH02104849

Tests Conducted

- (105) Organic part (black capacitor of USB function indication).
- (106) Organic part (silver color capacitor of USB function indication).
- (107) Red plastic (jack USB function indication).
- (108) Red plastic (socket of USB function indication).
- (109) Semi-transparent plastic (lid of small motor).
- (110) Organic part (small motor).
- (111) Black plastic (socket of inner front light).
- (112) Black plastic (jack of inner front light).
- (113) Transparent plastic (LED of inner front light).
- (114) Black plastic sheet (speaker).
- (115) Black plastic (speaker).
- (116) Light green PCB with black glue (speaker).
- (117) Yellow plastic (wire covering of speaker joint).
- (118) Black plastic (button on PCB of remote-control).
- (119) Green/brown PCB with plastic part (inner remote-control).
- (120) Black plastic (wrench tool).
- (121) Black plastic with brown printing (case of charger).
- (122) Transparent plastic (light cover of charger).
- (123) Black plastic (cable of charger).
- (124) Black plastic (cable joint of charger).
- (125) Black plastic (plug of charger).
- (126) Black plastic (pin of plug of charger).
- (127) Semi-transparent plastic (LED of US charger).
- (128) Transparent adhesive plastic label (inner charger).
- (129) Red plastic (wire covering of inner charger).
- (130) Plastic part (black capacitor of inner charger).
- (131) Plastic part (green capacitor of inner charger).
- (132) White glue (joint of inner charger).
- (133) Blue plastic (blue capacitor of inner charger).
- (134) Organic part (matt-black inductor of inner charger).
- (135) Organic part (small matt-black inductor of inner charger).
- (136) Yellow adhesive tape (transformer of inner charger).
- (137) Semi-transparent plastic (tube of transformer of inner charger).
- (138) Yellow plastic (wire covering of transformer of inner charger).
- (139) Bright black plastic (transformer of inner charger).
- (140) Green/beige PCB (inner charger).



Page 45 of 50



Test Report

Number: SZHH02104849

Tests Conducted

32 Phthalate Content (CCPSA SOR/2016-188)

As per Method CPSC-CH-C1001-09.3 and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

For 3 phthalate

Test Item	CAS No.	Result (mg/kg) θ	Reporting Limit (mg/kg)	Limit (mg/kg)
		Tested Component (63),(64+65+66),(67+68+69), (70+71+72),(73+74+75), (76+77+78),(79+80+81), (82+83+84),(85+86+87), (88+89+90),(91+92+93), (94+95+96),(97+98+99), (100+101+102), (103+104+105), (106+107+108), (109+110+111), (112+113+114), (115+116+117), (118+119+120)		
Dibutyl phthalate (DBP)	84-74-2	ND	100	1000
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	100	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	100	1000

For 6 phthalate

Test Item	CAS No.	Result (mg/kg) θ	Reporting Limit (mg/kg)	Limit (mg/kg)
		Tested Component (1+2) Δ ,(3),(4+5), (6+7+8),(9+10+11), (12+13+14),(15+16+17), (18+19+20),(21+22+23), (24+25+26),(27+28+29), (30+31+32),(33+34), (35),(36+37),(38+39+40), (41+42+43),(44+45+46), (47+48+49),(50+51+52), (53+54+55),(56+57), (58+59+60),(61+62)		
Dibutyl phthalate (DBP)	84-74-2	ND	100	1000
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	100	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	100	1000
Di-iso-nonyl phthalate (DINP)	28553-12-0	ND	100	1000
Di-n-octyl phthalate (DNOP)	117-84-0	ND	100	1000
Di-iso-decyl phthalate (DIDP)	26761-40-0	ND	100	1000

The above limit was quoted according to Canada Consumer Product Safety Act Phthalates Regulations SOR/2016-188 for phthalate content on toys and child care articles.

ND = Not detected (less than reporting limit)



Test Report

Number: SZHH02104849

Tests Conducted

Δ = The result is based on dry weight of testing sample

θ = Single result for each test component/group

Tested component(s):

- (1) White wet paint (switch).
- (2) Black wet paint (pattern on remote-control).
- (3) Black coating on metal (metal part).
- (4) Red plastic (accessory).
- (5) Pink plastic (accessory).
- (6) Blue plastic (accessory).
- (7) Black plastic (accessory).
- (8) Bright blue plastic (accessory).
- (9) Bright black plastic (accessory).
- (10) Bright pink plastic (accessory).
- (11) Red plastic (accessory).
- (12) Pink plastic (accessory).
- (13) Grey plastic (accessory).
- (14) White plastic (accessory).
- (15) Blue plastic (accessory).
- (16) Yellow plastic (accessory).
- (17) Bright white plastic (accessory).
- (18) Green plastic (accessory).
- (19) Dull pink plastic (accessory).
- (20) Flesh color plastic (accessory).
- (21) Blue plastic (accessory).
- (22) Green plastic (accessory).
- (23) Orange plastic (accessory).
- (24) Pink plastic (accessory).
- (25) White plastic (accessory).
- (26) Pink plastic (accessory).
- (27) Purple plastic (accessory).
- (28) Blue plastic (accessory).
- (29) Pink plastic (accessory).
- (30) Black plastic (accessory).
- (31) Red plastic (accessory).
- (32) Light pink plastic (accessory).
- (33) Army green plastic (accessory).
- (34) White plastic (accessory).
- (35) Blue plastic (shell of vehicle).
- (36) White plastic label with inaccessible coatings (sticker).
- (37) Black plastic (vehicle body, seat, hub, holder accessory, wheel holder, frame, box, pedal, function indication panel).
- (38) Silver color plastic (hub cap of wheels).
- (39) Matt-black plastic (wheels).
- (40) Black plastic (steering wheel).
- (41) Black plastic (buckle).
- (42) Bright silver color plastic (door clasp, rear decoration).
- (43) Red plastic (joint of door).
- (44) Matt-black plastic (switch, button).
- (45) White plastic (button).
- (46) Black plastic (button panel on USB function indication).
- (47) Black plastic (socket of USB function indication).
- (48) Light red plastic (charger of seat).
- (49) Black plastic (socket of charger cover of seat).
- (50) White plastic (tube of steering wheel, gear of wheel holder).



Page 47 of 50



Test Report

Number: SZHH02104849

Tests Conducted

- (51) Bright red plastic (spring decoration).
- (52) Transparent red plastic (light cover).
- (53) Transparent plastic (light cover).
- (54) Black plastic (shrinking tube).
- (55) Black plastic (clasp of wire).
- (56) Semi-transparent hot melt glue (joint).
- (57) Black plastic (wire covering of front light).
- (58) Red plastic (wire covering of front light).
- (59) White plastic (remote-control).
- (60) Black plastic (remote-control).
- (61) Transparent brown plastic (remote-control).
- (62) Blue plastic (nut).
- (63) Coatings (red, black) on plastic (warning label of wire).
- (64) Semi-transparent plastic (cable tie of wire).
- (65) Transparent plastic (shrinking tube).
- (66) Beige PCB (back of battery socket).
- (67) Dull red plastic (jack).
- (68) White plastic (jack).
- (69) White plastic (socket).
- (70) Organic part (big motor).
- (71) White plastic (gears of inner motor case).
- (72) White grease (inner motor case).
- (73) Black plastic (thick wire covering).
- (74) Red plastic (thick wire covering).
- (75) Yellow plastic (thick wire covering).
- (76) Green plastic (thick wire covering).
- (77) Red plastic (wire covering).
- (78) Orange plastic (wire covering).
- (79) Yellow plastic (wire covering).
- (80) Black plastic (wire covering).
- (81) White plastic (wire covering).
- (82) Green plastic (wire covering).
- (83) Blue plastic (wire covering).
- (84) White plastic excluding coatings (warning label of wire).
- (85) White paper label with transparent plastic film and inaccessible orange coating (sticker on JR case).
- (86) White adhesive foam (pad of joint of JR case).
- (87) Black-grey plastic (JR case).
- (88) Blue PCB with plastic part (inner JR case).
- (89) White glue (inner JR case).
- (90) Black resin (inner JR case).
- (91) Organic part (black block on PCB of JR case).
- (92) Organic part (green capacitor of inner JR case).
- (93) Black plastic (inductor of inner JR case).
- (94) Bright black plastic (Relay).
- (95) Black plastic (thin wire covering of inner steering wheel, USB function indication).
- (96) Red plastic (thin wire covering of inner steering wheel, USB function indication).
- (97) Yellow plastic (thin wire covering of inner steering wheel, USB function indication).
- (98) Green PCB (inner steering wheel).
- (99) Semi-transparent/black plastic (button of steering wheel).
- (100) White plastic (USB plug of USB function indication).
- (101) Transparent/black plastic label (screen of USB function indication).
- (102) White plastic with black printing (screen of USB function indication).
- (103) Semi-transparent resin (screen of USB function indication).
- (104) Black PCB (inner screen of USB function indication).
- (105) Beige/black plastic (button on PCB of USB function indication).
- (106) Organic part (black capacitor of USB function indication).



Page 48 of 50



Test Report

Number: SZHH02104849

Tests Conducted

- (107) Organic part (silver color capacitor of USB function indication).
- (108) Red plastic (jack USB function indication).
- (109) Red plastic (socket of USB function indication).
- (110) Semi-transparent plastic (lid of small motor).
- (111) Organic part (small motor).
- (112) Black plastic (socket of inner front light).
- (113) Black plastic (jack of inner front light).
- (114) Transparent plastic (LED of inner front light).
- (115) Black plastic sheet (speaker).
- (116) Black plastic (speaker).
- (117) Light green PCB with black glue (speaker).
- (118) Yellow plastic (wire covering of speaker joint).
- (119) Black plastic (button on PCB of remote-control).
- (120) Green/brown PCB with plastic part (inner remote-control).

33 Phthalate Content

With reference to CPSC-CH-C1001-09.4 and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	CAS No.	Result (%)	Reporting Limit (%)	Limit (%)
		Tested Component		
		(1)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	0.1
Di-iso-decyl phthalate (DIDP)	26761-40-0	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	ND	0.01	0.1

The above limit was quoted from the Consent Judgment No. CIV-03098, CV-231165, CV-242946, RG-740779 & BC-580146 settled by superior court of the State of California for the county of Marin, Santa Clara, Alameda & Los Angeles, for tools based on the California Proposition 65.

ND = Not detected (less than reporting limit)

Tested component(s):

- (1) Black plastic (wrench tool).



Test Report

Number: SZHH02104849

Tests Conducted

34 Phthalate Content

With reference to CPSC-CH-C1001-09.4 and followed by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item	CAS No.	Result (%) ^θ	Reporting Limit (%)	Limit (%)
		Tested Component		
		(1+2+3),(4+5+6)		
Dibutyl phthalate (DBP)	84-74-2	ND	0.01	0.1
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.01	0.1
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.01	0.1
Di-iso-decyl phthalate (DIDP)	26761-40-0	ND	0.01	0.1
Di-iso-nonyl phthalate (DINP)	28553-12-0	ND	0.01	0.1

The above limit was quoted from the Consent Judgment No. GCG-09-485784 & BC-658763 settled by superior court of the State of California for the county of San Francisco & Los Angeles, for charging docks based on the California Proposition 65.

ND = Not detected (less than reporting limit)

θ = Single result for each test component/group

Tested component(s):

- (1) Black plastic with brown printing (case of charger).
- (2) Transparent plastic (light cover of charger).
- (3) Black plastic (cable of charger).
- (4) Black plastic (cable joint of charger).
- (5) Black plastic (plug of charger).
- (6) Black plastic (pin of plug of charger).

End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8:09/2019-(Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results. Full details of our agreed decision rules and the associated risk can be viewed: <https://www.intertek.com.cn/diypage/upload/SZ-AP15-HLS-QA.pdf>.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek.



Page 50 of 50

