

Please retain this instruction for future usage and read carefully before assembly.

Make sure you have all the parts & hardware as item list shows.

**3 adults or more** are recommended to install your Sunroom.

Do not discard any of the packaging until you have checked that you have all the parts and pack of fittings.

Check all bolts for tightness before use, and periodically check and tighten bolts ensure your gazebo works properly.

Some parts might have sharp edger/corners/Please follow basic safety precautions to reduce the risk of hurts.

Avoid installing and settling the solarium in a corridor of heavy wind.

Some assembly parts contain sharp edges, you should wear protective gloves when handling these items.

For safety issues you must not leave the unit unattended if it is not completed, even if it is already anchored to the ground.


It is essential to place the gazebo on level ground and not less than **6 feet** from any obstruction such as fences, garages, overhanging branches, laundry lines, or electrical wires.

If you have questions or concerns.

Please contact us via email at service@domioutdoorliving.com

# Domi outdoot living







10'x12'

SKU: LGFP1647

Solarium Wall-Mounted Sunroom

**Assembly Manual** 





 $\mathbf{T}$  hank you for your purchase of

Domi outdoor living's Sunroom

Read and follow this assembly and operation guide.

To reduce personal injury and damage to you Sunroom

We recommend a three-person team for assembly and disassembly.

Please **remove** snow accumulation at all times.

Please schedule enough time to complete the assembly of the sunroom.

It will takes approximately 7 hours to set up.

If you like our products, please tell other customers

If you have problem with our products, please tell us

Please feel free to contact us.

DOMI OUTDOOR LIVING




#### **Pre-assembly**

TOOLS THAT MAY BE REQUIRED (Not included in boxes)

\*NOTE: Tools / equipment are not shown to actual size and scale.



LEVEL



RUBBER MALLET



PHILLIPS SCREW



DRILL



ALLEN KEY



ALLEN KEY

#### **EQUIPMENT REQUIRED (Not included in boxes)**

\*NOTE: Equipment are not shown to actual size and scale.



SAFETY HAT



**GLOVES** 



**SAFETY GOGGLES** 



STEPLADDER

#### Matters needing attention



1. Three or more people are required for assembly.




2. Do not fully tighten screws prior to complete assembly.


#### Regulation


IMPORTANT: A sunroom may entail to purchase a municipal permit or be subject to specific building codes. It is the consumer's responsibility to inform themselves of any restrictions.


#### Care and Cleaning:


For cleaning, use a domestic soap or detergent and wash with warm water using a sponge or fabric. Rinse with clean water.




































1#	6	ST4. 8*13	2#	1		M5*12	3#	36		M6*30
4#	360	M6*16	5#	22		M6*28	6#	14		<b>M</b> 6*40
7#	2	M6*12(L20)	8#	6	M6×	*15 (L30)	9#	14		ST6*70
10#	14		11#	1	Waterproof Tape	<b>&gt;</b>	12#	1		M8*60
13#	1	M8	14#	1		M8	15#	1	Silicone Sealant	

16#	1	S4	17#	1	S6	18#	1		
19#	33	M6*30	20#	33		21#	16		
22#	16	M4*10	23#	8	M4	24#	22	Metal Square Nuts	M6
25#	1	S5	26#	6		27#	2		D18/d6
28#	1	Anti-Dust Tape							














### **Front Beam Assembly**


























## **Side Beam Assembly**







**Attention:** If you want to assemble based on **Model 2 (left side door)**, only the 2 screws (#4) at the center of the original left side beam (C1/C2) need to be installed, not the 2 screws (#4) at both ends. **Please see the next page.** 


MODEL1







### MODEL2














## **Side Beam Assembly**


















#### Rear Beam Assembly













## Frame Assembly






















### Middle Beam Assembly




















Use silicone sealant (part #15) to affix the gap between the two beams.

15# 1X














Apply a strip of waterproof tape (part # 11) on the gap between G1 and G2. Then, fill the gap in the groove with silicone sealant (part # 15).


















# IMPORTANT! POLYCARBONATE INFORMATION


- Each polycarbonate panel has a UV coating on only ONE (1) side of the panel.
- To install properly so the UV coating is on the outside of the panel.


Polycarbonate Sheet


Expose this side outside the unit facing sun light


• Remove film immediately before installing tape to prevent damage to the panels.











































The support tube can strengthen the weight capacity of the roof. In bad weather, especially snowstorm, the support tube is essentially need to prevent the roof from collapsing under heavy snow. In daily life, you can put it away.








































Please remove the window screens BEFORE assembling the wall panel.




































































## **Care and Cleaning**

Wash frame part with mild soap and water, rinse thoroughly.

Do not use bleach, or other solvents on the frame parts.

Please check periodically that the sunroom is anchored properly to the floor or ground to enjoy its safe usage.

Please check periodically that all screws are tight to maintain the solidity of the structure.

Please remove any snow accumulation at all times.

## Warranty

#### **Frames**

Frames constructions are warranted to be free from defects in material and worksmanship for 1 year from item purchased. Damage to frame from negligence won't be covered by this warranty.

#### **Bolts & nuts**

Bolts and nuts are warranted to be free from defects in material and worksmanship for 1 year from item purchased. Damage from exposure to chemicals (including not only oils ,spills, fluids) won't be covered by this warranty.

### **Warranty Limitation**

This warranty is for the original purchase order only. (Order number required). This warranty is non-transferable. Domi outdoor living is responsible for the free replacement part including shipping charges for the 1 year warranty.

### Warranty Exclusion

This warranty does not cover products subject to negligence, abuse usage, inappropriate installation. Domi outdoor living reserves the right to explain warranty exclusions. When the replacement item is applied, the 1 year warranty automatically expires. Please feel free to contact us for applying warranty.



## RESORT COMFORT IN YONR OWN BACKYARD

# 





### **Business cooperation contact email:**

marketing@domioutdoorliving.com

#### **After-sales contact email:**

service@domioutdoorliving.com

Please tell us your order ID when contact.

Attach photos of damaged part for instant reply.