



Assembly Guide
Model: 13GMC1 / 13GMC2 / 13GMC3
Floating Shelf





Stuck? Questions? We are here to help. 1-888-230-2225 help@manhattancomfort.com





In order to ease the assembly, you should separate and identify the parts first





Do not place the parts directly onto the floor. Use a cardboard sheet or a mat to place the parts, during the separation and assembly.

IMPORTANT


In order to avoid severe or even fatal injuries, follow the instructions carefully.

*Tools Needed (not supplied)




IDENTIFICATION OF PARTS

IDENTIFY THE COLOR OF YOUR CABINET					DIMENSION					
Nº	DESCRIPTION	BLACK MATT	WHITE MATT	BLUE	MATERIAL	QUANTITY		LENGTH	WIDTH	THICKNESS
P1	SIDESMART	3000009069	3000009086	3000009096	STEEL	2	PC	12,68"	11,30"	0,91"
P2	CEILING SMART	3000009111	3000009118	3000009122	STEEL	1	PC	13,70"	11,22"	0,63"
P3	REAR SMART	3000009110	3000009121	3000009125	STEEL	1	PC	13,74"	11,22"	0,59"
P4	BACKSMART	3000009058	3000009087	3000009098	STEEL	1	PC	13,66"	12,68"	0,08''




Hardware list




1 - Attach the parts **SIDE**, under the part **BACK**.


Positioning the cut-out of part **BACK** over the safety grappel of parts **SIDE**.









- 1 Slightly incline the part **REAR**, and place it inside the cut out of the parts **SIDE**.
- 2 Slide part **REAR** into the folds of parts **SIDE** and.




- 1 With the end of **F3**, smash the safety claw, locking part **REAR** to part **SIDE** and **BACK**.
- 2 Finish folding it mannually.




03




- 1 Attach the CEILING part onto the SIDE and BACK parts.
- 2 Check all the fittings, before continuing.




2 - Finish folding it mannually.






2 - It is necessary to use the level.


3 - Drill the wall over the marked points.



- 1 Insert the metal part of the bushing into the hole until it overcomes the wall.
- 2 Pull the bushing driving it against the wall and then push the plastic ring until it leans close to the wall.





3 - Break the bushing's rods




WALL














1- Approach the cabinet by fitting the F2 screw.




- 1 Align the cabinet with the use of a level.
- 2 Mark the wall through the holes in the bottom of the cabinet.




- 1 Move the cabinet away
- 2 Drill the wall over the marked points.








2 - Pull the bushing driving it against the wall and then push the plastic ring until it leans close to the wall.



3 - Break the bushing's rods


©-







WALL








- 2 Insert screw **F2** through part **BACK**.
- 2 Turn the screw using the **F3** part clockwise.




1 - Press part F4 against the heads of the F2 screws.





IMPORTANT: REMOVE THE RIBBON TO FINISH THE ASSEMBLY



TAKING GOOD CARE OF YOUR CABINET

Cleaning and caring instructions:

- Avoid dragging objects on top of the cabinet. They might scratch the finishing.
- Only non-abrasive natural chemical products are recommended to clean your cabinet. Simply wipe the cabinet down with a wet cloth to remove the cleaning product excess.
- Never clean the cabinet with scouring powders, steel scrubber pads or any other product which can scratch its surface.
- Chemical products are not recommended.
- Cabinet surfaces should not be covered with colored plastic or paper sheets.
- Acid substances like salt, onion, ketchup and mustard must remain properly stored in sealed containers.
- Avoid the direct contact of water with other surfaces than the sink, as the humidity can affect the durability of the cabinets.
- Avoid cabinets exposure to direct Sun light. Drapers suggested.
- For technical assistance outside Brazil, please, contact the store where you purchased your product.
- This guidance should be saved for future reference, if necessary.

BEWARE: Do not use a damp cloth to clean the cabinet. Excessive moisture can damage its surface.



WARRANTS TERMS

This product has the guarantee for a period of twelve (12) months, this limited warranty is effective from the date of the original consumer purchase. Proof of original purchase date is required to obtain service or replacement under this limited warranty. Once the defect of manufacture has been verified, the consumer should contact the store where he purchased the product. In the warranty period, any defective parts will be replaced free of charge by another of the same line and model. The installation and assembly in the residence of the costumer is not the responsibility of the factory or the store. The assembly must correctly follow the instructions inside the packaging of each module.

ITEMS EXCLUDED FROM WARRANTS

This limited warranty does not cover:

- **1**. In-home service including, but not limited to, service calls to correct the installation of any Manhattan Comfort Smart Diy products or to instruct the consumer on how to use or install them.
- **2**. Damage resulting from improper handling or shipping of products, or products damaged by accident, alteration, misuse, abuse, fire, flood, improper installation, acts of God, neglect, corrosion, modification or mishandling.
- **3**. All travel, transportation, shipping or freight fees to deliver replacement products or to return defective products.
- **4**. Factory specified replacement parts or product replacement when your product is used in other than normal, single-family household use, such as a commercial environment or handled in a manner contrary to published user or operator instructions and/or installation instructions.
- **5**. Aesthetic damages including scratches, dings, dents or cracks that do not affect the structural or functional capability of the product.
- **6**. Any labor costs during the limited warranty period.
- **7**. Damage resulting from improper loading beyond the specified maximum weight capacity outlined in the assembly instructions provided with the product including overloading of hooks, baskets, shelves, cabinets, and other Manhattan Comfort Smart Diy accessories used with the product.
- **8**. Surfaces damaged due to chemical interaction resulting in corrosion of paint or metal. The cost of repair or replacement under these excluded circumstances shall be borne by the customer.

DISCLAIMER OF IMPLIED WARRANTY

Implied warranties, including any implied warranty of merchantability or implied warrant of fitness for a particular purpose, are limited to one year or shortest period allowed by law.

LIMITATION OF REMEDIES; EXCLUSION OF INCIDENTAL AND CONSEQUENTIAL DAMAGES

Your sole and exclusive remedy under this limited warranty shall be product repair as provided herein. Manhattan Comfort Smart Diy shall not be liable for incidental or consequential damages.





Stuck? Questions? We are here to help. 1-888-230-2225 help@manhattancomfort.com





Stuck? Questions? We are here to help. 1-888-230-2225 help@manhattancomfort.com