



Clearflo | K-7213

Cable bath drain with PVC tubing

Features

- For baths 14" – 21" (356 – 533 mm) deep from center of bath overflow outlet to center of bath drain outlet
- External 27" (686 mm) length cable
- No internal linkages, reducing the potential for clogging



Available Colors/Finishes

Color tiles intended for reference only.

CP	Polished Chrome
SN	Vibrant Polished Nickel
AF	Vibrant French Gold
PGD	Vibrant Moderne Polished Gold
BGD	Vibrant Moderne Brushed Gold
BN	Vibrant Brushed Nickel
BV	Vibrant Brushed Bronze
BRZ	Oil-Rubbed Bronze
BL	Matte Black
2MB	Vibrant Brushed Moderne Brass
TT	Vibrant Titanium
BGP	Vibrant Brushed Graphite



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
3-27-2026 19:39 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.18.2/CSA B125.2

Material

- Metal construction control handle and stopper
 - Schedule 40 PVC
-

Recommended Products/Accessories

K-23726 Drain treatment

K-23723 Faucet cleaner


Warranty

See website for detailed warranty information.

KOHLER® One-Year Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
3-27-2026 19:39 - US-CA



Installation

- Adjustable rotating connection for easy installation

Installation Notes

Install this product according to the installation instructions.

The combined length of the vertical (supplied) and horizontal (supplied) tubing after being cut for the bath installation must be equal to or less than 25" (635 mm).

