



# SHOWER DOOR

# SLIDING CONTEMPORARY STYLE WITH 10 MM GLASS 48" SHOWER TRACK



ID	DESCRIPTION	QTY	MATERIAL
1	GLASS FRAME RIGHT	1	AL6463
2	FRAME SUPPORT PROFILE	1	PVC
3	SLIDING RAIL 48" IR	1	SS
4	FIXED PANEL MOUNT SUPPORT	2	ASSEMBLY
5	RAIL CLAMP ASSEMBLY	2	ASSEMBLY
6	MOVE PANEL MOUNTING ASSY	1	ASSEMBLY
7	MOUNTING BRACKET LEFT	1	PVC
8	BLADE SEAL	1	PVC
9	WHEEL ASSEMBLY	2	ASSEMBLY
10	ROLLER ASSEMBLY	2	ASSEMBLY
11	GLASS FRAME RIGHT	1	AL6463
12	RAILING, GLASS DOOR	1	PVC
13	BLADE SEAL	1	PVC
14	MAGNETIC STRIP	1	PVC
15	MOUNTING PROFILE RIGHT	1	AL6463
16	GUIDING BLOCK	1	TRITAN TX 1000
17	RIGHT DOOR CENTER GUIDE BODY	1	SS
18	LEFT DOOR CENTER GUIDE BODY	1	SS
19	LOCKING PIN	4	PVC
20	GUIDING BLOCK	1	PVC
21	GUIDING BLOCK CAP	1	PVC
22	DOOR STOPPER ASSEMBLY	1	ASSEMBLY
23	BECO ANCHOR	12	PA6
24	SCREW ANCHOR 8 MM	2	PA66
25	MARKING FIXTURE	1	PP
26	FIXED PANE MARK JIG	1	PP
27	ST4x40 FASTENER	12	SS
28	M5 SET SCREW	4	SS304
29	GLAZING TOOL	1	NYLON
30	ASSEMBLY TOOL	1	SS
31	BECO HEX 6mm	1	SS
32	BECO HEX 4mm	1	SS
33	BECO HEX 2.5mm	1	SS

**MATERIALS:** Glass, Stainless Steel, Aluminum, PVC.

**INSTALLATION:** Detailed Instructions, Templates, Hardware and Tools Included for Easy Installation.

**UNIQUE FEATURES:** Constructed of Corrosion Resistant Stainless Steel  
48" - 60" Track Assembly Kit Fits 48" Shower Doors with an Opening min/max of  
44" - 48" (with a Height of 76")

**NOTE:** Height of 84" Required for Installation



**WARRANTY:** 5 Year Limited Warranty.



see what Delta can do

# SHOWER DOOR

## 3/8" (10mm) SLIDING SHOWER 48" GLASS PANELS



**MATERIALS:** 3/8" (10mm) Tempered Glass Panels.

**UNIQUE FEATURES:** Easy Clean Coating on Glass Panels.



**WARRANTY:** 5 Year Limited Warranty.



see what Delta can do

# SHOWER DOOR

# HANDLE ASSEMBLY



**MATERIALS:** Stainless Steel, Zinc.

**UNIQUE FEATURES:** Detailed Instructions and Installation Hardware Included.

**WARRANTY:** 5 Year Limited Warranty.



see what Delta can do