
Assembly Instructions

Caution: You must read this Assembly instructions before you proceed.

Please look in the **Leg Frames** for all hardware.

Chair



Caution: This Chair is NOT a TOY.

Keep your child/children at bay during the assembly process.

Whenever moving/lifting the Chair and to prevent damage to the Chair, two adult partners may be needed to execute these actions.


Part List:				
Label	Picture	Description	QTY	
А		Seat Panel	1	
В		Backrest Panel	1	
С		Left Leg Frame	1	
D		Right Leg Frame	1	
E		Seat cushion	1	
F		Back cushion	1	

Hardware:				
Label	Picture	Description	QTY	
1		Bolt (M6x35mm)	9	
2		Bolt (M6x60mm)	3	
3		Screw (M6x60mm)	3	

Assembly Preparation:

Before Beginning Assembly:

4





Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-



Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-

1

Allen Wrench


Assembly Steps:

Overview




This Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1




Unpack and place all parts on a clean, non-marring surface.



With assistance from your adult partner, position the Seat Panel(A) to the Left Leg Frame(C) as shown in the above picture.


- 2.1. Attach the Seat Panel (A) onto the Left Leg Frame (C) using Bolt (2) and the Allen Wrench (4).
- 2.2. Secure the Seat Panel (A) onto the Left Leg Frame (C) using Bolt (1) and the Allen Wrench (4).

DO NOT fully tighten the Bolts at this time.



- 3.1. Attach the Backrest Panel (B) onto the Left Leg Frame (C) using Bolt ($\widehat{1}$) and the Allen Wrench ($\widehat{4}$).
- 3.2. Secure the Seat Panel (A) onto the Backresst Panel (B) using Screw (3) and the Allen Wrench (4).


DO NOT fully tighten the Bolts, Screw at this time.



With assistance from your adult partner, turn the assembled parts in Step 3 to its other side. Repeat the same process in Step 2 and Step 3 to attach Right Leg Frame(D) to Seat Panel(A) and Backrest Panel(B).

- 4.1. Attach the Seat Panel (A) onto the Right Leg Frame (D) using Bolt (1) and the Allen Wrench (4).
- 4.2. Secure the Seat Panel (A) onto the Right Leg Frame (D) using Bolt (2) and the Allen Wrench (4).
- 4.3. Secure the Backrest Panel (B) onto the Right Leg Frame (D) using Bolt ($\widehat{\mathbb{1}}$) and the Allen Wrench ($\widehat{\mathbb{4}}$).
- 4.4. Secure the Backrest Panel (B) onto the Seat Panel (A) using Screw (3) and the Allen Wrench (4).

DO NOT fully tighten the Bolts, Screw at this time.



Stand the Chair up with the assistance from your adult partner.

Exert pressure floorwards onto the Chair with both your hands.


This pressure will help the Legs and Chair reach full alignment status.

Check for wobbles on a LEVEL surface.

If no wobbles are found proceed to tighten the Bolts and Screws in a sequential manner, until evenlysecured.

When tightening the Bolts and Screws, tighten sequentially.

Do not tighten any Bolt and Screw fully and then move on towards the next one If there are still wobbles after tightening, loosen the Bolts and Screws and execute the same above process.



Place the Seat Cushion(E) onto the Chair, then tie the velcro of the Seat Cushion (E) to the Chair as shown in the above picture.

Turn the Chair right side up, place the Back Cushion (F) on the Chair as shown in the above picture.

Your Chair is ready for use. This Chair can only be used on a flat, level surface.

face.
ded