


ASSEMBLY INSTRUCTION

PATIO SECTIONAL SOFA SET

If you have any questions, please feel free to contact us.

Email: Lowestteam@aminalife.com




WF319237; WF319238


WF319239; WF319240

Please read all instructions carefully:

1. Have 2 adults on hand for assembly.
2. 50% Tighten before fixing all screws, Allen wrench is recommended instead of an electric drill.
3. Place the item on a flat ground to adjust and make sure it remains stable.
4. Tighten up all screws with tools gradually.
5. If the screws are not aligned with holes during assembly, please loosen all the other screws to 50% and continue the assembly process.
6. If the item is not stable, please loosen all the screws, adjust it on a flat ground and tighten up all screws again.
7. Note : If one or some screws are fully tightened during assembly, chances are the others will not be aligned with holes. In addition, all the holes are designed to be relatively larger to provide more space for the adjustment of the screws.



















x1








x2

Part List









A	B	C	D
			
Top Table (1 pc)	Leg Table (2 pcs)	Supporting Bar (1 pc)	Side table (2 pcs)
E	F	G	H
			
Wooden Tray (2 pcs)	Seat Bench 1 (2 pcs)	Seat Bench 2 (2 pcs)	Seat Bench 3 (2 pcs)
I	J	K	M
			
Back Bench (6 pcs)	Leg Bench (4 pcs)	Supporting Leg (2 pcs)	Connecting Bar (4 pcs)
N	O	P	S
			
Back Cushion 1 (4 pcs)	Back Cushion 2 (2 pcs)	Seat Cushion 1 (2 pcs)	Seat Cushion 2 (2 pcs)
X			
			
Seat Cushion 3 (2 pcs)			

Hardware List







1  Extra (3 pcs) Bolt M6x15 (40 pcs)	2  Extra (3 pcs) Bolt M6x35 (32 pcs)	3  Extra (1 pc) Bolt M6x55 (8 pcs)	4  Extra (1 pc) Eru M6 (8pcs)
5  Extra (3 pcs) Flat Washer M6 (88 pcs)	6  Allen Key (2 pcs)	7  Key (1 pc)	8  Extra (2 pcs) Fixed Bolt 1 (28 pcs)
9  Fixed Bolt 2 (2 pcs)	10  Extra (2 pcs) Adjustable Level Leg(32 pcs)		

CARTON CONTENT:







WF319237

B 	G 	H 	J 
Leg Table (2 pcs)	Seat Bench 2 (1 pc)	Seat Bench 3 (1 pc)	Leg Bench (1 pc)
K 	N 	X 	
Supporting Leg (1 pc)	Back Cushion 1 (2 pcs)	Seat Cushion 3 (2 pcs)	Hardware






WF319238

D 	F 	J 	N 
Side table (2 pcs)	Seat Bench 1 (2 pcs)	Leg Bench (2 pcs)	Back Cushion 1 (1 pc)
E 			P 
Wooden Tray (2 pcs)	Seat Bench 1 (2 pcs)	Leg Bench (2 pcs)	Seat Cushion 1 (2 pcs)

WF319240

G 	H 	J 	I 
Seat Bench 2 (1 pc)	Seat Bench 3 (1 pc)	Leg Bench (1 pc)	Back Bench (6 pcs)
K 			S 
Supporting Leg (1 pc)			Seat Cushion 2 (2 pcs)

WF319239

A 	C 	M 	N 
Top Table (1 pc)	Supporting Bar (1 pc)	Connecting Bar (4 pcs)	Back Cushion 1 (1 pc)
O 			Back Cushion 2 (2 pcs)

STEP 1




B x2

Leg Table



10 x8


Adjustable Level Leg



x2

Attach Adjustable Level Leg (10) & Leg Table (B), tighten The details with hand

STEP 2



A x1

Top Table



1 x8

Bolt M6x15




5 x8

Flat Washer M6






6 x1

Allen Key






Connect the part from step 1 & the Top table, tighten Bolt (1) & Flat Washer (5) with Allen Key (6).

STEP 3





Connect the part from step 2 & Supporting Bar (C)
Tighten Fixed Bolt (9) with hand

STEP 4




Hold The original sharp of Leg (B), tighten Fixed Bolt (8) with hand

STEP 5





Put the Table upright, firmly tighten Bolts with Allen Key (5) & Hand



Finish the table

STEP 6A



Modify the height
of Leg Table



Turn upside down the Table from step 5 & remove Supporting Bar (C)
Loosen & remove Fixed Bolt (9)

STEP 6B


Modify the height
of Leg Table



Loosen & remove Fixed Bolt (8)

STEP 6C



Modify the height of Leg Table



Rotate the inner part of (B) out with the angle 180°

STEP 6D


Modify the height of Leg Table



Tighten Fixed Bolt (8) with hand



STEP 6E

Modify the height
of Leg Table




Connect again the Supporting Bar (C). Tighten Fixed Bolt (9) with hand

STEP 6F





Firmly, Tighten all Fixed Bolt with hand.



Finish the higher table



STEP 7



x2

Put Seat Bench 1 (F) next to Seat Bench 2 (G). Turn the inner parts of (F) with 180°. Push Bolts (3) & Washer (5) into holes.


STEP 8



x2

Turn The part from Step 7 downside with 180° & tighten Bolt (3) & Flat Washer (5) & Eru (4) with Allen Key (6), Key (7).



STEP 9



x2

Turn The part from Step 8 with angle 90° & turn the inner part of (F) back to the original position with 180°. Put down all parts



STEP 10



x2

Connect The part from Step 9 & Seat Bench 3 (H) , tighten Bolt (4) & Flat Washer (5) & Eru (4) with Allen Key (6) & Key (7).



STEP 11



x2

Connect The part from Step 10 & Connecting Bar (M), tighten Bolt (2) & Flat Washer (5) with Allen Key (6).


STEP 12



x2



Connect The part from Step 11 & Wooden Tray (E), tighten Bolt (2) & Flat Washer (5) with Allen Key (6).

STEP 13





Attach Adjustable Level Leg (10) & Leg Bench (J) & Support Leg (K), tighten The details with hand .

STEP 14



Connect The part from Step 12 & Legs Bench (J) from step 13, tighten Bolt (1) & Flat Washer (5) with Allen Key (6).



STEP 15



x2

Connect The part from Step 14 & Support Leg (K) from step 13, tighten Bolt (1) & Flat Washer (5) with Allen Key (6).

STEP 16




x2

Hold The original sharp of all legs, tighten Fixed Bolt (8) with hand.
Firmly tighten Bolts with Allen Key (5) & Hand

STEP 17



1 x6
Back Bench





Put Bench upright & Push Back Bench (I) on to the right position that have the fabric covers

STEP 18





8 x12
Fixed Bolt 1



Hold & tighten Fixed Bolt (8) with hand

STEP 19A

Modify the height
of Leg Bench




x2

Loosen & remove Fixed Bolt (8)

STEP 19B

Modify the height
of Leg Bench




x2

Rotate the inner part of (J) & (K) with the angle 180°

STEP 19C


Modify the height
of Leg Bench



Tighten Fixed Bolt (8) with hand


STEP 19D

Modify the height
of Leg Bench




Finish the height of the Bench Frame

STEP 20



S x1

Seat Cushion 2




Set up the Cushion (S) on to the Seat Bench 2 (G) from the step 18 with sticky pads.

STEP 21




N x2




O x1

Back Cushion 1 Back Cushion 2




P x1



X x1

Seat Cushion 1 Seat Cushion 3




Set up the Cushions (N)+(O)+(X)+(P).

STEP 22




D x1


Side table



Put & push the Side table (D) into the Wooden Tray.




Finish the Bench



Finish the higher Bench

STEP 23

Modify the seaters of Bench





FABRIC COVERS

From the step 18, change all Backs Bench (I) with Fabric Covers to the opposite side.

STEP 24

Modify the seaters of Bench




Set up again all the Cushions as same as the step 20 & 21

STEP 25




D x1


Side table



Put & push the Side table (D) into the Wooden Tray.




Finish the Bench



Finish the higher Bench

STEP 26


Modify the seaters of Bench





Remove some the detail (I)+(N)+(S) & adjust again the cushions

STEP 27

Modify the seaters of Bench




Remove the detail (D) from Benches & connect 2 parts to the big side table.



Finish the Sharp of Bench

STEP 28

Modify the seaters
of Bench




Remove the Cushions (N)



Connect the Cushions (X)+(S)+(P) with sticky pads.

STEP 29

Modify the seaters
of Bench




Using the lifting set of part (F) to make the Backrest for finishing bed.
Set up again the Cushions (N)



Finish the Sharp Backrest

STEP 30


Modify the seaters
of Bench





Remove the Cushions (N) & Back Benches (I)
Connect the Cushions (X)+(S)+(P) with sticky pads.

STEP 31




Modify the seaters
of Bench




Using the lifting set of part (F) to make the Backrest for finishing bed.
Pull the side table (D) to use for bed.



Finish the Sharp Bed



Finish Patio Sectional Sofa Set



Finish Patio Sectional Sofa Set