

Riverby® Under-mount Kitchen Sink K-5871-5UA3

Features

- 36-inch minimum base cabinet width.
- Acid-resistant enamel finish.
- Under-mount.
- Three oversized faucet holes with one oversized accessory hole to the right and one oversized accessory hole to the left.
- 33" (838 mm) x 22" (559 mm)

Material

KOHLER® enameled cast iron.

Recommended Accessories

K-9000 P-Trap

K-6237 Left-Bowl Sink Rack

K-6255 Right-Bowl Sink Rack

K-6377 Sponge Caddy

K-6378 Kitchen Brush Caddy

K-6379 Kitchen Squeegee

K-6382 Disinfecting Wipes Dispenser

K-6383 Soap Dispenser

K-8618 Paper Towel Holder

K-8619 Flexible Kitchen Mat

K-8624 Dish Scraper

Optional Accessories

K-5807 36" Under-mount Sink Kit

K-6246 Cutting Board

K-8801 Sink Strainer

Components

Product includes:

K-6194 Utility Rack With Soaking Cup

K-6237 Left-Bowl Sink Rack

K-6239 Colander with Cutting Board

1054375 Under-mount Sink Kit, 23"



Codes/Standards

ASME A112.19.1/CSA B45.2

KOHLER® Enameled Cast Iron Kitchen Sink Lifetime Limited Warranty

See website for detailed warranty information.

Available Color/Finishes


Color tiles intended for reference only.

Code	Description
0	White
FF	Sea Salt™
96	Biscuit
47	Almond
FD	Cane Sugar™
NY	Dune
95	Ice™ Grey
G9	Sandbar
33	Mexican Sand™
K4	Cashmere
FT	Basalt
58	Thunder™ Grey
20	Suede
KA	Black 'n Tan
FP	Caviar
7	Black Black™
	0 FF 96 47 FD NY 95 G9 33 K4 FT 58 20 KA FP





Riverby® Under-mount Kitchen Sink K-5871-5UA3



Technical Information

All product dimensions are nominal.

Bowl configuration: Single

Installation: Under-mount

Bowl area (Only): Length: 30-1/4" (768 mm)

Width: 15-13/16" (402 mm)

Bowl depth: 9" (229 mm)

Number of deck holes: 5

Faucet hole(s): 2-3/8" (60 mm)
Drain hole: 3-7/8" (98 mm)

Template: 1166727-7, required, included

Notes

Install this product according to the installation instructions.

NOTICE: Countertop manufacturer or cutter must use the cut-out template provided with the product, or a current one provided by Kohler Co. (call 1-800-4-KOHLER). Kohler Co. is not responsible for cutout errors when the incorrect cut-out template is used.

