



STORM & SCREEN DOOR CLOSER

SELECTION GUIDE

To ensure optimal performance, identify the model number of your existing closer. Using the reference chart below determine the Wright Products equivalent.

Andersen®

92909 / 92908 V920 / V1020 / V1022 / US920

41599 / 41603 / 41600 V2010 / V2015

Ideal Security®

SK9 / SK9W V920 / V1020 / V1022 / US920

SK1730 V170

SK3015 V150 / V152

SK9600 V2010 / V2015

SK9700 V2012 / V2016

Larson®

10403 / 10405 V920 / V1020 / V1022 / US920

10203 / 10303 V150 / V152

10305 / 10303 V2010 / V2015

National Hardware®

V1335 (N100-033, N100-036,
N100-048, N100-0337) V1335
(N100-033, N100-036, N100-048) V820 / V821

V1333 (N231-207, N181-610,
N181-62) V920 / V1020 /
V1022 / US920

V1339 (N100-038, N100-039,
N100-040) V150 / V152

V1370 (N279-002, N279-001) V2010 / V2015

V1345 (N279-794, N279-756,
N279-788) V2012 / V2016

V1337 (N181-636, N181-628,
N213-249) VH440

Primeline®

K5027 / K5028 / K5118 /
K5172 V820 / V821

K5067 / K5073 / K5119 V920 / V1020 / V1022 /
US920

K5104 / K5158 / K1503 VJ1020CAL / VJ1022

K5108 / K5109 / K5120 V150 / V152

K5059 / K5058 VH440

Ultra®

16000 / 16001 /
16002 V920 / V1020 / V1022 /
US920

16036 / 16038 V150 / V152

16200 V2010 / V2015

16050 VH440

Stanley®


V1709 V820 / V821

CD1708 V920 / V1020 / V1022 / US920

CD1702 / CD1705 VH440

All trademarks are property of their respective owners.

If you can't identify the model number, you can measure the length and diameter of your door closer and compare it with the chart below to identify which Wright Products closer is best for your door.



Diameter 1-1/4"
Tube Length 9"



Diameter 1-1/4"
Tube Length 9"
Features Post or Frame Mount



Diameter 1-1/4"
Tube Length 10-1/2"




Diameter 1-1/4"
Tube Length 9"
Features Top Jamb Mount



Diameter 1-1/2"
Tube Length 10-1/2"



Diameter 1-1/2"
Tube Length 10-5/16"
Features Attached Torsion Bar



Diameter 1-1/4"
Tube Length 11-1/4"
Features EZ Hold




Diameter 1-1/2"
Tube Length 11-1/4"
Features EZ Hold




Diameter 1"
Tube Length 10-3/8"
Features Quiet Close

If you do not know the existing closer dimensions, choose the best Wright Products closer for your door based on door configuration and door thickness.


1. Check door configuration.



2. Measure door thickness.




3. Select closer based on desired features.




Top jamb bracket

Used in installation where the door closer is mounted on the frame above the door (the top jamb) rather than the side jamb.




Attached torsion bar

Provides extra closing force and aids in latching heavier doors.



EZ Hold

Allows you to hold open the door with a simple tap of a button press.



Quiet close

Hydraulic Closer provides a smooth "no bounce" closing action.

4. Number of closer recommended.

Door thickness	Wright Products	Quantity	Features
Screen door			
3/4"–1"	VJ1020CAL / VJ1022	1	Top jamb mount
	VLANT / VLAN	1	Post or frame mount
1/2 glass view or 3/4 glass view			
3/4"–1"	V820 / V821	1	
	V920 / V1020 / V1022 / US920	1	
	V2010 / V2015	1	EZ Hold
	VH440	1	Quiet Close
1-3/8"– 2"	V820 / V821	1	
	V920 / V1020 / V1022 / US920	2*	
	V150 / V152	1	
	V170	1	Attached torsion bar
	V2010 / V2015	2**	EZ Hold
	V2012 / V2016	1	EZ Hold
	VH440	1	Quiet Close
Wood Core	V820 / V821	1	
	V920 / V1020 / V1022 / US920	2*	
	V150 / V152	1	
	V170	1	Attached torsion bar
	V2010 / V2015	2**	EZ Hold
	V2012 / V2016	1	EZ Hold
	VH440	1	Quiet Close

Door thickness	Wright Products	Quantity	Features
Full view			
3/4"–1"	V820 / V821	1	
	V920 / V1020 / V1022 / US920	1	
	V2010 / V2015	1	EZ Hold
	VH440	1	Quiet Close
1-3/8"– 2"	V920 / V1020 / V1022 / US920	2*	
	V150 / V152	1	
	V170	1	Attached torsion bar
	V2010 / V2015	2**	EZ Hold
	V2012 / V2016	1	EZ Hold
	VH440	1	Quiet Close

* When using two standard closers you can upgrade one of them to a standard EZ Hold closer (V2010/V2015) for convenience of hands-free door hold open capability.

** When using EZ Hold Closer and 2 door closers are recommended, second closer should be a Standard Closer (V920/V1020/V1022/US920).