


## **ASSEMBLY INSTRUCTIONS**

# DIAMOND WEAVE CORNER SOFA SET 4 PCS



N707P233738; N707P233739; N707P233740.







#### Note:

- 1. 50% Tighten before fixing all screws, Allen wrench is recommended instead of an electric drill.
- 2. Place the item on a flat ground to adjust and make sure it remains stable.
- 3. Tighten up all screws with tools gradually.
- 4. If screw are not aligned with holes during assembly, please loosen all the other screws to 50% and continue the assembly process.
- 5. If the item is not stable, please loosen all the screws, adjust it on a flat ground and tighten up all screws again.
- 6. Note: If one or some screws are fully tightened during assembly, chances are the others will not be aligned with holes. In addition, all the holes are designed to be relatively larger to provide more space for the adjustment of the screws.

#### **Corner Bench**



#### **Table**




#### Note:


- 1. 50% Tighten before fixing all screws, Allen wrench is recommended instead of an electric drill.
- 2. Place the item on a flat ground to adjust and make sure it remains stable.
- 3. Tighten up all screws with tools gradually.
- 4. If screw are not aligned with holes during assembly, please loosen all the other screws to 50% and continue the assembly process.
- 5. If the item is not stable, please loosen all the screws, adjust it on a flat ground and tighten up all screws again.
- 6. Note: If one or some screws are fully tightened during assembly, chances are the others will not be aligned with holes. In addition, all the holes are designed to be relatively larger to provide more space for the adjustment of the screws.

## **CARTON CONTENT:** Box 1/3: N707P233738 (15)**x2** (4)**x4** (2)x2 (25) (28) Box 2/3: N707P233739 (5)x2 7)**x2** (6)x2 (14)x2 (20) (27)**x2** (23) (26) (22)Box 3/3: N707P233740 (13) (17)x7 (18) (19)


**Hardwares** 

#### **HARDWARES:**







Bench 2 seater: Connect the seat bench (2) & backrest bench (1) with Allenkey (K).




Connect the brace bench (3) with Allenkey (K).




Connect the brace bench (3) with Allenkey (K).




Connect the legs bench (4) with Allenkey (K).




Tighten all bolts with Allenkey (K).



**Side Bench:** Connect the right brace side bench (6) & left brace side bench (7) & seat side bench (5) with Allenkey (K).





Connect the front leg side bench (8) & back leg side bench (9) with Allenkey (K).



Connect the legs bench (4) with Allenkey (K).


#### STEP 9






Tighten all bolts with Allenkey (K).


### STEP 10




**Right Bench:** Connect the side bench & bench 2 seater.




Connect the side bench & bench 2 seater with Allenkey (K).




Connect the side bench & bench 2 seater with Allenkey (K).




Tighten all bolts with Allenkey (K).



Put the anti-slip mats on the top bench first, and then put the seat cushion bench (15) and pillows (17) onto the bench.




**Left Bench:** Rotate side bench 180 degrees and connect the side bench & bench 2 seater.




Connect the side bench & bench 2 seater with Allenkey (K).


13 - 30




Connect the side bench & bench 2 seater with Allenkey (K).




Tighten all bolts with Allenkey (K).




Put the anti-slip mats on the top bench first, and then put the seat cushion bench (15) and pillows (17) onto the bench.



Corner Bench: Connect the seat corner bench (11) & backrest corner bench (10) with Allenkey (K).




Connect the arm corner bench (13) with Allenkey (K).




Connect the brace bench (3) with Allenkey (K).


16 - 30




Connect the seat support bar corner bench (14) with Allenkey (K).




Connect the legs bench (4) with Allenkey (K).




Connect the arm corner bench (13) with Allenkey (K).



Connect the flip backrest corner bench (12) with Allenkey (K).




Tighten all bolts with Allenkey (K).



Put the anti-slip mats on the top bench first, and then put the seat cushion bench (16) onto the bench.


#### STEP 29




#### **Done**

Put the pillows (17) onto the bench.

#### STEP 30




**L Corner Sofa Set**: Locate the right bench & left bench & corner bench.




**L Corner Sofa Set**: Connect the right bench & left bench & corner bench with Plastic connection (L).

#### STEP 32




**L Corner Sofa Set**: Put the anti-slip mats first, and then put the seat cushions and pillows onto the Corner Sofa Set.

#### STEP 33




**Done** 


L Corner Sofa Set: Complete assembly.




Big table: Connect the leg big table (22) & polywood table top big tablr (19) with Allenkey (K).




Connect the left brace big table (21) with Allenkey (K).




Connect the right brace big table (20) with Allenkey (K).




Connect the front brace big table (23) with Allenkey (K).




Tighten all bolts with Allenkey (K).



**Side Bench:** Connect the table top side table (24) & front leg side table (25) with Allenkey (K).




Connect the braces side table (27) with Allenkey (K).



Connect the back left side table (26) with Allenkey (K).


## STEP 42




Connect the table bottom side table (28).

#### STEP 43






Connect the table bottom side table (28) with Allenkey (K).




Connect the table bottom side table (28) with Allenkey (K).




Tighten all bolts with Allenkey (K) then put the ice bucket (18) on the side table.


#### STEP 46



**Table:** Connect the side table & big table.




Tighten the lock button onto the table bottom of the side table.



The side table can be moved in and out with the big table.

## STEP 49



#### **Finished**