

**Kills Weeds
AND Grass**

MONEY BACK GUARANTEE†

Spectracide®

**WEED &
GRASS KILLER**

**WITH
EXTENDED
CONTROL**

CONCENTRATE *Herbicida concentrado para maleza
y pasto con control extendido*

**Prevents Weeds
For Up To **5** MONTHS****

**Visible Results
As Fast As **3** Hours**

Kills The Root

RAINPROOF IN 15 MINUTES

For Best Results, Apply When Temperature Is Above 60°F

Active Ingredients:	
Diquat dibromide	2.30%
Fluazifop-p-butyl	1.15%
Dicamba, Dimethylamine salt	0.77%
Oxylfluorfen	1.92%
Other Ingredients	83.86%
Total	100.00%

Contains 0.198 lb diquat dibromide per US gallon
Contains 0.099 lb fluazifop-p-butyl per US gallon
Contains 0.055 lb dicamba acid equivalent per US gallon
Contains 0.165 lb oxylfluorfen per US gallon
(For terms of guarantee, see back panel.)

***Does not kill all seeds, woody and semi-woody plants, and propagules in the soil, such as tubers and rhizomes.**

**KEEP OUT OF REACH OF CHILDREN
WARNING** See back booklet for additional
precautionary statements.

**MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS
AVISO** Consulte el folleto en la parte posterior para
conocer las declaraciones preventivas adicionales.

17-18789

**MIX WITH
WATER**

**Net Contents 32 fl oz
(1 qt /946 mL)**

- Proteja todas las plantas deseables con un trozo de plástico o cartón.
 - Si las plantas deseables se rocían accidentalmente, lávelas inmediatamente con agua.
- [†]Las señales visuales y el tiempo que tarda la eliminación completa dependerá del tipo de maleza y pasto, la temperatura y la dosis de aplicación.

INSTRUCCIONES PARA LA MEZCLA

Paso 1: Use un rociador limpio. Mida cuidadosamente y mezcle la cantidad de producto y el agua según las instrucciones. Los utensilios para alimentos, tales como cucharas y tazas de medir no se pueden usar con alimentos después de utilizarlos para medir pesticidas.

Paso 2: Rocíe de acuerdo con las instrucciones. Es importante que la cobertura sea completa. Enjuague el rociador con agua limpia después de cada uso.

CANTIDAD A USAR:

Para el control de malezas y para prevenir el nuevo crecimiento hasta por 2 meses:**

5 onz. liq. (10 cdas. soperas) por 1 galón de agua tratan 300 pies cuadrados – **NO** aplique más de 1 galón por cada 300 pies cuadrados, lo cual es equivalente a 0.008 lb dibromuro de diquat, 0.004 lb fluzafop-p-butilo, 0.002 lb ácido de dicamba y 0.006 lb de oxifluorfen.

5 onz. liq. de producto aplicado por cada 300 pies cuadrados es igual a aplicar 16.65 onz. liq. de producto por cada 1,000 pies cuadrados (equivalente a 0.026 lb dibromuro de diquat, 0.013 lb fluzafop-p-butilo, 0.007 lb ácido de dicamba y 0.021 lb de oxifluorfen).

Para el control de malezas y para prevenir el nuevo crecimiento hasta por 3 meses:**

7 onz. liq. (14 cdas. soperas) por 1 galón de agua tratan 300 pies cuadrados – **NO** aplique más de 1 galón por cada 300 pies cuadrados, lo cual es equivalente a 0.011 lb dibromuro de diquat, 0.005 lb fluzafop-p-butilo, 0.003 lb ácido de dicamba y 0.009 lb de oxifluorfen.

7 onz. liq. de producto aplicado por cada 300 pies cuadrados es igual a aplicar 23.31 onz. liq. de producto por cada 1,000 pies cuadrados (equivalente a 0.036 lb dibromuro de diquat, 0.018 lb fluzafop-p-butilo, 0.010 lb ácido de dicamba y 0.030 lb de oxifluorfen).

Para infestaciones grandes o malezas difíciles de matar y para prevenir el nuevo crecimiento hasta por 5 meses:** 8 onz. liq. (16 cdas. soperas) por 1 galón de agua tratan 300 pies cuadrados – **NO** aplique más de 1 galón por cada 300 pies cuadrados, lo cual es equivalente a 0.012 lb dibromuro de diquat, 0.006 lb fluzafop-p-butilo, 0.003 lb ácido de dicamba y 0.010 lb de oxifluorfen.

8 onz. liq. de producto aplicado por cada 300 pies cuadrados es igual a aplicar 26.64 onz. liq. de producto por cada 1,000 pies cuadrados (equivalente a 0.041 lb dibromuro de diquat, 0.021 lb fluzafop-p-butilo, 0.011 lb ácido de dicamba y 0.034 lb de oxifluorfen).

1 cda. sobera = 3 cdtas. 1 onz. liq. = 2 cdas. soperas

**** No mata todas las semillas, plantas leñosas y semileñosas y propágulos en el suelo, tales como tubérculos y rizomas.**

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua ni los alimentos para personas o animales por medio del almacenamiento o la eliminación.

Almacenamiento del pesticida: Guarde este producto en su envase original en un lugar de almacenamiento seguro.

Eliminación del pesticida: Si está vacío: No vuelva a usar ni a rellenar este envase. Tirelo en la basura u órzelo para reciclar, si existe esa opción. Si está parcialmente vacío: Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

PEEL HERE • RESEALABLE LABEL
ABRA AQUÍ • ETIQUETA RESEALABLE

WHEN TO USE

60°F

For best results, apply above 60°F.
Works faster at higher temperatures.

WHERE TO USE



On Patios, Walkways & Driveways; Around Flowers, Shrubs & Trees;
Along Fences & Foundations

AMOUNT TO USE

For Weed Control

5 fl oz (10 Tbsp) per
gallon of water

For Heavy Infestation or Hard-to-Kill Weeds

8 fl oz (16 Tbsp) per
gallon of water

KILLS WEEDS & GRASS



Rainproof in 15 Minutes

3

Visible Results as Fast as 3 Hours



Weed Killer PLUS Preventer



Quadruple-Powered Weed & Grass Killing Formula –
Diquat, Fluzafop-p-butyl, Dicamba, Oxyfluorfen

See inside booklet for complete Directions for Use,
First Aid & Precautionary Statements

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

QUESTIONS & COMMENTS: Call 1-800-917-5438 or visit our website at www.spectracide.com

Distributed by Spectrum Group, Division of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9608-259-8045 EPA Est. Nos. 9608-MO-1(U), 89964-GA-1(E), 50396-MO-1(AE)

Circled letter is first letter of lot number. 17-16790

© 2012 United Industries Corporation. All Rights Reserved.

PROOF OF PURCHASE

FPO UPC

0 71121 96391 8



READ ENTIRE LABEL BEFORE USE.
ALTO. LEA TODA LA ETIQUETA ANTES DE USAR.

First Aid

If on Skin or Clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a Poison Control Center or doctor for treatment advice.

If in Eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING. Causes skin irritation. Causes moderate eye irritation. Do not get on skin or on clothing. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

When handling concentrate, wear:

Coveralls worn over short-sleeved shirt and short pants

Socks

Chemical-resistant footwear

Waterproof or chemical-resistant gloves

Protective eyewear

When mixing and loading, wear a chemical-resistant apron

USER SAFETY RECOMMENDATIONS

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



DO NOT allow people or pets to touch treated plants until the sprays have dried.

APPLICATION RESTRICTIONS

DO NOT apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. **DO NOT** mow, cut or otherwise disturb treated weeds for at least seven days following application. **DO NOT** make more than two applications per year to any given area. **DO NOT** use on or around edible feed or food crops. **DO NOT** use in areas that are to be planted or seeded within three months. **DO NOT** apply more than one gallon of diluted product over 300 sq ft. **DO NOT** use for spot weed treatment in lawns, since Spectracide® Weed & Grass Killer With Extended Control Concentrate kills all green plants, including lawn grasses.

The single max use rate is 26.64 fl oz of product per 1,000 sq ft (equivalent to 0.041 lb diquat dibromide, 0.021 lb fluzifop-p-butyl, 0.011 lb dicamba acid equivalent and 0.034 lb of oxyfluorfen per 1,000 sq ft). The maximum yearly use rate is 53.28 fl oz of product per 1,000 sq ft (equivalent to a total of 0.082 lb diquat dibromide, 0.041 lb fluzifop-p-butyl, 0.023 lb dicamba acid equivalent and 0.069 lb of oxyfluorfen per 1,000 sq ft). The maximum number of applications per year is two. The minimum reapplication interval is three months.

WHERE TO USE

WEED CONTROL: Use along fences, paths, patios, sidewalks, curbs and driveways; around established ornamental trees and shrubs; flower beds and plantings around buildings. Use for trimming and edging landscapes.

TIPS FOR REPLANTING

When replanting trees, shrubs or flowers in an area treated with this product within the last three months:

- Dig the planting hole.
- Set aside the soil removed from the hole.
- Place the plant in the hole according to the instructions on the plant.
- Fill the hole with planting soil or other untreated soil.
- Spread the soil removed from the hole in an area where no vegetation is desired.

WHEN TO APPLY

- For best results, apply during warm, sunny weather (above 60°F) when weeds are actively growing. Rainfall or watering 15 minutes after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.

HOW TO APPLY[†]

- Completely cover the leaves of the target vegetation.
- Sprayed plants begin yellowing and wilting in as little as three hours, with complete kill, including the roots, in one to two weeks.
- Thoroughly cover treated areas to prevent new weeds and grasses from growing.
- **Protect desirable plants with a piece of plastic or cardboard.**
- **If desirable plants are accidentally sprayed, wash plants with water immediately.**

[†]Visual symptoms and time to complete kill will depend on weed and grass type, temperature and application rate.

MIXING INSTRUCTIONS

Step 1: Use a clean sprayer. Carefully measure and mix the amount of product and water as directed. Food utensils, including teaspoons and measuring cups, must not be used for food purposes after use with pesticides.

Step 2: Spray as directed. Thorough coverage is important. Flush sprayer with clean water after each use.

AMOUNT TO USE:

For weed control and to prevent regrowth for up to 2 months:** 5 fl oz (10 Tbsp) per 1 gallon of water treats 300 sq ft — **DO NOT** apply more than 1 gallon per 300 sq ft, which is equivalent to 0.008 lb diquat dibromide, 0.004 lb

fluazifop-p-butyl, 0.002 lb dicamba acid equivalent and 0.006 lb oxyfluorfen.

5 fl oz of product applied per 300 sq ft is the same as applying 16.65 fl oz of product per 1,000 sq ft (equivalent to 0.026 lb diquat dibromide, 0.013 lb fluazifop-p-butyl, 0.007 lb dicamba acid equivalent and 0.021 lb oxyfluorfen).

For weed control and to prevent re-growth for up to 3 months:** 7 fl oz (14 Tbsp) per 1 gallon water treats 300 sq ft — **DO NOT** apply more than 1 gallon per 300 sq ft, which is equivalent to 0.011 lb diquat dibromide, 0.005 lb fluazifop-p-butyl, 0.003 lb dicamba acid equivalent and 0.009 lb oxyfluorfen.

7 fl oz of product applied per 300 sq ft is the same as applying 23.31 fl oz of product per 1,000 sq ft (equivalent to 0.036 lb diquat dibromide, 0.018 lb fluazifop-p-butyl, 0.010 lb dicamba acid equivalent and 0.030 lb oxyfluorfen).

For heavy infestations or hard-to-kill weeds and to prevent regrowth for up to 5 months:** 8 fl oz (16 Tbsp) per 1 gallon water treats 300 sq ft — **DO NOT** apply more than 1 gallon per 300 sq ft, which is equivalent to 0.012 lb diquat dibromide, 0.006 lb fluazifop-p-butyl, 0.003 lb dicamba acid equivalent and 0.010 lb oxyfluorfen.

8 fl oz of product applied per 300 sq ft is the same as applying 26.64 fl oz of product per 1,000 sq ft (equivalent to 0.041 lb diquat dibromide, 0.021 lb fluazifop-p-butyl, 0.011 lb dicamba acid equivalent and 0.034 lb oxyfluorfen).

1 Tbsp = 3 tsp 1 fl oz = 2 Tbsp

****Does not kill all seeds, woody and semi-woody plants, and propagules in the soil, including tubers and rhizomes.**

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store this product in its original container in a secure storage area.

Pesticide Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Primeros auxilios

Si entra en contacto con la piel o la ropa:	• Quite la ropa contaminada. • Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Si entra en contacto con los ojos:	• Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto.	

Nota para el médico: El daño probable a las mucosas puede contraindicar el uso del lavado gástrico.



No permita que las personas ni las mascotas toquen las plantas tratadas hasta que los rocíos se hayan secado.

RESTRICCIONES DE APLICACIÓN

NO aplique este producto de modo que entre en contacto con personas ni mascotas, ya sea directamente o por arrastre. Mantenga a las personas y las mascotas fuera de la zona durante la aplicación. **NO** pode, corte, ni altere de ninguna otra manera las malezas tratadas durante por lo menos siete días después de la aplicación. **NO** haga más de dos aplicaciones por año a cualquier zona. **NO** lo use en cultivos de alimentos o forrajes ni en sus alrededores. **NO** lo use en zonas que serán plantadas o sembradas dentro de los siguientes tres meses. **NO** aplique más de un galón de producto diluido sobre 300 pies cuadrados. **NO lo use para el tratamiento localizado de malezas en céspedes, ya que el Herbicida concentrado para maleza y pasto con control extendido de Spectracide® mata todas las plantas verdes, incluyendo los céspedes.**

La proporción de uso máxima por aplicación es de 26.64 onz. liq. de producto por cada 1,000 pies cuadrados (equivalente a 0.041 lb dibromuro de diquat, 0.021 lb fluazifop-p-butilo, 0.011 lb ácido de dicamba y 0.034 lb de oxifluorfen por cada 1,000 pies cuadrados). La proporción de uso máximo por año es de 53.28 onz. liq. de producto por cada 1,000 pies cuadrados (equivalente a un total de 0.082 lb dibromuro de diquat, 0.041 lb fluazifop-p-butilo, 0.023 lb ácido de dicamba y 0.069 lb de oxifluorfen por cada 1,000 pies cuadrados). La cantidad máxima de aplicaciones es dos por año. El intervalo mínimo para repetir la aplicación es de tres meses.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

AVISO. Causa irritación de la piel. Causa irritación moderada a los ojos. No deje que entre en contacto con la piel ni la ropa. Evite el contacto con los ojos o la ropa. Lávese muy bien con agua y jabón después de manipularlo y antes de comer, beber, masticar chicle o usar tabaco.

EQUIPO DE PROTECCIÓN PERSONAL (EPP)

Al manipular el producto concentrado, use:

Overoles sobre camisa de manga corta y pantalones cortos

Calcetines

Zapatos resistentes a productos químicos

Guantes impermeables o resistentes a productos químicos

Protección para los ojos

Al mezclar y transportar, use un delantal resistente a productos químicos

RECOMENDACIONES DE SEGURIDAD PARA EL USUARIO

Los usuarios deben quitarse la ropa inmediatamente si el pesticida pasa a través de la misma. Luego debe lavarse muy bien y ponerse ropa limpia.

Los usuarios deben quitarse la ropa y el equipo de protección personal inmediatamente después de manipular este producto. Lave la parte exterior de los guantes antes de quitárselos. Lávese muy bien y póngase ropa limpia tan pronto como sea posible.

Riesgos para el medio ambiente

Este pesticida es tóxico para los invertebrados acuáticos. Para proteger el medio ambiente, no permita que el pesticida entre o se escurra por drenajes pluviales, zanjas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando no haya viento y no se anticipa lluvia en las siguientes 24 horas ayudará a asegurar que ni el viento ni la lluvia arrastren o quiten el pesticida de la zona de tratamiento. Enjuagar el equipo de aplicación encima de la zona tratada ayudará a evitar el escurrimiento a masas de agua o sistemas de drenaje.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

DÓNDE USAR

CONTROL DE MALEZAS: Úselo a lo largo de cercas, senderos, patios, aceras, bordes de aceras y caminos de entrada de automóviles; alrededor de árboles, arbustos ornamentales y establecidos; a lo largo de lechos de flores y plantaciones alrededor de edificios. Úselo para el recorte y bordeado de jardines.

CONSEJOS PARA REPLANTAR

Cuando vuelva a plantar árboles, arbustos o flores en una zona tratada con este producto dentro de los últimos tres meses:

- Cave el hoyo para la planta.
- Deje a un lado la tierra excavada del hoyo.
- Coloque la planta en el hoyo según las instrucciones de la planta.
- Llene el hoyo con tierra para sembrar u otro tipo de tierra sin tratar.
- Esparza la tierra retirada del hoyo en una zona donde no quede vegetación.

CUÁNDO APLICAR

- Para obtener mejores resultados, aplique cuando el clima esté cálido y soleado (temperaturas superiores a 60°F), cuando las malezas se encuentren en la etapa de desarrollo activo. La lluvia o el rocío después de los 15 minutos de la aplicación no reduce la eficacia.
- Aplique cuando no haya viento para evitar el arrastre hacia plantas deseables.

CÓMO APLICAR[‡]

- Cubra completamente las hojas de la vegetación que tiene como objetivo.
- Las plantas que se rociaron empezarán a ponerse amarillas y marchitarse en tan solo tres horas y la eliminación completa, incluyendo las raíces, tiene lugar en una a dos semanas.
- Cubra completamente las zonas tratadas para prevenir el crecimiento de nuevas malezas y pastos.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store this product in its original container in a secure storage area.

Pesticide Disposal: If **empty:** Nonrefillable container. **Do not** reuse or refill this container. Place in trash or offer for recycling if available. If **partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

First Aid • If on Skin or Clothing: • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a Poison Control Center or doctor for treatment advice. **If in Eyes:** • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice. • Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING. Causes skin irritation. Causes moderate eye irritation. Do not get on skin or on clothing. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

When handling concentrate, wear:

Coveralls worn over short-sleeved shirt and short pants

Socks

Chemical-resistant footwear

Waterproof or chemical-resistant gloves

Protective eyewear

When mixing and loading, wear a chemical-resistant apron

USER SAFETY RECOMMENDATIONS

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

¿Preguntas y comentarios? Llame al 1-800-917-5438.

Distributed by Spectrum Group, Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-259-8845

EPA Est. Nos. 9688-MO-1 (U), 89964-GA-1 (E), 58996-MO-1 (AE)

Circled letter is first letter of lot number. 17-18790

© 2022 United Industries Corporation. All Rights Reserved.