


GAF Safety Data Sheet SDS # 3022 SDS Date: July 2019

#### SECTION 1: PRODUCT AND COMPANY INFORMATION

PRODUCT NAME:	HYDROSTOP PREMIUMCOAT FOUNDATION COAT SUMMER
MANUFACTURER:	GAF
ADDRESS:	1 Campus Drive, Parsippany, NJ 07054
24-HOUR EMERGENCY PHONE (CHEMTREC):	800 - 424 - 9300
INFORMATION ONLY:	800 - 766 - 3411
PREPARED BY:	Corporate EHS
APPROVED BY:	Corporate EHS

# **SECTION 2: HAZARD IDENTIFICATION**

#### NFPA and HMIS RATINGS:



#### GHS LABEL ELEMENTS:

GHS CLASSIFICATION:	Carcinogen – Category 2
	Target Organ (RE) - Category 1 Reproductive Toxicity – Category 1
	Hazardous to the Aquatic Environment (acute) – Category 2 Hazardous to the Aquatic Environment (chronic) - Category 2

GHS PICTOGRAMS:	
SIGNAL WORD:	Danger
HAZARD STATEMENTS:	Suspected of causing cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
 PRECAUTIONARY STATEMENTS:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

## ADDITIONAL HAZARD IDENTIFICATION INFORMATION:

PRIMARY ROUTE OF EXPOSURE:	Inhalation, Skin Contact, Eye Contact		
SIGNS & SYMPTOMS OF EXPOSURE			
EYES:	Direct contact with eyes may cause temporary irritation.		
SKIN:	Prolonged skin contact may cause temporary irritation.		
INGESTION:	Not expected to be ingested.		
INHALATION:	May cause damage to organs through prolonged or repeated exposure by inhalation. Prolonged inhalation may be harmful.		
ACUTE HEALTH HAZARDS:	Excessive exposure can cause pulmonary edema.		
CHRONIC HEALTH HAZARDS:	None known		
CARCINOGENICITY:	IARC has determined that occupational exposure to Titanium Dioxide is possibly carcinogenic to humans (Group 2B). IARC concluded lung tumors were observed in rats following high dose exposure by inhalation and in female rats exposed by intra-tracheal instillation. Other studies have shown no tumors in rats following inhalation exposure and no tumors in mice or rats following oral exposure.		

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

			OCCUPATIONAL EXPOSURE LIMITS		
CHEMICAL NAME	CAS #	% (BY WT)	OSHA	ACGIH	OTHER
Calcium Carbonate	1317-65-3	34	5 mg/m3 – resp. 15 mg/m3 – total	3 mg/m3 – resp. 10 mg/m3 – total	REL: 5 mg/m3 – resp., 10 mg/m3 – total
Ethylene Glycol	107-21-1	1 – 5	NE	100 ppm – ceiling	NE
Zinc Oxide	1314-13-2	1	5 mg/m3 – resp. 15 mg/m3 – total	2 mg/m3 – resp. 10 mg/m3 – resp. STEL	REL: 5 mg/m3, 15 mg/m3 – ceiling
Aqua Ammonia (10- 30%)	1336-21-6	0.1	35 mg/m3	35 ppm - STEL	35 ppm
Paraffinic Oil	64742-65-0	0.1	2000 mg/m3 500 ppm	5 mg/m3	NE
Pure (Dibutyl Phthalate)	84-74-2	0.6	5 mg/m3	5 mg/m3	NE
Titanium Dioxide	13463-67-7	0.3	15 mg/m3 – total	10 mg/m3 – total	REL: lowest feasible concentration
Non-hazardous ingredients	-	50 – 60	NE	NE	NE

# NE = Not Established

# SECTION 4: FIRST AID MEASURES

#### FIRST AID PROCEDURES

EYES:	Flush eyes with water for 15 minutes. If irritation persists, call a physician.
SKIN:	Wash area thoroughly with soap and water.
INHALATION:	Remove person to an area that has fresh air. If breathing has stopped, administer artificial respiration. Contact physician immediately.
INGESTION:	Rinse mouth. Call a physician immediately. Never give anything by mouth to an unconscious person.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: Upper respiratory tract irritation. Irritation of eyes and mucous membranes. Coughing. Skin irritation. Prolonged exposure may cause chronic effects.

SECTION 5: FIRE FIGHTING PROCEDURES			
SUITABLE EXTINGUISHING MEDIA:	Water spray, CO <sub>2</sub> , Dry chemical or foam.		
HAZARDOUS COMBUSTION PRODUCTS:	Carbon dioxide and carbon monoxide.		
RECOMMENDED FIRE FIGHTING PROCEDURES:	Self-contained breathing apparatus recommended.		
UNUSUAL FIRE & EXPLOSION HAZARDS:	None		

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Dam up area to prevent spreading. Caution – area will be slippery. Use absorbent material to dry up the compound.

## SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE:

Store in a well ventilated area at 50 - 80 °F. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Avoid prolonged exposure. When using, do not eat, drink or smoke.. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment.

**OTHER PRECAUTIONS:** 

Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS / VENTILATION:	Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure limits.
RESPIRATORY PROTECTION:	In case of insufficient ventilation, wear suitable respiratory equipment.
EYE PROTECTION:	Safety goggles or safety glasses with side shields.
SKIN PROTECTION:	Wear appropriate impermeable gloves and protective clothing as necessary to prevent skin contact.
OTHER PROTECTIVE EQUIPMENT:	Not applicable.
WORK HYGIENIC PRACTICES:	Wash exposed skin prior to eating, drinking, or smoking and at the end of each shift.
EXPOSURE GUIDELINES:	Not applicable.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE & ODOR:	Heavy liquid with a slight ammonia odor.			
FLASH POINT:	Not applicable	LOWER EXPLOSIVE LIMIT:	No data	
METHOD USED:	тсс	UPPER EXPLOSIVE LIMIT:	No data	
EVAPORATION RATE:	No data	BOILING POINT:	No data	
pH (undiluted product):	No data	MELTING POINT:	No data	
SOLUBILITY IN WATER:	Dilutable in water	SPECIFIC GRAVITY:	1.42	
DENSITY:	11.84 lbs/gal	PERCENT VOLATILE:	No data	
VAPOR PRESSURE:	No data	MOLECULAR WEIGHT:	No data	
VOC CALCULATED g/L:	<50	WITHOUT WATER (LBS/GAL):	No data	

#### SECTION 10: STABILITY AND REACTIVITY

THERMAL STABILITY:

STABLE X

UNSTABLE

CONDITIONS TO AVOID (STABILITY): None known

INCOMPATIBILITY (MATERIAL TO AVOID):

Strong oxidizing agents.

**HAZARDOUS DECOMPOSITION OR BY-** Carbon monoxide and carbon dioxide. **PRODUCTS:** 

HAZARDOUS POLYMERIZATION:

Will not occur

# SECTION 11: TOXICOLOGICAL INFORMATION

Inhalation	May cause damage to organs through prolonged or repeated exposure by inhalation.
	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.

Species	Test Results	
(CAS 1336-21-6)		
Rat	350 mg/kg	
-21-1)		
Rabbit	9530 mg/kg	
Guinea pig	8.2 g/kg	
Mouse	14.6 g/kg	
Rat	5.89 g/kg	
	(CAS 1336-21-6) Rat -21-1) Rabbit Guinea pig Mouse	(CAS 1336-21-6) Rat 350 mg/kg -21-1) Rabbit 9530 mg/kg Guinea pig 8.2 g/kg Mouse 14.6 g/kg

-				
Pure (Dibutyl Phthalate) (CAS	584-74-2)			
Acute				
Dermal				
LD50	Rabbi	it	4200 mg/kg	
			20 ml/kg	
Inhalation				
LC50	Mous	e	25 mg/l, 2 Hours	
	Rat		15.68 mg/l, 4 Hours	
Oral				
LD50	Guine	ea pig	10000 mg/kg	
	Mous	e	4840 mg/kg	
	Rat		6300 mg/kg	
Zinc Oxide (CAS 1314-13-2)				
Acute				
Inhalation				
LC50	Mous	e	> 5.7 mg/l, 4 Hours	
Oral				
LD50	Mous	e	7950 mg/kg	
	Rat		> 5 g/kg	
Skin corrosion/irritation		Prolonged skin contact may cause	e temporary irritation.	
Serious eye damage/eye	irritation	Direct contact with eyes may cause temporary irritation.		
Skin sensitization		This product is not expected to cause skin sensitization.		
Carcinogenicity		Suspected of causing cancer.		
IARC Monographs. Overall Evaluation of Carcinogenicity				
Titanium Dioxide (CAS 13463-67-7)		2B Possibly carcinogenic to humans.		

#### SECTION 12: ECOLOGICAL INFORMATION

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

#### SECTION 13: DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHOD:** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

## SECTION 14: TRANSPORTATION INFORMATION

**DOT** Not regulated as dangerous goods.

ATA	
UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
ERG Code	9L
Special precautions for use Other information	r Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed.
IMDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Read safety instructions, SDS and emergency procedures before handling. Not established.

# SECTION 15: REGULATORY INFORMATION

**U.S. FEDERAL REGULATIONS** 

TSCA:	This product and its components are listed on the TSCA 8(b) inventory.		
CERCLA:	Aqua Ammonia (10-30%) (CAS 1336-21-6) Ethylene Glycol (CAS 107-21-1) Pure (Dibutyl Phthalate) (CAS 84-74-2) Zinc Oxide (CAS 1314-13-2)		Listed. Listed. Listed. Listed.
SARA			
311/312 HAZARD CATEGORIES:	Acute Health Hazard, Chronic Health Hazard		
313 REPORTABLE INGREDIENTS:	Ethylene Glycol Zinc Oxide Aqua Ammonia (10-30%) Pure (Dibutyl Phthalate)	107-21- 1314-13 1336-21 84-74-2	3-2 1-6

## **CALIFORNIA PROPOSITION 65:**

Pure (Dibutyl Phthalate) (CAS 84-74-2)

Titanium Dioxide (CAS 13463-67-7)

Other state regulations may apply. Check individual state requirements. The following components appear on one or more of the following state hazardous substances lists:

Chemical Name	CAS #	CA	MA	MN	NJ	PA	RI
Pure (Dibutyl Phthalate)	84-74-2	Yes	Yes	Yes	Yes	Yes	Yes
Zinc Oxide	1314-13-2	Yes	No	Yes	Yes	Yes	Yes
Titanium Dioxide	13463-67-7	No	No	Yes	Yes	Yes	Yes
Ethylene Glycol	107-21-1	Yes	Yes	Yes	Yes	Yes	Yes
Aqua Ammonia (10-30%)	1336-21-6	No	Yes	Yes	Yes	Yes	Yes

#### SECTION 16: OTHER INFORMATION

ADDITIONAL COMMENTS:	None
DATE OF PREVIOUS SDS:	November 2015
CHANGES SINCE PREVIOUS SDS:	Update of VOC information.

This information relates to the specific material designated and may not be valid for such material used on combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.