

### Safety Data Sheet

According to Federal Register / Vol. 77, No 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 01/25/2023 Revision date: 03/18/2024 Supercedes: 01/23/2024

Version 1.1

Section 1: Identification			
1.1 Identification			
Product form	Mixture		
Trade name	Sunbrel	la Restore Fabric Protector & Repellent	
Synonym	070047	4	
Part numbers	GRN_RI	ESTORE_16, GRN_RESTORE_32	
1.2 Recommended use and rest	rictions on	use	
Recommended use	Read label before use.		
Restrictions on use	Use per the label directions		
1.3 Supplier			
Distributor	Glen Raven Consumer Solutions, LLC Corporate Office 1831 North Park Avenue Burlington, North Carolina, 27127 USA T: 336-227-6211 www.sunbrella.com		
1.4 Emergency telephone number			
Emergency number	INFOTrac: 1-800-535-5053		
Section 2: Hazard(s) identification			
2.1 Classification of the substance or mixture			
GHS US classification			
Flammable liquids Category 3	H226 Flammable liquid and vapor		
Aspiration hazard Category 1	H304 May be fatal if swallowed and enters airways		
Full text of H statements : see section 16			



### Safety Data Sheet

2.2 GHS Label elements, including precautionary statements			
GHS US labeling			
Hazard pictograms (GHS US)			
Signal word (GHS US)	Danger		
Hazard statements (GHS US)	H226	Flammable liquid and vapor	
	H304	May be fatal if swallowed and enters airways	
Precautionary statements (GHS	US)		
Prevention	P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking.	
	P233	Keep container tightly closed.	
	P240	Ground/Bond container and receiving equipment.	
	P241	Use explosion-proof electrical/ventilating/lighting equipment.	
	P242	Use only non-sparking tools.	
	P243	Take precautionary measures against static discharge.	
	P280	Wear protective gloves/protective clothing/eye protection/face protection.	
Response	P301 & P310	If swallowed: Immediately call a poison center or doctor.	
	P303 & P361& P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
	P331	Do NOT induce vomiting.	
	P370 & P378	In case of fire: Use media other than water to extinguish.	



### Safety Data Sheet

According to Federal Register / Vol. 77, No 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS US)				
Storage	P403 + P235	Store in a we	ell-ventilated place. I	Keep cool.
	P405	Store locked	up.	
Disposal	P501	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.		
2.3. Other hazards which	do not result in cl	assification		
No additional information a	available			
2.4. Unknown acute toxici	2.4. Unknown acute toxicity (GHS US)			
Not applicable.				
Section 3: Composition/information on ingredients				
3.1. Substances				
Not applicable.				
3.2. Mixtures				
Name	Product ider	ntifier	%	GHS US classification
Distillates (petroleum), hydrotreated light	CAS-No.: 64	742-47-8	70 – 90	Flam. Liq. 3, H226 Asp. Tox. 1, H304
Hydrotreated heavy	CAS-No.: 64	742-48-9	0 – 12	Asp. Tox. 1, H304

Full text of hazard classes and H-statements: see section 16



### Safety Data Sheet

Section 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures general	Call a physician immediately.	
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.	
First-aid measure after skin contact	Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.	
First-aid measures after eye contact	Rinse eyes with water as a precaution.	
First-aid measures after ingestion	Do not induce vomiting. Call a physician immediately.	
4.2. Most important symptoms and eff	fects (acute and delayed)	
Symptoms/effects after ingestion	Risk of lung edema.	
4.3. Immediate medical attention and special treatment, if necessary		
Treat symptomatically.		
Section 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Specific hazards arising from the chemical		
Fire hazard	Flammable liquid and vapor.	
Hazardous decomposition products in case of fire	Toxic fumes may be released.	
5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	



### Safety Data Sheet

Section 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
<b>6.1.1. For non-emergency personnel</b> Emergency procedures	Ventilate spillage area. No open flames, no sparks, and no smoking.		
<b>6.1.1. For emergency responders</b> Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment	nt and cleaning up		
Methods for cleaning up	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other information	Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			
For further information refer to section 13.			
Section 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment.		
Hygiene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		



### Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	Ground/bond container and receiving equipment.	
Storage conditions	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.	
Section 8: Exposure controls/personal p	protection	
8.1. Control parameters		
Sunbrella Restore Fabric Protector & Repellent	No additional information available	
Hydrotreated heavy naphtha (64742-48-9)	No additional information available	
Distillates (petroleum), hydrotreated light (64742-47-8)	No additional information available	
8.2. Appropriate engineering controls		
Appropriate engineering controls	Ensure good ventilation of the work station.	
Environmental exposure controls	Avoid release to the environment.	
8.3. Individual protection measures/Personal protective equipment		
Hand protection:	Protective gloves	
Eye protection:	Safety glasses	
Skin and body protection:	Wear suitable protective clothing	
Respiratory protection:	In case of insufficient ventilation, wear suitable respiratory equipment	
Personal protective equipment symbol(s):		



### Safety Data Sheet

Section 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	Liquid	
Color	Colorless	
Odor	Mixture contains one or more component(s) which have the following odour	
Odor threshold	No data available	
рН	No data available	
Melting point	Not applicable	
Freezing point	No data available	
Boiling point	> 150°C	
Flash point	≥ 122°F	
Relative evaporation rate (butyl acetate=1)	No data available	
Relative evaporation rate (ether=1)	< 0.1	
Flammability (solid, gas)	Not applicable.	
Vapor pressure	0.5 mm Hg	
Relative vapor density at 20°C	5.3	
Relative density	0.85	
Density	7.8 lb/gal	
Solubility	Water: < 0.1%	
Partition coefficient n-octanol/water (Log Pow)	No data available	
Auto-ignition temperature	No data available	



### Safety Data Sheet

According to Federal Register / Vol. 77, No 58 / Monday, March 26, 2012 / Rules and Regulations

Decomposition temperature	No data available
Viscosity, kinematic	3 mm <sup>2</sup> /s (40° C)
Viscosity, dynamic	No data available
Explosion limits	Lower explosion limit: 0.6 g/m³; Upper explosion limit: 5.5 g/m³
Explosive properties	No data available
Oxidizing properties	No data available
9.2. Other information	
VOC content	100 VOC Exempt solvents

#### Section 10: Stability and reactivity

#### 10.1. Reactivity

Flammable liquid and vapor.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.



### Safety Data Sheet

Section 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral)	Not classified	
Acute toxicity (dermal)	Not classified	
Acute toxicity (inhalation)	Not classified	
Skin corrosion/irritation	Not classified	
Serious eye damage/irritation	Not classified	
Respiratory or skin sensitization	Not classified	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive toxicity	Not classified	
STOT-single exposure	Not classified	
STOT-repeated exposure	Not classified	
Aspiration hazard	May be fatal if swallowed and enters airways.	
Viscosity, kinematic	3 mm <sup>2</sup> /s (40°C)	
Symptoms/effects after ingestion	Risk of lung edema.	
Section 12: Ecological information		
12.1. Toxicity		
Ecology - general	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
12.2. Persistence and degradability		
No additional information available		



### Safety Data Sheet

12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available.		
12.5. Other adverse effects		
No additional information available.		
Section 13: Disposal considerations		
13.1. Disposal methods		
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	Flammable vapors may accumulate in the container.	
Section 14: Transport information		
In accordance with DOT / TDG / IMDG / IATA		
14.1. UN number		
DOT NA No	UN1268	
UN-No. (TDG)	UN1268	
UN-No. (IMDG)	1268	
UN-No. (IATA)	1268	
14.2. UN proper shipping name		
Proper Shipping Name (DOT)	Petroleum products, n.o.s	
Proper Shipping Name (TDG)	Hydrocarbons, Liquid, n.o.s.	
Proper Shipping Name (IMDG)	PETROLEUM DISTILLATES, N.O.S.	
Proper Shipping Name (IATA)	Petroleum distillates, n.o.s.	



### Safety Data Sheet

14.3. Transport hazard class(es)		
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	LTD QTY LTD QTY	
TDG Transport hazard class(es) (TDG)	3	
IMDG  Transport hazard class(es) (IMDG)  Hazard labels (IMDG)	3 3	3
IATA Transport hazard class(es) (IATA) Hazard labels (IATA)	3 3	3
14.4. Packing group		
Packing group (DOT)	III	
Packing group (TDG)	III	
Packing group (IMDG)	III	
Packing group (IATA)	III	
14.5. Environmental hazards		
Other information	No supplementary information available.	



### Safety Data Sheet

14.6. Special precautions for user		
DOT		
UN-No.(DOT)	UN1268	
DOT Special Provisions (49 CFR 172.102)	144 - If transported as a residue in an underground storage tank (UST), as defined in 40 CFR 280.12, that has been cleaned and purged or rendered inert according to the American Petroleum Institute (API) Standard 1604 (IBR, see 171.7 of this subchapter), then the tank and this material are not subject to any other requirements of this subchapter. However, sediments remaining in the tank that meet the definition for a hazardous material are subject to the applicable regulations of this subchapter.	
	B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.	
	IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).	
	T4 - 2.65 178.274(d)(2) Normal 178.275(d)(3)	
	TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a$ (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees Celsius of the liquid during filling.	
	TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.	
DOT Packaging Exceptions (49 CFR 173.xxx)	150	
DOT Packaging Non Bulk (49 CFR 173.xxx)	203	
DOT Packaging Bulk (49 CFR 173.xxx)	242	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	60 L	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	220 L	
DOT Vessel Stowage Location	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	



### Safety Data Sheet

TDG				
UN-No. (TDG)	UN1268			
Emergency Response Guide (ERG) Number	128	128		
IMDG				
Special provision (IMDG)		223, 955		
Limited quantities (IMDG)		5 L		
Excepted quantities (IMDG)		E1		
Packing instructions (IMDG)		P001, LP01		
IBC packing instructions (IMDG)		IBC03		
Tank instructions (IMDG)		T4		
Tank special provisions (IMD	G)	TP1, TP29		
EmS-No. (Fire)		F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS		
EmS-No. (Spillage)		S-E - SPILLAGE SCHEDULE Echo - FLAMMABLE LIQUIDS, FLOATING ON WATER		
Stowage category (IMDG)		A		
Properties and observations (IMDG)		Immiscible with water.		



### Safety Data Sheet

According to Federal Register / Vol. 77, No 58 / Monday, March 26, 2012 / Rules and Regulations

IATA		
PCA Excepted quantities (IATA)	E1	
PCA Limited quantities (IATA)	Y344	
PCA limited quantity max net quantity (IATA)	10L	
PCA packing instructions (IATA)	355	
PCA max net quantity (IATA)	60L	
CAO packing instructions (IATA)	366	
CAO max net quantity (IATA)	220L	
Special provision (IATA)	A3	
ERG code (IATA)	3L	
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
Not applicable		

#### Section 15: Regulatory information

#### 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Hydrotreated heavy naphtha	64742-48-9	Not present	-	
Distillates (petroleum), hydrotreated light	64742-47-8	Present	Active	



### Safety Data Sheet

According to Federal Register / Vol. 77, No 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations		
CANADA  Distillates (petroleum), hydrotreated light (64742-47-8)	Listed on the Canadian DSL (Domestic Substances List)	
EU-Regulations	No additional information available	
National regulations  Distillates (petroleum), hydrotreated light (64742-47-8)	Listed on INSQ (Mexican National Inventory of Chemical Substances)	

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

#### Section 16: Other information

 $According \ to \ Federal \ Register \ / \ Vol. \ 77, \ No. \ 58 \ / \ Monday, \ March \ 26, \ 2012 \ / \ Rules \ and \ Regulations$ 

Revision date: 11/07/2022

Full text of H-phrases		
H226	Flammable liquid and vapor	
H304	May be fatal if swallowed and enters airways	
Indication of changes:		

Section	Changed item	Change	Comments
	Supersedes	Added	
	Revision date	Added	