





MOLDED DOOR FACING

DIMENSIONAL SPECIFICATIONS – 2020 COLLECTION

**HERITAGE
SERIES™**



**WESTEND
COLLECTION®**



LIVINGSTON®



**MOLDED
PANEL DOORS**



Molded Door Facing Dimensional Specifications

Table of Contents

Molded Panel

	6/8	7/0	8/0
Two Panel Arch Top Text	3	x	x
Two Panel Roman Smooth	4	5	6
Two Panel Smooth	7	8	9
Two Panel Commercial Smooth	10	11	x
Four Panel Smooth	12	13	14
Six Panel Smooth	15	16	17
Six Panel Text	18	19	20
Six Panel Pre-stained Text	21	x	x
Six Panel White Text	22	x	x

Select Collection

Riverside TM	23	24	25
Cheyenne®	26	x	27

West EndTM Collection

Melrose TM	28	29	x
Berkley TM	30	31	x


Heritage Series

Winslow	32	33	x
Lincoln Park	34	35	36
Logan	37	38	39
Livingston	40	41	42

Two Panel Arch Top


Textured

Height: 6'8"



Cove and Bead Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	Radii*
36	36.375	5.69	25.00	--	20.34
34	34.375	5.77	22.84	--	17.05
32	32.375	4.77	22.84	--	17.05
30	30.375	5.35	19.69	--	12.80
28	28.375	5.13	18.11	--	10.91
26	26.375	5.71	14.96	--	7.60
24	24.375	4.71	14.96	--	7.60
22	22.375	3.71	14.96	--	7.60
20	20.375	5.44	9.50	--	3.36
18	18.375	4.44	9.50	--	3.36
16U	16.375	4.69	7.00	--	2.08
15	15.375	4.19	7.00	--	2.08
14	14.375	3.69	7.00	--	2.08
12**	12.375	2.69	7.00	--	2.08
18/18 B	36.375	6.19	9.50	5.00	3.36
16/16 B	32.375	4.78	9.50	3.81	3.36
15/15 B	30.375	4.61	8.68	3.81	2.88
14/14 B	28.375	4.11	8.68	3.81	2.88
12/12 B	24.375	3.49	6.79	3.81	1.95


Overall Length and Width Dimensions are + 1/16 inch

* Per door width - all radii are equal, outer radii centers align with panel edges, and center radius is tangent to outer radii

**Not Recommended as stile is too narrow for lockset


Two Panel Roman Smooth

Height: 6'8"



Patented INP Profile

Slab Specie:



(for Bifold Facings)


Door Facing Size (Nominal)	A	B	C	D	Radius
36	36.375	6.34	23.69	--	30.74
34	34.375	6.34	21.69	--	26.13
32	32.375	5.34	21.69	--	26.13
30	30.375	5.34	19.69	--	21.60
28	28.375	5.34	17.69	--	17.67
26	26.375	5.34	15.69	--	14.15
24	24.375	4.34	15.69	--	14.15
22*	22.375	3.34	15.69	--	14.15
20	20.375	4.21	11.96	--	8.71
18*	18.375	3.21	11.96	--	8.71
16U	16.375	4.65	7.08	--	5.84
15	15.375	4.15	7.08	--	5.84
14	14.375	3.65	7.08	--	5.84
12*	12.375	2.65	7.08	--	5.84
18/18 B	36.375	6.19	9.50	5.00	9.79
16/16 B	32.675	5.19	9.50	5.00	9.76
15/15 B	30.375	4.60	8.68	3.81	8.56
14/14 B	28.375	4.10	8.68	3.81	8.56
12/12 B	24.375	3.50	6.79	3.81	5.45

Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset


Two Panel Roman Smooth

Height: 7'0"



Patented INP Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	Radius
36	36.375	6.34	23.69	--	30.74
34	34.375	6.34	21.69	--	26.13
32	32.375	5.34	21.69	--	26.13
30	30.375	5.34	19.69	--	21.60
28	28.375	5.34	17.69	--	17.67
26	26.375	5.34	15.69	--	14.15
24	24.375	4.34	15.69	--	14.15
22*	22.375	3.34	15.69	--	14.15
20	20.375	4.21	11.96	--	8.71
18*	18.375	3.21	11.96	--	8.71
16U	16.375	4.65	7.08	--	5.84
15	15.375	4.15	7.08	--	5.84
14	14.375	3.65	7.08	--	5.84
12*	12.375	2.65	7.08	--	5.84
18/18 B	36.375	6.19	9.50	5.00	9.79
16/16 B	32.675	5.19	9.50	5.00	9.76
15/15 B	30.375	4.60	8.68	3.81	8.56
14/14 B	28.375	4.10	8.68	3.81	8.56
12/12 B	24.375	3.50	6.79	3.81	5.45


Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset

Two Panel Roman


Smooth

Height: 8'0"



Patented INP Profile

Slab Specie:




Door Facing Size (Nominal)	A	B	C	D	Radius
36	36.375	6.34	23.69	--	30.74
34	34.375	6.34	21.69	--	26.13
32	32.375	5.34	21.69	--	26.13
30	30.375	5.34	19.69	--	21.60
28	28.375	5.34	17.69	--	17.67
26	26.375	5.34	15.69	--	14.15
24	24.375	4.34	15.69	--	14.15
22*	22.375	3.34	15.69	--	14.15
20	20.375	4.21	11.96	--	8.71
18*	18.375	3.21	11.96	--	8.71
16U	--	--	--	--	--
18/18 B	Bi-fold doors are made by joining individual slabs				
16/16 B					
15/15 B					
14/14 B					
12/12 B	--	--	--	--	--

Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset


Two Panel Smooth

Height: 6'8"



Patented INP Profile

Slab Specie:



Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	6.34	23.69	--	--
34	34.375	6.34	21.69	--	--
32	32.375	5.34	21.69	--	--
30	30.375	5.34	19.69	--	--
28	28.375	5.34	17.69	--	--
26	26.375	5.34	15.69	--	--
24	24.375	4.34	15.69	--	--
22***	22.375	3.34	15.69	--	--
20*	20.375	4.21	11.96	--	--
18* & ***	18.375	3.21	11.96	--	--
16U*	16.375	4.65	7.08	--	--
15	15.375	4.15	7.08	--	--
14	14.375	3.65	7.08	--	--
12***	12.375	2.65	7.08	--	--
18/18 B**	36.375	4.34	11.96	3.78	--
16/16 B**	32.375	4.34	9.96	3.78	--
15/15 B**	30.375	4.34	8.96	3.78	--
14/14 B**	28.375	4.34	7.96	3.78	--
12/12 B**	24.375	4.34	5.96	3.78	--

Overall Length and Width Dimensions are + 1/16 inch


*Note: Four Panel Smooth SKU'S (one panel wide)

**Note: Four Panel Smooth SKU'S

***Not Recommended as stile is too narrow for lockset


Two Panel Smooth

Height: 7'0"



Patented INP Profile

Slab Specie:



Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	6.34	23.69	--	--
34	34.375	6.34	21.69	--	--
32	32.375	5.34	21.69	--	--
30	30.375	5.34	19.69	--	--
28	28.375	5.34	17.69	--	--
26	26.375	5.34	15.69	--	--
24	24.375	4.34	15.69	--	--
22***	22.375	3.34	15.69	--	--
20*	20.375	4.21	11.96	--	--
18* & ***	18.375	3.21	11.96	--	--
16U*	16.375	4.65	7.08	--	--
15	15.375	4.15	7.08	--	--
14	14.375	3.65	7.08	--	--
12***	12.375	2.65	7.08	--	--
18/18 B**	36.375	4.34	11.96	3.78	--
16/16 B**	32.375	4.34	9.96	3.78	--
15/15 B**	30.375	4.34	8.96	3.78	--
14/14 B**	28.375	4.34	7.96	3.78	--
12/12 B**	24.375	4.34	5.96	3.78	--

Overall Length and Width Dimensions are + 1/16 inch


*Note: Four Panel Smooth SKU'S (one panel wide)

**Note: Four Panel Smooth SKU'S

***Not Recommended as stile is too narrow for lockset


Two Panel Smooth

Height: 8'0"



Patented INP Profile

Slab Specie:



Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	6.34	23.69	--	--
34	34.375	6.34	21.69	--	--
32	32.375	5.34	21.69	--	--
30	30.375	5.34	19.69	--	--
28	28.375	5.34	17.69	--	--
26	26.375	5.34	15.69	--	--
24	24.375	4.34	15.69	--	--
22***	22.375	3.34	15.69	--	--
20*	20.375	4.21	11.96	--	--
18* & ***	18.375	3.21	11.96	--	--
16U*	16.375	4.65	7.08	--	--
15	15.375	4.15	7.08	--	--
14	14.375	3.65	7.08	--	--
12***	12.375	2.65	7.08	--	--
18/18 B**	36.375	4.34	11.96	3.78	--
16/16 B**	32.375	4.34	9.96	3.78	--
15/15 B**	30.375	4.34	8.96	3.78	--
14/14 B**	28.375	4.34	7.96	3.78	--
12/12 B**	24.375	4.34	5.96	3.78	--

Overall Length and Width Dimensions are + 1/16 inch


*Note: Four Panel Smooth SKU'S (one panel wide)

**Note: Four Panel Smooth SKU'S

***Not Recommended as stile is too narrow for lockset


Two Panel **Commercial Smooth**

Height: 6'8"



Patented INP Profile

Slab Specie:




Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	6.69	22.99	--	--
34	34.375	5.69	22.99	--	--
32	32.375	6.34	19.69	--	--
30	30.375	5.34	19.69	--	--
28	--	--	--	--	--
26	--	--	--	--	--
24	--	--	--	--	--
20	--	--	--	--	--
18	--	--	--	--	--
16U	--	--	--	--	--
18/18 B	--	--	--	--	--
16/16 B	--	--	--	--	--
15/15 B	--	--	--	--	--
14/14 B	--	--	--	--	--
12/12 B	--	--	--	--	--

Overall Length and Width Dimensions are + 1/16 inch


Two Panel **Commercial Smooth**

Height: 7'0"



Patented INP Profile

Slab Specie:




Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	6.69	22.99	--	--
34	34.375	5.69	22.99	--	--
32	32.375	6.34	19.69	--	--
30	30.375	5.34	19.69	--	--
28	--	--	--	--	--
26	--	--	--	--	--
24	--	--	--	--	--
20	--	--	--	--	--
18	--	--	--	--	--
16U	--	--	--	--	--
18/18 B	--	--	--	--	--
16/16 B	--	--	--	--	--
15/15 B	--	--	--	--	--
14/14 B	--	--	--	--	--
12/12 B	--	--	--	--	--

Overall Length and Width Dimensions are + 1/16 inch


Four Panel Smooth

Height: 6'8"



Patented INP Profile

Slab Specie:



Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.34	11.96	3.78	--
34	34.375	5.34	9.96	3.78	--
32	32.375	4.34	9.96	3.78	--
30	30.375	4.34	8.96	3.78	--
28	28.375	4.34	7.96	3.78	--
26	26.375	5.34	5.96	3.78	--
24	24.375	4.34	5.96	3.78	--
22**	22.375	3.34	5.96	3.78	--
20	20.375	4.21	11.96	--	--
18**	18.375	3.21	11.96	--	--
16U	16.375	4.65	7.08	--	--
15	15.375	4.15	7.08	--	--
14	14.375	3.65	7.08	--	--
12**	12.375	2.65	7.08	--	--
18/18 B*	36.375	4.34	11.96	3.78	--
16/16 B*	32.375	4.34	9.96	3.78	--
15/15 B*	30.375	4.34	8.96	3.78	--
14/14 B*	28.375	4.34	7.96	3.78	--
12/12 B*	24.375	4.34	5.96	3.78	--


Overall Length and Width Dimensions are + 1/16 inch

*Note: Use Four Panel Smooth Standard Facings for Bi-Folds

**Not Recommended as stile is too narrow for lockset


Four Panel Smooth

Height: 7'0"



Patented INP Profile

Slab Specie:



Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.34	11.96	3.78	--
34	34.375	5.34	9.96	3.78	--
32	32.375	4.34	9.96	3.78	--
30	30.375	4.34	8.96	3.78	--
28	28.375	4.34	7.96	3.78	--
26	26.375	5.34	5.96	3.78	--
24	24.375	4.34	5.96	3.78	--
22**	22.375	3.34	15.69	3.78	--
20	20.375	4.21	11.96	--	--
18**	18.375	3.21	11.96	--	--
16U	16.375	4.65	7.08	--	--
15	15.375	4.15	7.08	--	--
14	14.375	3.65	7.08	--	--
12**	12.375	2.65	7.08	--	--
18/18 B*	36.375	4.34	11.96	3.78	--
16/16 B*	32.375	4.34	9.96	3.78	--
15/15 B*	30.375	4.34	8.96	3.78	--
14/14 B*	28.375	4.34	7.96	3.78	--
12/12 B*	24.375	4.34	5.96	3.78	--


Overall Length and Width Dimensions are + 1/16 inch

*Note: Use Four Panel Smooth Standard Facings for Bi-Folds

**Not Recommended as stile is too narrow for lockset


Four Panel Smooth

Height: 8'0"



Patented INP Profile

Slab Specie:



Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.34	11.96	3.78	--
34	34.375	5.34	9.96	3.78	--
32	32.375	4.34	9.96	3.78	--
30	30.375	4.34	8.96	3.78	--
28	28.375	4.34	7.96	3.78	--
26	26.375	5.34	5.96	3.78	--
24	24.375	4.34	5.96	3.78	--
22**	22.375	3.34	15.69	3.78	--
20	20.375	4.21	11.96	--	--
18**	18.375	3.21	11.96	--	--
16U	16.375	4.65	7.08	--	--
15	15.375	4.15	7.08	--	--
14	14.375	3.65	7.08	--	--
12**	12.375	2.65	7.08	--	--
18/18 B*	36.375	4.34	11.96	3.78	--
16/16 B*	32.375	4.34	9.96	3.78	--
15/15 B*	30.375	4.34	8.96	3.78	--
14/14 B*	28.375	4.34	7.96	3.78	--
12/12 B*	24.375	4.34	5.96	3.78	--


Overall Length and Width Dimensions are + 1/16 inch

*Note: Use Four Panel Smooth Standard Facings for Bi-Folds

**Not Recommended as stile is too narrow for lockset


Six Panel Smooth

Height: 6'8"



Patented INP Profile

Slab Specie:



Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.34	11.96	3.78	--
34	34.375	5.34	9.96	3.78	--
32	32.375	4.34	9.96	3.78	--
30	30.375	4.34	8.96	3.78	--
28	28.375	4.34	7.96	3.78	--
26	26.375	5.34	5.96	3.78	--
24	24.375	4.34	5.96	3.78	--
22**	22.375	3.34	5.96	3.78	--
20	20.375	4.21	11.96	--	--
18**	18.375	3.21	11.96	--	--
16U	16.375	4.65	7.08	--	--
15	15.375	4.15	7.08	--	--
14	14.375	3.65	7.08	--	--
12**	12.375	2.65	7.08	--	--
18/18 B*	36.375	4.34	11.96	3.78	--
16/16 B*	32.375	4.34	9.96	3.78	--
15/15 B*	30.375	4.34	8.96	3.78	--
14/14 B*	28.375	4.34	7.96	3.78	--
12/12 B*	24.375	4.34	5.96	3.78	--


Overall Length and Width Dimensions are + 1/16 inch

*Note: Use Six Panel Smooth Standard Facings for Bi-Folds

**Not Recommended as stile is too narrow for lockset


Six Panel Smooth

Height: 7'0"



Patented INP Profile

Slab Specie:



Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.34	11.96	3.78	--
34	34.375	5.34	9.96	3.78	--
32	32.375	4.34	9.96	3.78	--
30	30.375	4.34	8.96	3.78	--
28	28.375	4.34	7.96	3.78	--
26	26.375	5.34	5.96	3.78	--
24	24.375	4.34	5.96	3.78	--
22**	22.375	3.34	5.96	3.78	--
20**	20.375	2.34	5.96	3.78	--
18**	18.375	3.21	11.96	--	--
16U**	16.375	2.21	11.96	--	--
15**	15.375	1.71	11.96	--	--
14**	14.375	1.21	11.96	--	--
12	--	--	--	--	--
18/18 B*	36.375	4.34	11.96	3.78	--
16/16 B*	32.375	4.34	9.96	3.78	--
15/15 B*	30.375	4.34	8.96	3.78	--
14/14 B*	28.375	4.34	7.96	3.78	--
12/12 B*	24.375	4.34	5.96	3.78	--


Overall Length and Width Dimensions are + 1/16 inch

*Note: Use Six Panel Smooth Standard Facings for Bi-Folds

**Not Recommended as stile is too narrow for lockset


Six Panel Smooth

Height: 8'0"



Patented INP Profile

Slab Specie:



Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.34	11.96	3.78	--
34	34.375	5.34	9.96	3.78	--
32	32.375	4.34	9.96	3.78	--
30	30.375	4.34	8.96	3.78	--
28	28.375	4.34	7.96	3.78	--
26	26.375	5.34	5.96	3.78	--
24	24.375	4.34	5.96	3.78	--
22**	22.375	3.34	5.96	3.78	--
20	20.375	4.21	11.96	--	--
18**	18.375	3.21	11.96	--	--
16U	16.375	4.65	7.08	--	--
15	15.375	4.15	7.08	--	--
14	14.375	3.65	7.08	--	--
12**	12.375	2.65	7.08	--	--
18/18 B*	36.375	4.34	11.96	3.78	--
16/16 B*	32.375	4.34	9.96	3.78	--
15/15 B*	30.375	4.34	8.96	3.78	--
14/14 B*	28.375	4.34	7.96	3.78	--
12/12 B*	24.375	4.34	5.96	3.78	--


Overall Length and Width Dimensions are + 1/16 inch

*Note: Use Six Panel Smooth Standard Facings for Bi-Folds

**Not Recommended as stile is too narrow for lockset


Six Panel Textured

Height: 6'8"



Cove and Bead Profile

Slab Specie:



Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.34	11.94	3.81	--
34	34.375	5.34	9.94	3.81	--
32	32.375	4.34	9.94	3.81	--
30	30.375	4.34	8.94	3.81	--
28	28.375	4.34	7.94	3.81	--
26	26.375	5.34	5.94	3.81	--
24	24.375	4.34	5.94	3.81	--
22**	22.375	3.34	5.94	3.81	--
20	20.375	4.22	11.94	--	--
18**	18.375	3.22	11.94	--	--
16U	16.375	4.69	7.00	--	--
15	15.375	4.19	7.08	--	--
14	14.375	3.69	7.08	--	--
12**	12.375	2.69	7.08	--	--
18/18 B*	36.375	4.34	11.94	3.81	--
16/16 B*	32.375	4.34	9.94	3.81	--
15/15 B*	30.375	4.34	8.94	3.81	--
14/14 B*	28.375	4.34	7.94	3.81	--
12/12 B*	24.375	4.34	5.94	3.81	--


Overall Length and Width Dimensions are + 1/16 inch

*Note: Use Six Panel Textured Standard Facings for Bi-Folds

**Not Recommended as stile is too narrow for lockset


Six Panel Textured

Height: 7'0"



Cove and Bead Profile

Slab Specie:




Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.34	11.94	3.81	--
34	34.375	5.34	9.94	3.81	--
32	32.375	4.34	9.94	3.81	--
30	30.375	4.34	8.94	3.81	--
28	28.375	4.34	7.94	3.81	--
26	26.375	--	--	--	--
24	24.375	4.34	5.94	3.81	--
20	--	--	--	--	--
18	--	--	--	--	--
16U	--	--	--	--	--
18/18 B*	36.375	4.34	11.94	3.81	--
16/16 B*	32.375	4.34	9.94	3.81	--
15/15 B*	30.375	4.34	8.94	3.81	--
14/14 B*	28.375	4.34	7.94	3.81	--
12/12 B*	24.375	4.34	5.94	3.81	--

Overall Length and Width Dimensions are + 1/16 inch

*Note: Use Six Panel Textured Standard Facings for Bi-Folds


Six Panel Textured

Height: 8'0"



Cove and Bead Profile

Slab Specie:



Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.34	11.94	3.81	--
34	34.375	5.34	9.94	3.81	--
32	32.375	4.34	9.94	3.81	--
30	30.375	4.34	8.94	3.81	--
28	28.375	4.34	7.94	3.81	--
26	26.375	5.34	5.94	3.81	--
24	24.375	4.34	5.94	3.81	--
20	--	--	--	--	--
18	--	--	--	--	--
16U	--	--	--	--	--
18/18 B*	36.375	4.34	11.94	3.81	--
16/16 B*	32.375	4.34	9.94	3.81	--
15/15 B*	30.375	4.34	8.94	3.81	--
14/14 B*	28.375	4.34	7.94	3.81	--
12/12 B*	24.375	4.34	5.94	3.81	--

Overall Length and Width Dimensions are + 1/16 inch


*Note: Use Six Panel Textured Standard Facings for Bi-Folds

Six Panel Prestained


Textured

Height: 6'8"

Regal Oak (644) Sienna Oak (596)



Patented INP Profile



Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.34	11.96	3.78	--
34	34.375	5.34	9.96	3.78	--
32	32.375	4.34	9.96	3.78	--
30	30.375	4.34	8.96	3.78	--
28	28.375	4.34	7.96	3.78	--
26	26.375	5.34	5.96	3.78	--
24	24.375	4.34	5.96	3.78	--
22**	22.375	3.34	5.96	3.78	--
20	20.375	4.21	11.96	--	--
18**	18.375	3.21	11.96	--	--
16U	16.375	4.69	7.00	--	--
15	15.375	4.19	7.08	--	--
14	14.375	3.69	7.08	--	--
12**	12.375	2.69	7.08	--	--
18/18 B*	36.375	4.34	11.96	3.78	--
16/16 B*	32.375	4.34	9.96	3.78	--
15/15 B*	30.375	4.34	8.96	3.78	--
14/14 B*	28.375	4.34	7.96	3.78	--
12/12 B*	24.375	4.34	5.96	3.78	--

Overall Length and Width Dimensions are + 1/16 inch

*Note: Use Six Panel Textured Standard Facings for Bi-Folds

**Not Recommended as stile is too narrow for lockset


Six Panel White

Textured


Height: 6'8"

Standard White (615)

Bright White (613) Ivory (614)



Cove and Bead Profile



Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.34	11.94	3.81	--
34	34.375	5.34	9.94	3.81	--
32	32.375	4.34	9.94	3.81	--
30	30.375	4.34	8.94	3.81	--
28	28.375	4.34	7.94	3.81	--
26	26.375	5.34	5.94	3.81	--
24	24.375	4.34	5.94	3.81	--
22**	22.375	3.34	5.94	3.81	--
20	20.375	4.22	11.94	--	--
18**	18.375	3.22	11.94	--	--
16U	16.375	4.69	7.00	--	--
15	15.375	4.19	7.00	--	--
14	14.375	3.69	7.00	--	--
12**	12.375	2.69	7.00	--	--
18/18 B*	36.375	4.34	11.94	3.81	--
16/16 B*	32.375	4.34	9.94	3.81	--
15/15 B*	30.375	4.34	8.94	3.81	--
14/14 B*	28.375	4.34	7.94	3.81	--
12/12 B*	24.375	4.34	5.94	3.81	--

Overall Length and Width Dimensions are + 1/16 inch


*Note: Use Six Panel Textured Standard Facings for Bi-Folds

**Not Recommended as stile is too narrow for lockset

Molded Door Facing Dimensional Specifications


Riversider™

Height: 6'8"



Riverside Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.9375	26.50	--	--
34	34.375	5.9375	22.50	--	--
32	32.375	4.9375	22.50	--	--
30	30.375	4.9375	20.50	--	--
28	28.375	4.9375	18.50	--	--
26	26.375	5.9375	14.50	--	--
24	24.375	4.9375	14.50	--	--
22	22.375	3.9375	14.50	--	--
20	20.375	5.9375	8.50	--	--
18	18.375	4.9375	8.50	--	--
16U	16.375	5.3125	5.75	--	--
15	15.375	4.8125	5.75	--	--
14	14.375	4.3125	5.75	--	--
12*	12.375	3.3125	5.75	--	--
18/18 B	36.375	4.562	11.344	4.563	--
16/16 B	32.675	3.562	11.344	4.563	--
15/15 B	30.375	4.562	8.344	4.563	--
14/14 B	28.375	3.562	8.344	4.563	--
12/12 B	24.375	4.062	6.094	4.063	--


Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset

Molded Door Facing Dimensional Specifications


Riversider™

Height: 7'0"



Riverside Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.9375	26.50	--	--
34	34.375	5.9375	22.50	--	--
32	32.375	4.9375	22.50	--	--
30	30.375	4.9375	20.50	--	--
28	28.375	4.9375	18.50	--	--
26	26.375	5.9375	14.50	--	--
24	24.375	4.9375	14.50	--	--
22	22.375	3.94	14.50	--	--
20	20.375	5.9375	8.50	--	--
18	18.375	4.9375	8.50	--	--
16U	16.375	5.3125	5.75	--	--
15	15.375	4.8125	5.75	--	--
14	14.375	4.3125	5.75	--	--
12*	12.375	3.3125	5.75	--	--
18/18 B	36.375	4.562	11.344	4.563	--
16/16 B	32.675	3.562	11.344	4.563	--
15/15 B	30.375	4.562	8.344	4.563	--
14/14 B	28.375	3.562	8.344	4.563	--
12/12 B	24.375	4.062	6.094	4.063	--


Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset

Molded Door Facing Dimensional Specifications


Riversider™

Height: 8'0"



Riverside Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	E	E
36	36.375	4.9375	26.50	--	--
34	34.375	5.9375	22.50	--	--
32	32.375	4.9375	22.50	--	--
30	30.375	4.9375	20.50	--	--
28	28.375	4.9375	18.50	--	--
26	26.375	5.9375	14.50	--	--
24	24.375	4.9375	14.50	--	--
22	22.375	3.94	14.50	--	--
20	20.375	5.9375	8.50	--	--
18	18.375	4.9375	8.50	--	--
16U	16.375	5.3125	5.75	--	--
15	15.375	4.8125	5.75	--	--
14	14.375	4.3125	5.75	--	--
12*	12.375	3.3125	5.75	--	--
18/18 B	Bi-fold doors are made by joining individual slabs				
16/16 B					
15/15 B					
14/14 B					
12/12 B					


Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset

Molded Door Facing Dimensional Specifications


Cheyenne®

Height: 6'8"



Cheyenne Profile

Slab Specie:



(for Bifold Facings)


Door Facing Size (Nominal)	A	B	C	D	Radius
36	36.375	4.3125	27.75	--	41.72
34	34.375	5.3125	23.75	--	30.88
32	32.375	4.3125	23.75	--	30.88
30	30.375	4.3125	21.75	--	26.09
28	28.375	4.3125	19.75	--	21.72
26	26.375	5.3125	15.75	--	14.24
24	24.375	4.3125	15.75	--	14.24
22*	22.38	3.31	15.75	--	14.24
20	20.375	4.3500	11.675	--	8.36
18*	18.375	3.3500	11.675	--	8.36
16U	16.375	4.4375	7.500	--	5.80
15	15.375	3.9375	7.500	--	5.80
14*	14.375	3.4375	7.500	--	5.80
12*	12.375	2.4375	7.500	--	5.80
18/18 B	18.1875	4.375	11.625	2.1875	8.28
16/16 B	16.1875	3.375	11.625	2.1875	8.28
15/15 B	15.1875	4.375	8.625	2.1875	5.10
14/14 B	14.1875	3.375	8.625	2.1875	5.10
12/12 B	12.1875	3.4375	7.0313	1.7188	4.87

Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset


Cheyenne®

Height: 8'0"



Cheyenne Profile

Slab Specie:



Door Facing Size (Nominal)	A	B	C	D	Radius
36	36.375	4.3125	27.75	--	41.72
34	34.375	5.3125	23.75	--	30.88
32	32.375	4.3125	23.75	--	30.88
30	30.375	4.3125	21.75	--	26.09
28	28.375	4.3125	19.75	--	21.72
26	26.375	5.3125	15.75	--	14.24
24	24.375	4.3125	15.75	--	14.24
22*	22.38	3.31	15.75	--	14.24
20	20.375	4.3500	11.675	--	8.36
18*	18.375	3.3500	11.675	--	8.36
16U	16.375	4.4375	7.500	--	5.80
15	15.375	3.9375	7.500	--	5.80
14*	14.375	3.4375	7.500	--	5.80
12*	12.375	2.4375	7.500	--	5.80
18/18 B	Bi-fold doors are made by joining individual slabs				
16/16 B					
15/15 B					
14/14 B					
12/12 B					


Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset

West End™ Collection


Melrose™

Height: 6'8"



Embossed Groove Profile

Slab Specie:




Door Facing Size (Nominal)	A	D	--	E
36	36.375	13.48	--	--
34	34.375	13.48	--	--
32	32.375	13.48	--	--
30	30.375	13.48	--	--
28	28.375	13.48	--	--
26	26.375	13.48	--	--
24	24.375	13.48	--	--
22	22.375	13.48	--	--
20	20.375	13.48	--	--
18	18.375	13.48	--	--
16	16.375	13.48	--	--
15	14.375	13.48	--	--
14	12.375	13.48	--	--
12	10.375	13.48	--	--
18/18 B	--	--	--	--
16/16 B	--	--	--	--
15/15 B	--	--	--	--
14/14 B	--	--	--	--
12/12 B	--	--	--	--

Overall Length and Width Dimensions are + 1/16 inch

West End™ Collection


Melrose™

Height: 7'0"



Embossed Groove Profile

Slab Specie:




Door Facing Size (Nominal)	A	D	--	E
36	36.375	15.48	--	--
34	34.375	15.48	--	--
32	32.375	15.48	--	--
30	30.375	15.48	--	--
28	28.375	15.48	--	--
26	26.375	15.48	--	--
24	24.375	15.48	--	--
22	22.375	15.48	--	--
20	20.375	15.48	--	--
18	18.375	15.48	--	--
16	16.375	15.48	--	--
15	14.375	15.48	--	--
14	12.375	15.48	--	--
12	10.375	15.48	--	--
18/18 B	--	--	--	--
16/16 B	--	--	--	--
15/15 B	--	--	--	--
14/14 B	--	--	--	--
12/12 B	--	--	--	--

Overall Length and Width Dimensions are + 1/16 inch

West End™ Collection


Berkley™

Height: 6'8"



Embossed Groove Profile

Slab Specie:



(for Bifold Facings)


Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	28.00	8.38	13.48	--
34	34.375	26.00	8.38	13.48	--
32	32.375	24.00	8.38	13.48	--
30	30.375	22.00	8.38	13.48	--
28	28.375	20.00	8.38	13.48	--
26	26.375	18.00	8.38	13.48	--
24	24.375	16.00	8.38	13.48	--
22	22.375	16.00	6.38	13.48	--
20	20.375	14.00	6.38	13.48	--
18	18.375	12.00	6.38	13.48	--
16	16.375	12.00	4.38	13.48	--
15	15.375	11.00	4.38	13.48	--
14	14.375	10.00	4.38	13.48	--
12	12.375	8.00	4.38	13.48	--
18/18 B	36.375	19.25	8.56	13.48	--
16/16 B	32.375	19.25	6.56	13.48	--
15/15 B	30.375	19.25	5.56	13.48	--
14/14 B	28.375	15.47	6.45	13.48	--
12/12 B	24.375	15.47	4.45	13.48	--

Overall Length and Width Dimensions are + 1/16 inch

West End™ Collection


Berkley™

Height: 7'0"



Embossed Groove Profile

Slab Specie:




(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	28.00	8.38	15.48	--
34	34.375	26.00	8.38	15.48	--
32	32.375	24.00	8.38	15.48	--
30	30.375	22.00	8.38	15.48	--
28	28.375	20.00	8.38	15.48	--
26	26.375	18.00	8.38	15.48	--
24	24.375	16.00	8.38	15.48	--
22	22.375	16.00	6.38	15.48	--
20	20.375	14.00	6.38	15.48	--
18	18.375	12.00	6.38	15.48	--
16	16.375	12.00	4.38	15.48	--
15	15.375	11.00	4.38	15.48	--
14	14.375	10.00	4.38	15.48	--
12	12.375	8.00	4.38	15.48	--
18/18 B	36.375	19.25	8.56	13.48	--
16/16 B	32.375	19.25	6.56	13.48	--
15/15 B	30.375	19.25	5.56	13.48	--
14/14 B	28.375	15.47	6.45	13.48	--
12/12 B	24.375	15.47	4.45	13.48	--

Overall Length and Width Dimensions are + 1/16 inch


Winslow

Height: 6'8"



Heritage Profile

Slab Specie:



(for Bifold Facings)


Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	5.94	10.38	3.75	24.50
34	34.375	4.94	10.38	3.75	24.50
32	32.375	5.94	8.38	3.75	20.50
30	30.375	4.94	8.38	3.75	20.50
28	28.375	5.94	6.38	3.75	16.50
26	26.375	4.94	6.38	3.75	16.50
24	24.375	4.94	5.38	3.75	14.50
22	22.375	3.94	5.38	3.75	14.50
20	20.375	5.94	8.50	--	--
18	18.375	4.94	8.50	--	--
16U	16.375	5.31	5.75	--	--
15	15.375	4.81	5.75	--	--
14	14.375	4.31	5.75	--	--
12*	12.375	3.31	5.75	--	--
18/18 B	36.375	4.56	11.34	4.56	--
16/16 B	32.750	3.56	11.34	4.56	--
15/15 B	30.375	4.56	8.34	4.56	--
14/14 B	28.375	4.06	8.34	4.56	--
12/12 B	24.375	4.06	6.09	4.06	--

Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset


Winslow

Height: 7'0"



Heritage Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	5.94	10.38	3.75	24.50
34	34.375	4.94	10.38	3.75	24.50
32	32.375	5.94	8.38	3.75	20.50
30	30.375	4.94	8.38	3.75	20.50
28	28.375	5.94	6.38	3.75	16.50
26	26.375	4.94	6.38	3.75	16.50
24	24.375	4.94	5.38	3.75	14.50
22	22.375	3.94	5.38	3.75	14.50
20	20.375	5.94	8.50	--	--
18	18.375	4.94	8.50	--	--
16U	16.375	5.31	5.75	--	--
15	15.375	4.81	5.75	--	--
14	14.375	4.31	5.75	--	--
12*	12.375	3.31	5.75	--	--
18/18 B	36.375	4.56	11.34	4.56	--
16/16 B	32.750	3.56	11.34	4.56	--
15/15 B	30.375	4.56	8.34	4.56	--
14/14 B	28.375	3.56	8.34	4.56	--
12/12 B	24.375	4.06	6.09	4.06	--


Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset

Molded Door Facing Dimensional Specifications


Lincoln Park

Height: 6'8"



Heritage Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	5.94	24.50	--	--
34	34.375	5.94	22.50	--	--
32	32.375	4.94	22.50	--	--
30	30.375	4.94	20.50	--	--
28	28.375	4.94	18.50	--	--
26	26.375	5.94	14.50	--	--
24	24.375	4.94	14.50	--	--
22	22.375	3.94	14.50	--	--
20	20.375	5.94	8.50	--	--
18	18.375	4.94	8.50	--	--
16U	16.375	5.31	5.75	--	--
15	15.375	4.81	5.75	--	--
14	14.375	4.31	5.75	--	--
12*	12.375	3.31	5.75	--	--
18/18 B	36.375	5.56	10.72	3.81	--
16/16 B	32.375	4.56	10.72	3.81	--
15/15 B	30.375	4.56	8.72	3.81	--
14/14 B	28.375	4.06	8.72	3.81	--
12/12 B	24.375	4.44	5.84	3.81	--


Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset

Molded Door Facing Dimensional Specifications


Lincoln Park

Height: 7'0"



Heritage Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	5.94	24.50	--	--
34	34.375	5.94	22.50	--	--
32	32.375	4.94	22.50	--	--
30	30.375	4.94	20.50	--	--
28	28.375	4.94	18.50	--	--
26	26.375	5.94	14.50	--	--
24	24.375	4.94	14.50	--	--
22	22.375	3.94	14.50	--	--
20	20.375	5.94	8.50	--	--
18	18.375	4.94	8.50	--	--
16U	16.375	5.31	5.75	--	--
15	15.375	4.81	5.75	--	--
14	14.375	4.31	5.75	--	--
12*	12.375	3.31	5.75	--	--
18/18 B	36.375	5.56	10.72	3.81	--
16/16 B	32.375	4.56	10.72	3.81	--
15/15 B	30.375	4.56	8.72	3.81	--
14/14 B	28.375	4.06	8.72	3.81	--
12/12 B	24.375	4.44	5.84	3.81	--


Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset

Molded Door Facing Dimensional Specifications


Lincoln Park

Height: 8'0"



Heritage Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	5.94	24.50	--	--
34	34.375	5.94	22.50	--	--
32	32.375	4.94	22.50	--	--
30	30.375	4.94	20.50	--	--
28	28.375	4.94	18.50	--	--
26	26.375	5.94	14.50	--	--
24	24.375	4.94	14.50	--	--
22	22.375	3.94	14.50	--	--
20	20.375	5.94	8.50	--	--
18	18.375	4.94	8.50	--	--
16U	16.375	5.31	5.75	--	--
15	15.375	4.81	5.75	--	--
14	14.375	4.31	5.75	--	--
12*	12.375	3.31	5.75	--	--
18/18 B	36.375	5.56	10.72	3.81	--
16/16 B	18.375	4.56	10.72	3.81	--
15/15 B	30.375	4.56	8.72	3.81	--
14/14 B	28.375	4.06	8.72	3.81	--
12/12 B	24.375	4.44	5.84	3.81	--


Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset

Molded Door Facing Dimensional Specifications


Logan

Height: 6'8"



Heritage Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	5.94	24.50	--	--
34	34.375	5.94	22.50	--	--
32	32.375	4.94	22.50	--	--
30	30.375	4.94	20.50	--	--
28	28.375	4.94	18.50	--	--
26	26.375	5.94	14.50	--	--
24	24.375	4.94	14.50	--	--
22	22.38	3.94	14.50	--	--
20	20.375	5.94	8.50	--	--
18	18.375	4.94	8.50	--	--
16U	16.375	4.94	6.50	--	--
15	15.375	4.44	6.50	--	--
14	14.375	3.94	6.50	--	--
12*	12.375	2.94	6.50	--	--
18/18 B	36.375	5.56	10.72	3.81	--
16/16 B	32.375	4.56	10.72	3.81	--
15/15 B	30.375	4.56	8.72	3.81	--
14/14 B	28.375	3.56	8.72	3.81	--
12/12 B	24.375	4.19	6.09	3.81	--


Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset

Molded Door Facing Dimensional Specifications


Logan

Height: 7'0"



Heritage Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	5.94	24.50	--	--
34	34.375	5.94	22.50	--	--
32	32.375	4.94	22.50	--	--
30	30.375	4.94	20.50	--	--
28	28.375	4.94	18.50	--	--
26	26.375	5.94	14.50	--	--
24	24.375	4.94	14.50	--	--
22	22.375	3.94	14.50	--	--
20	20.375	5.94	8.50	--	--
18	18.375	4.94	8.50	--	--
16U	16.375	4.94	6.50	--	--
15	15.375	4.44	6.50	--	--
14	14.375	3.94	6.50	--	--
12*	12.375	2.94	6.50	--	--
18/18 B	36.375	5.56	10.72	3.81	--
16/16 B	32.375	4.56	10.72	3.81	--
15/15 B	30.375	4.56	8.72	3.81	--
14/14 B	28.375	4.06	8.72	3.81	--
12/12 B	24.375	4.19	6.09	3.81	--


Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset

Molded Door Facing Dimensional Specifications


Logan

Height: 8'0"



Heritage Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	5.94	24.50	--	--
34	34.375	5.94	22.50	--	--
32	32.375	4.94	22.50	--	--
30	30.375	4.94	20.50	--	--
28	28.375	4.94	18.50	--	--
26	26.375	5.94	14.50	--	--
24	24.375	4.94	14.50	--	--
22	22.375	3.94	14.50	--	--
20	20.375	5.94	8.50	--	--
18	18.375	4.94	8.50	--	--
16U	16.375	4.94	6.50	--	--
15	15.375	4.44	6.50	--	--
14	14.375	3.94	6.50	--	--
12*	12.375	2.94	6.50	--	--
18/18 B	36.375	5.56	10.72	3.81	--
16/16 B	32.375	4.56	10.72	3.81	--
15/15 B	30.375	4.56	8.72	3.81	--
14/14 B	28.375	4.06	8.72	3.81	--
12/12 B	24.375	4.19	6.09	3.81	--


Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset

Molded Door Facing Dimensional Specifications


Livingston

Height: 6'8"



Livingston Profile

Slab Specie:



(for Bifold Facings)


Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.94	26.50	--	--
34	34.375	5.94	22.50	--	--
32	32.375	4.94	22.50	--	--
30	30.375	4.94	20.50	--	--
28	28.375	4.94	18.50	--	--
26	26.375	5.94	14.50	--	--
24	24.375	4.94	14.50	--	--
22	22.375	3.94	14.50	--	--
20	20.375	5.94	8.50	--	--
18	18.375	4.94	8.50	--	--
16U	16.375	4.94	6.50	--	--
15	15.375	4.44	6.50	--	--
14	14.375	3.94	6.50	--	--
12*	12.375	2.94	6.50	--	--
18/18 B	36.375	4.94	11.38	3.75	--
16/16 B	32.375	3.94	11.38	3.75	--
15/15 B	30.375	4.94	8.38	3.75	--
14/14 B	28.375	4.44	8.38	3.75	--
12/12 B	24.375	4.94	5.38	3.75	--

Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset


Livingston

Height: 7'0"



Livingston Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.94	26.50	--	--
34	34.375	5.94	22.50	--	--
32	32.375	4.94	22.50	--	--
30	30.375	4.94	20.50	--	--
28	28.375	4.94	18.50	--	--
26	26.375	5.94	14.50	--	--
24	24.375	4.94	14.50	--	--
22	22.375	3.94	14.50	--	--
20	20.375	5.94	8.50	--	--
18	18.375	4.94	8.50	--	--
16U	16.375	4.94	6.50	--	--
15	15.375	4.44	6.50	--	--
14	14.375	3.94	6.50	--	--
12*	12.375	2.94	6.50	--	--
18/18 B	36.375	4.94	11.38	3.75	--
16/16 B	32.375	3.94	11.38	3.75	--
15/15 B	30.375	4.94	8.38	3.75	--
14/14 B	28.375	4.44	8.38	3.75	--
12/12 B	24.375	4.94	5.38	3.75	--


Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset

Molded Door Facing Dimensional Specifications


Livingston

Height: 8'0"



Livingston Profile

Slab Specie:



(for Bifold Facings)

Door Facing Size (Nominal)	A	B	C	D	E
36	36.375	4.94	26.50	--	--
34	34.375	5.94	22.50	--	--
32	32.375	4.94	22.50	--	--
30	30.375	4.94	20.50	--	--
28	28.375	4.94	18.50	--	--
26	26.375	5.94	14.50	--	--
24	24.375	4.94	14.50	--	--
22	22.375	3.94	14.50	--	--
20	20.375	5.94	8.50	--	--
18	18.375	4.94	8.50	--	--
16U	16.375	4.94	6.50	--	--
15	15.375	4.44	6.50	--	--
14	14.375	3.94	6.50	--	--
12*	12.375	2.94	6.50	--	--
18/18 B	36.375	4.94	11.38	3.75	--
16/16 B	32.375	3.94	11.38	3.75	--
15/15 B	30.375	4.94	8.38	3.75	--
14/14 B	28.375	4.44	8.38	3.75	--
12/12 B	24.375	4.94	5.38	3.75	--

Overall Length and Width Dimensions are + 1/16 inch

*Not Recommended as stile is too narrow for lockset