


Assembly Instructions



Bar counter

Model No.

HOGA-HL0160





Contact Us We're here to help you.




Your satisfaction is our top priority. If you encounter any issues with this product, such as missing or damaged parts, we're here to help. Please retain the original packaging and take photos of the packaging and the product, then contact us as soon as possible.


Warm Tips

- 1. Carefully read these instructions and keep them for future reference.
- 2. Check the parts list and confirm everything's there before starting assembly.
- 3. When assembling, put all parts on a soft, smooth surface like a carpet to avoid scratches.
- 4. Don't fully tighten screws until all parts are confirmed in place to avoid misalignment.

How to Get the Assembly Video




Note: If you can't find the assembly video, please contact us.




We recommend using hand tools for assembly.

If an electric screwdriver is used, reduce power and torque to avoid damage to the product.




AVOID SCRATCHES


In order to avoid scratching this furnuture should be assembled on a soft layer-could be a rug.




Install the Anti-Tip Straps

Using the anti-tip straps can reduce the risk of tipping over, but can not eliminate it.










A Caution

Make sure all parts are included. Most board parts are labeled or stamped on the raw edge. Contact us for a free replacement if you encounter any damaged or missing parts.

Parts List




Hardware List

Α	В	С	D	E	F
Ø15x12mm	M6x40mm	Ø8x30mm		M4	
78 pcs	78 pcs	60 pcs	8 pcs	1pc	1pc





Installation of Cams and Pins


Read each step carefully before starting. Each step of instruction should be performed in the correct order. If these steps are not followed in sequence, assembly difficulties may occur.




Screw the pin into the hole. Set the cams correctly by aligning the head of the cams with the lock pins. Lock the cam by turning the cam head with a screwdriver until it is tightened. Please do not use an electric screwdriver to assemble the unit.
















• Pay attention to the hole position





Α































Α










Thank you for your support!



Contact our customer service team



support@tribesigns.com www.tribesigns.com



1-424-220-6888

Contact us anytime except 12:00 AMto 8:00 AMEST.



Facebook



Instagram



Pinterest



Twitter



VouTubo



TikTok



WhatsApp